

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	CT260225	Call Order: 011	Proposal: T3966	District:03
Counties:	BAY			
Road Name:	SR 368 (23RD ST) AND SR 75 (US 231)			
Limits:	FROM E OF SR 390 TO SR 75 (US 231) AND FROM SR 30 (US 98 / 15TH ST) TO CR 2312 (BALDWIN RD)			
Project(s):	45081015201	Federal Aid No:	D325050B	
Project(s):	45081815201(*)	Federal Aid No:	D325055B	
Project(s):	45081815202	Federal Aid No:	N/A	
Total Roadway Length:	4.596 Miles	Contract Days:	679	
Total Bridge Length:	0.000 Miles	Letting Date:	02/25/26	
Total Proposal Length:	4.596 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	120 Days	
Proposal Budget Estimate:	\$13,462,029.00			

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling & resurfacing, curb & gutter, sidewalk, signing & pavement marking, temporary traffic control, signalization, and utility adjustment on FPID 450818-1-52-01 and FPID 450818-1-52-02, State Road 368 (23rd Street) from east of State Road 390 to State Road 75 (US 231), approximately 4.596 miles, and milling & resurfacing, curb & gutter, sidewalk, signing & pavement marking, temporary traffic control, and signalization on FPID 450810-1-52-01, State Road 75 (US 231) from State Road 30 (US 98) 15th Street to County Road 2312 (Baldwin Road), approximately 2.928 miles in Bay County.

Call Order: 011 Proposal: T3966

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0101- 1-	MOBILIZATION (45081015201)	LS	1.000
	0101- 1-	MOBILIZATION (45081815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45081015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45081815201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (45081015201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (45081815201)	LS	1.000
	0102- 5-	PEDESTRIAN ESCORT/FLAGGER	HR	300.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	1,116.000
	0102- 60-	WORK ZONE SIGN	ED	170,547.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	379,905.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	33,201.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	941.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	4,869.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	11,543.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	11,543.000
	0104- 10- 3	SEDIMENT BARRIER	LF	5,459.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	204.000
	0107- 1-	LITTER REMOVAL	AC	768.140
	0107- 2-	MOWING	AC	677.220

Call Order: 011 Proposal: T3966

ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (45081015201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (45081815201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	4,102.000
	0120- 1-	REGULAR EXCAVATION	CY	88.800
	0120- 6-	EMBANKMENT	CY	2.800
	0160- 4-	TYPE B STABILIZATION	SY	150.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	137.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	45.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS	SY	176.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	140,195.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	25,343.000
	0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	113,026.000
	0327- 70- 12	MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH	SY	8,246.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	7,815.900
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	2,422.300
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	8,346.500
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	1,590.100
	0337- 7- 93	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, HIGH POLYMER	TN	13,499.800
	0425- 5-	MANHOLE, ADJUST	EA	18.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	8.000
	0425- 6-	VALVE BOXES, ADJUST	EA	27.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	116.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	3,348.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,442.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	2,591.000
	0527- 2-	DETECTABLE WARNINGS	SF	2,564.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	9,286.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	2,354.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	17.934
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.360
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	10,436.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	639.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	3,114.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	11.052
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.294
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	29.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	422.000

Call Order: 011 Proposal: T3966

ALT	Item	Description	Unit	Quantity
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	14.859
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,856.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	5.908
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.582
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45081015201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45081815201)	LS	1.000
Section 0002 Signing				
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	10.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	3.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	3.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	8.000
	0700- 3-401	SIGN PANEL, INSTALL, UP TO 12 SF	EA	2.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	8.000
	0700- 13- 10	RETROREFLECTIVE SIGN STRIP- BACK OF RAIL ROAD CROSSBUCK SIGN BLADES	EA	2.000
	0700-142-802	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, RELOCATE - GROUND MOUNT	EA	2.000
	0704- 1- 3	TUBULAR MARKER, 36" WHITE POST	EA	6.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	2.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	6,079.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	35.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	16.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45081015201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45081815201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	10,436.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	643.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	3,113.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.294
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	29.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	422.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,856.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.582
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	6,155.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	15.000
	0711- 14-191	THERMOPLASTIC, PREFORMED, 6" WHITE, RAILROAD DYNAMIC ENVELOPE	LF	107.000

Call Order: 011 Proposal: T3966

ALT	Item	Description	Unit	Quantity
	0711- 14-193	THERMOPLASTIC, PREFORMED, 12" WHITE ON ASPHALT PAVEMENT, RAILROAD DYNAMIC ENVELOPE	LF	858.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	17.928
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.370
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	11.052
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.020
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	14.859
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	5.908
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	94.000
Section 0003 Signalization				
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	3.470
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	4.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	5,589.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	6,827.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	15.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	15.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	679.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	147.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	13.000
	0646- 1- 12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	9.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	8.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0650- 1- 34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	20.000
	0650- 1- 36	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY	AS	20.000
	0650- 1- 38	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION STRAIGHT, 1 WAY	AS	2.000
	0650- 1- 60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	20.000
	0650- 1- 70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	20.000
	0650- 2-109	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- FLEXIBLE REQUIRED	EA	45.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	11.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	2.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	26.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	39.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	125.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	67.000

Call Order: 011 Proposal: T3966

ALT	Item	Description	Unit	Quantity
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	1.000
	0660- 4- 61	VEHICLE DETECTION SYSTEM- VIDEO, REMOVE CABINET EQUIPMENT	EA	2.000
	0660- 4- 62	VEHICLE DETECTION SYSTEM- VIDEO, REMOVE ABOVE GROUND EQUIPMENT	EA	8.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	48.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	33.000
	0671- 2- 40	TRAFFIC CONTROLLER, MODIFY	EA	7.000
	0671- 2- 50	TRAFFIC CONTROLLER, RELOCATE- WITHOUT CABINET	EA	4.000
	0676- 1-116	TRAFFIC SIGNAL CONTROLLER CABINET, FURNISH & INSTALL WITHOUT CONTROLLER, NEMA SIZE6, 44" W X 52" H X 24" D	EA	4.000
	0676- 1-600	TRAFFIC SIGNAL CONTROLLER CABINET, REMOVE	EA	4.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	19.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	1.000