

BID SOLICITATION NOTICE
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
605 Suwanee St., MS-55, Tallahassee FL 32399

Tallahassee, FL
January 23, 2026
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <https://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <https://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:30 A.M. (Eastern Time) on Wednesday, March 25, 2026.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:15 A.M., March 25, 2026 in the Contracts Administration Office, Tallahassee, Florida or on the Contracts Administration Website at: <https://www.fdot.gov/contracts>. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (850)414-4000. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://bidletting.fdot.gov/>, select Central Office then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the Contracts Administration website at: <https://www.fdot.gov/contracts>, click “[Letting and Project Information](#)” and select letting date from the Lettings Menu.

-----NOTE-----

Proposals will not be issued after 10:30 A.M. (Eastern Time) on Tuesday, March 24, 2026 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit <https://vendor.myfloridamarketplace.com>

for more information. Please allow 24 hours for receipt of a new vendor number.

Prior to placing orders, an individual shall register with the department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <https://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that

multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the Contracts Administration Office before the contract can be executed. **BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.**

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Contracts Administration website at: <https://www.fdot.gov/contracts/>, click "**Letting and Project Information**" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda shall be acknowledged when submitting Bids.**

BID QUESTIONS

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of the State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://bqa.fdot.gov>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit <https://www.surety2000.com> for Surety2000 or <https://www.tinubu.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida**. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory Pre-Bid Meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at:

https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on April 08, 2026 or April 22, 2026 at <https://www.fdot.gov/contracts/>, click the “[Letting and Project Information](#)” and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the “Department”), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <https://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <https://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to “Subscribe”. To obtain information concerning other districts, go to <https://www.fdot.gov/contracts/district-offices/distco.shtm>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidding collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation

Notice to Contractors Index

Published: January 23, 2026

Letting ID: CT260325

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the March 25, 2026 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	T1920	MPB	43020425201(*) 43020425601	MANATEE
17	T3845		21783855201(*) 21783855601	BAY
27	T5876		45059515201(*)	BREVARD

Proposal Note Codes:

Note: (*) indicates lead project

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	CT260325	Call Order:	001	Proposal:	T1920	District:	01
Counties:	MANATEE						
Road Name:	SR 684						
Limits:	FROM SR 789 (GULF DR) TO W OF 123 ST W						
Project(s):	43020425201(*)	Federal Aid No:	D125024B				
Project(s):	43020425601	Federal Aid No:	N/A				
Total Roadway Length:	0.311 Miles	Contract Days:		1200			
Total Bridge Length:	0.555 Miles	Letting Date:		03/25/26			
Total Proposal Length:	0.866 Miles	Contract Execution Days:		10			
		Special Start Date:		N/A			
		Aquis/Flexible Start Time:		15 Days			

Proposal Budget Estimate: \$129,946,504.00

Please read the full advertisement

Description:

This work under this project consists of bridge replacement, roadway reconstruction, milling and resurfacing, drainage, signalization, ITS, lighting, utility work and signing and pavement markings on SR 684 from SR 789 (Gulf Drive) to West of 123rd Street W in Manatee County.

MANDATORY PRE-BID MEETING

THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS PROJECT AT 9:00 AM EST ON WEDNESDAY, FEBRUARY 4, 2026, AT THE FLORIDA DEPARTMENT OF TRANSPORTATION, MANATEE OPERATIONS CENTER, 14000 SR 64 E, BRADENTON, FL 34212. IF YOU HAVE ANY QUESTIONS CONCERNING THIS MATTER, PLEASE CONTACT DON NAYLOR AT (863) 519-2629. AN ON-SITE VISIT WILL FOLLOW THE MEETING.

THIS PRE-BID MEETING IS MANDATORY BECAUSE OF THE COMPLEXITY OF THE PROJECT. ONLY PLANS AND SPECIFICATIONS WILL BE AVAILABLE PRIOR TO THE PRE-BID MEETING. THE PROSPECTIVE BIDDER SHALL BE PREQUALIFIED ACCORDING TO THE REQUIREMENTS OF FDOT RULE CHAPTER 14-22 AND SECTION 2-1 OF THE 2023 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

PROPOSALS (BIDDING DOCUMENTS) WILL BE ISSUED ONLY TO THE PROSPECTIVE BIDDERS WHO HAVE ATTENDED THE PRE-BID MEETING AND MET THE FLORIDA DEPARTMENT OF TRANSPORTATION QUALIFICATIONS FOR THIS PROJECT.

PROSPECTIVE BIDDERS ORDERING BID DOCUMENTS PRIOR TO THE PRE-BID MEETING WILL BE GIVEN ACCESS TO DOWNLOAD THE BID DOCUMENTS WITHIN 24 HOURS AFTER THE PRE-BID MEETING. THOSE PROSPECTIVE BIDDERS ORDERING THE DOCUMENTS AFTER THE PRE-BID MEETING WILL NEED TO CONTACT THE OFFICE ADVERTISING THE PROJECT TO CONFIRM ATTENDANCE AND RECEIVE ACCESS TO DOWNLOAD THE BID DOCUMENTS. PLEASE CONTACT THE OFFICE AT LEAST TWO WORKING DAYS PRIOR TO THE DEADLINE FOR OBTAINING BID DOCUMENTS TO ALLOW TIME FOR PROCESSING.

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
0103- 1- 26	TEMPORARY WORK STRUCTURE, PROJECT NUMBER 430204-2-52-01 (43020425201 Br. No. 130168)		LS	1.000
0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (43020425201 Br. No. 130168)		LS	1.000
0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011		CY	41.300
0400- 1- 30	CONCRETE, CLASS I (SEAL)		CY	991.900
0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS		CY	166.600
0400- 4- 4	CONCRETE CLASS IV, SUPERSTRUCTURE		CY	6,006.800

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	225.600
	0400- 4- 8	CONC CLASS IV, BULKHEAD	CY	148.800
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	239.700
	0400- 4- 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	10,023.000
	0400- 7- 1	BRIDGE DECK GROOVING	SY	14,515.000
	0400- 9- 1	BRIDGE DECK PLANING	SY	14,515.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	131.400
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	32,656.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	1,140,271.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	3,129,841.000
	0415- 1- 8	REINFORCING STEEL- BULKHEAD	LB	2,003.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	32,692.000
	0415- 10- 5	FIBER REINFORCED POLYMER BARS, #5 BAR	LF	7,974.000
	0450- 2- 36	PREST BEAMS: FLORIDA-I BEAM 36"	LF	1,555.000
	0450- 2- 63	PREST BEAMS: FLORIDA-I BEAM 63"	LF	1,234.000
	0450- 2- 84	PREST BEAMS: FLORIDA-I BEAM 84"	LF	15,971.000
	0455- 15- 16	PREFORMED PILE HOLES, 36" TO 43" DRILL/PUNCH SIZE	LF	17,274.000
	0455- 20- 1	PILE INSPECTION, DRIVEN PILE	EA	334.000
	0455- 34- 6	PRESTRESSED CONCRETE PILING, 30" SQ	LF	31,919.000
	0455-115-	PILE REDRIVE	EA	188.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	12,773.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	20,783.000
	0455-133-208	SOLDIER PILE WALL, PERMANENT, WITH CAST-IN-PLACE CONCRETE FASCIA	SF	1,369.000
	0455-137-	LOAD TEST (DYNAMIC), DATA COLLECTION AND ANALYSIS	EA	522.000
	0455-137- 2	LOAD TEST (DYNAMIC), VERIFICATION TEST	EA	20.000
	0455-143- 6	TEST PILES-PRESTRESSED CONCRETE,30" SQ	LF	2,280.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	280.000
	0458- 1- 12	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL	LF	395.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	158.000
	0465- 20-	MOVABLE BRIDGE- PREVENTATIVE MAINTENANCE & ROUTINE REPAIR (43020425201 Br. No. 130168)	LS	1.000
	0465- 21-	MOVABLE BRIDGE OPERATOR	DA	638.000
	0471- 3- 2	POLYMERIC FENDER SYSTEM, 41-200 KIP-FT (43020425201 Br. No. 130168)	LS	1.000
	0510- 1-	NAVIGATION LIGHTS- FIXED BRIDGE, SYSTEM (43020425201 Br. No. 130168)	LS	1.000
	0515- 2-720	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, CUSTOM INFILL PANELS	LF	8,195.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	5,985.000
	0521- 6- 34	CONCRETE PARAPET, RETAINING WALL SYSTEM MOUNTED W/SIDEWALK, CURB	LF	1,457.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	49.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	1,360.100
	0530- 5- 12	GABION, MATTRESS 1 FOOT AND GREATER THICKNESS	SY	219.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0530- 74-	BEDDING STONE	TN	361.200
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	19,440.000
	0548- 13-	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	4,653.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	20,944.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	121.000
Section 002 Roadway				
	0101- 1-	MOBILIZATION (43020425201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43020425201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (43020425201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (43020425201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	6.400
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (43020425201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	160.000
	0102- 60-	WORK ZONE SIGN	ED	140,310.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	1,874.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	4,582.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	320.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	452.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	333.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	113,952.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	446,976.000
	0102- 75- 1	TEMPORARY SEPARATOR, F&I REMOVE	LF	296.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	384.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	7.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	6,270.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,200.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,200.000
	0102-115-	TYPE III BARRICADE	ED	13,760.000
	0104- 10- 3	SEDIMENT BARRIER	LF	5,358.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	626.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	10.000
	0107- 1-	LITTER REMOVAL	AC	252.640
	0107- 2-	MOWING	AC	167.720
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (43020425201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (43020425201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (43020425201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	2,919.000
	0110- 86-	DELIVERY OF SALVAGEABLE MATERIAL TO FDOT (43020425201)	LS	1.000
	0120- 1-	REGULAR EXCAVATION	CY	19,386.000
	0120- 6-	EMBANKMENT	CY	22,176.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0160- 4-	TYPE B STABILIZATION	SY	9,965.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	9,079.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	183.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	4,279.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	978.700
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	1,102.600
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	257.200
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	8.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	3.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	2.000
	0425- 1-531	INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, <10'	EA	1.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	2.000
	0425- 1-559	INLETS, DT BOT, TYPE E, MODIFY	EA	2.000
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	2.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	1.000
	0425- 1-715	INLETS, GUTTER, TYPE V, PARTIAL	EA	1.000
	0425- 1-923	INLETS, ADJACENT BARRIER, J BOTTOM, < 10'	EA	14.000
	0425- 1-924	INLETS, ADJACENT BARRIER, J BOTTOM, >10'	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	7.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	3.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	11.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	1.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	38.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	1,453.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	342.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	928.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	388.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	17.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	221.000
	0430-185-142	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 42", STORM AND CROSS DRAIN	LF	53.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	4.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	1.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	1.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	9.000
	0515- 2-720	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, CUSTOM INFILL PANELS	LF	42.000
	0519- 78-	BOLLARDS	EA	6.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	501.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	2,767.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	166.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	864.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	59.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,681.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	3,013.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	49.000
	0527- 2-	DETECTABLE WARNINGS	SF	341.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	592.000
	0536- 8-111	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-2	EA	2.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	2.000
	0536- 73-	GUARDRAIL REMOVAL	LF	619.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	5.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	5.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	14,086.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	68.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	376.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	621.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	6,222.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	6.329
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,590.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	580.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.230
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	44.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	6.529
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	399.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.362
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.308
	0999- 16-	PARTNERING, DO NOT BID (43020425201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	40.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43020425201)	LS	1.000

Section 0003 Signing

0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	47.000
0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
0700- 1-211	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, LESS THAN 12 SF	EA	3.000
0700- 1-212	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, 12.0-20.0 SF	EA	1.000
0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	7.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	45.000
	0700- 1-912	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I CANTILEVER GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	1.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	2.000
	0704- 1- 3	TUBULAR MARKER, 36" WHITE POST	EA	2.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	8.000
	0705- 10- 4	OBJECT MARKER, TYPE 4	EA	3.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	500.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	28.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43020425201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.047
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	894.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	193.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.166
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	5.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	19.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	294.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.051
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	254.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	11.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	11.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	6.000
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	6.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.240
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.026
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.030
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.207
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	2.221
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.203
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	4,887.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	466.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	1,116.000
	0635- 2- 11	PULL & SPLICING BOX, F&I, 13" x 24" COVER SIZE	EA	48.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	16.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	271.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	4.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	4.000
	0715- 1- 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	9,028.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	54,665.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	14,659.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	9,351.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	4.000
	0715- 7- 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	4.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	7.000
	0715- 11-128	LUMINAIRE, F&I, UNDER DECK, FLOOD	EA	34.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	2.000
	0715- 61-100	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT, 0' ARM LENGTH	EA	1.000
	0715- 61-252	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 15' ARM LENGTH	EA	1.000
	0715- 61-811	LIGHT POLE COMPLETE, F&I, STD POLE STD FOUNDATION, WILDLIFE SENSITIVE LUMINAIRE, 25' MOUNTING HEIGHT, 8' ARM LENGTH	EA	1.000
	0715- 62-252	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 35' MOUNTING HEIGHT, 15' ARM LENGTH	EA	2.000
	0715- 62-811	LIGHT POLE COMPLETE, F&I, STD POLE SPECIAL FOUNDATION, WILDLIFE SENSITIVE LUMINAIRE, 25' MOUNTING HEIGHT, 8' ARM LENGTH	EA	2.000
	0715- 65-266	LIGHT POLE COMPLETE, F&I, UTILITY CONFLICT POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 16' ARM LENGTH	EA	1.000
	0715- 66-266	LIGHT POLE COMPLETE, F&I, UTILITY CONFLICT POLE SPECIAL FOUNDATION, 35' MOUNTING HEIGHT, 16' ARM LENGTH	EA	1.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	21.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	25.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	84.000
	0715-516-125	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, POLE TOP MOUNT- ALUMINUM, 25'	EA	90.000
	0715-516-130	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, POLE TOP MOUNT- ALUMINUM, 30'	EA	8.000

Section 0005 Signalization

0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	45.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	60.000
0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
0635- 2- 14	PULL & SPLICING BOX, F&I, 17" X 30" COVER SIZE	EA	4.000
0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	3.000
0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	2.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	1.000
	0650- 1- 19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	1.000
	0650- 1- 60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	2.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	3.000
	0654- 2- 22	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	2.000
	0660- 1-600	LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN	EA	5.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	3.000
	0665- 1- 12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	3.000
	0671- 2- 40	TRAFFIC CONTROLLER, MODIFY	EA	1.000
	0676- 1-500	TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	3.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	3.000
	0700-141-903	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, REMOVE - OVERHEAD MOUNT	EA	1.000

Section 0006 Utilities

0425- 2-110	MANHOLES, REPAIR	EA	1.000
0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	2.000
0425- 6-	VALVE BOXES, ADJUST	EA	4.000
0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	2.000
0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43020425601)	LS	1.000
1050- 16-001	UTILITY PIPE, REMOVE & DISPOSE, 0 - 1.9"	LF	15.000
1050- 16-002	UTILITY PIPE, REMOVE & DISPOSE, 2-4.9"	LF	20.000
1050- 16-003	UTILITY PIPE, REMOVE & DISPOSE, 5-7.9"	LF	1,053.000
1050- 16-004	UTILITY PIPE, REMOVE & DISPOSE, 8-19.9"	LF	1,685.000
1050- 16-005	UTILITY PIPE, REMOVE & DISPOSE, 20-49.9"	LF	4,284.000
1050- 17-005	UTILITY PIPE, REMOVE & STOCKPILE/SALVAGE, 20-49.9"	LF	65.000
1050- 31-206	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 6"	LF	552.000
1050- 31-220	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 20"	LF	43.000
1050- 42-208	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 8"	LF	287.000
1050- 51-204	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 4"	LF	20.000
1050- 51-206	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 6"	LF	63.000
1050- 51-216	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 16"	LF	45.000
1050- 51-220	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 20"	LF	90.000
1050- 61-112	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 12"	LF	23.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	1055- 13-	UTILITY FITTINGS, INSTALL	EA	6.000
	1055- 31-108	UTILITY FITTINGS FOR PVC PIPE, FURNISH AND INSTALL, ELBOW, 8"	EA	2.000
	1055- 31-120	UTILITY FITTINGS FOR PVC PIPE, FURNISH AND INSTALL, ELBOW, 20"	EA	4.000
	1055- 31-308	UTILITY FITTINGS FOR PVC PIPE, FURNISH AND INSTALL, REDUCER, 8"	EA	2.000
	1055- 51-116	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 16"	EA	3.000
	1055- 51-120	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 20"	EA	4.000
	1055- 51-616	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL Y, 16"	EA	1.000
	1060- 11-211	UTILITY STRUCTURE, BELOW GROUND, F&I, WATER/SEWER, 0 - 80 FT3, 0 - 6'	EA	1.000
	1060- 15-	UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY	EA	2.000
	1060- 16-	UTILITY STRUCTURE, BELOW GROUND, REMOVE&DISPOSE CONTRACTOR TAKES OWNERSHIP	EA	3.000
	1080- 21-600	UTILITY FIXTURE, VALVE/METER BOX, REMOVE	EA	1.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	2.000
	1080- 24-600	UTILITY FIXTURE, VALVE ASSEMBLY, REMOVE	EA	22.000
	1080- 26-106	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 6"	EA	1.000
	1080- 26-600	UTILITY FIXTURE, VAC/AIR ASSEMBLY, REMOVE	EA	1.000
	1644-112- 06	FIRE HYDRANT, F&I, STANDARD, 2 HOSE, 6"	EA	1.000
	1644-900-	FIRE HYDRANT, REMOVE	EA	1.000

Section 0007 Intelligent Transportation System

0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	0.900
0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	1.000
0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	2.000
0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	998.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	528.000
0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	10.000
0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	907.000
0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	4,898.000
0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICING	EA	118.000
0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICING ENCLOSURE	EA	3.000
0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICING TRAY	EA	3.000
0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	3.000
0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	3.000
0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	1,200.000
0635- 2- 12	PULL & SPLICING BOX, F&I, 24" X 36" COVER SIZE	EA	5.000
0635- 2- 13	PULL & SPLICING BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	3.000
0635- 2- 14	PULL & SPLICING BOX, F&I, 17" X 30" COVER SIZE	EA	2.000
0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	1.000

Call Order: 001 Proposal: T1920

ALT	Item	Description	Unit	Quantity
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	144.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	1.000
	0641- 3-263	CONCRETE CCTV POLE, FURNISH & INSTALL WITHOUT LOWERING DEVICE, 63'	EA	2.000
	0641- 3-800	CONCRETE CCTV POLE, COMPLETE POLE REMOVAL	EA	1.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	1.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0660- 6-600	VEHICLE DETECTION SYSTEM- AVI, REMOVE COMPLETE SYSTEM	EA	2.000
	0660- 11- 60	TRAFFIC DATA DETECTION SYSTEM- LIDAR, REMOVE COMPLETE SYSTEM	EA	1.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	2.000
	0676- 2-600	ITS CABINET- REMOVE	EA	1.000
	0682- 1-163	ITS CCTV CAMERA, PRESSURIZED, IP, HIGH DEFINITION	EA	2.000
	0682- 1-600	ITS CCTV CAMERA, REMOVE & DISPOSAL	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	1.000
	0684- 6- 6	WIRELESS COMMUNICATION SYSTEM DEVICE, REMOVE	EA	2.000
	0685- 1- 11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	2.000
	0924-681- 1	CONNECTED VEHICLE ROADSIDE EQUIPMENT, RSU	EA	1.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	CT260325	Call Order:	002	Proposal:	T3845	District:	03
Counties:	BAY						
Road Name:	SR 30A (US 98 / PANAMA CITY BEACH PKWY)						
Limits:	FROM E OF R JACKSON TO HATHAWAY BRIDGE						
Project(s):	21783855201(*)	Federal Aid No:	D325090B				
Project(s):	21783855601	Federal Aid No:	N/A				
Total Roadway Length:	3.286 Miles	Contract Days:		1500			
Total Bridge Length:	0.568 Miles	Letting Date:		03/25/26			
Total Proposal Length:	3.854 Miles	Contract Execution Days:		10			
		Special Start Date:		N/A			
		Aquis/Flexible Start Time:		30 Days			

Proposal Budget Estimate: \$96,937,879.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of adding lanes and reconstructing SR 30A (US 98) Panama City Beach Parkway from East of R Jackson Blvd. to Hathaway Bridge. FPID 217838-5-52-01 consists of roadway reconstruction, adding lanes, signing, pavement marking, lighting, signalization and ITS. FPID 217838-5-56-01 consists of UWHC for water and sewer relocation. All work is to be done in Bay County.

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
0101- 1-	MOBILIZATION (21783855201)		LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (21783855201)		LS	1.000
0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (21783855201)		LS	1.000
0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (21783855201)		LS	1.000
0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE		CY	900.000
0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (21783855201)		LS	1.000
0102- 5-	PEDESTRIAN ESCORT/FLAGGER		HR	360.000
0102- 14-	TRAFFIC CONTROL OFFICER		HR	1,444.000
0102- 60-	WORK ZONE SIGN		ED	215,957.000
0102- 61-	BUSINESS SIGN		EA	53.000
0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE		LF	11,034.000
0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE		LF	18,459.000
0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD		ED	771,892.000
0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)		FD	1,847,340.000
0102- 75- 1	TEMPORARY SEPARATOR, F&I REMOVE		LF	27,165.000
0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL		ED	4,491.000
0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY		ED	6,198.000
0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION		ED	9,000.000
0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION		ED	9,000.000
0102-115-	TYPE III BARRICADE		ED	79,250.000
0104- 10- 3	SEDIMENT BARRIER		LF	16,360.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	319.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	191.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	15.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	123.000
	0107- 1-	LITTER REMOVAL	AC	3,509.840
	0107- 2-	MOWING	AC	3,127.050
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (21783855201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (21783855201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	22,941.000
	0110- 21-	TREE PROTECTION BARRIER	LF	2,298.000
	0120- 1-	REGULAR EXCAVATION	CY	181,969.500
	0120- 6-	EMBANKMENT	CY	40,909.100
	0121- 70-	FLOWABLE FILL	CY	0.300
	0160- 4-	TYPE B STABILIZATION	SY	134,182.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	3,015.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	7,514.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	3,617.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	28,769.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	72,820.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	8,038.000
	0285-771-	OPTIONAL BASE- GRADED AGGREGATE, GREATER THAN 14"	SY	5,643.000
	0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	162,501.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	27,311.900
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	19,445.100
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	4.100
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	45.700
	0400- 4- 8	CONC CLASS IV, BULKHEAD	CY	212.300
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	6,943.000
	0415- 1- 8	REINFORCING STEEL- BULKHEAD	LB	16,857.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	30.000
	0425- 1-321	INLETS, CURB, TYPE P-2, <10'	EA	20.000
	0425- 1-331	INLETS, CURB, TYPE P-3, <10'	EA	2.000
	0425- 1-341	INLETS, CURB, TYPE P-4, <10'	EA	4.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425- 1-411	INLETS, CURB TYPE J-1, <10'	EA	3.000
	0425- 1-412	INLETS, CURB, TYPE J-1, >10'	EA	2.000
	0425- 1-421	INLETS, CURB, TYPE J-2, <10'	EA	1.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	10.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	24.000
	0425- 1-543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	4.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	16.000
	0425- 1-559	INLETS, DT BOT, TYPE E, MODIFY	EA	4.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	8.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	1.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	8.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	12.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	10.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	4.000
	0425- 14- 1	GRATE FOR EXISTING DRAINAGE STRUCTURE, FURNISH AND INSTALL	SF	88.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	283.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	290.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	227.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	450.000
	0430-174-224	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD	LF	46.000
	0430-174-230	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 30"SD	LF	267.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	4,594.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	5,484.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	3,491.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	2,772.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	8.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	391.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	53.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	1,121.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	298.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	3,663.000
	0430-175-248	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/CD	LF	3,976.000
	0430-524-200	STRAIGHT CONCRETE ENDWALLS, 24", DOUBLE, 0 DEGREES, ROUND	EA	1.000
	0430-530-100	STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-530-200	STRAIGHT CONCRETE ENDWALLS, 30", DOUBLE, 0 DEGREES, ROUND	EA	1.000
	0430-530-202	STRAIGHT CONCRETE ENDWALLS, 30", DOUBLE, 0 DEGREES, ELLIPTICAL	EA	2.000
	0430-536-100	STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 0 DEGREES, ROUND	EA	1.000
	0430-536-300	STRAIGHT CONCRETE ENDWALLS, 36", TRIPLE, 0 DEGREES, ROUND	EA	1.000
	0430-611-129	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 24"PIPE	EA	1.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	106.800
	0430-963- 2	PVC PIPE FOR BACK OF SIDEWALK, NON STANDARD DIAMETER	LF	285.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	9.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	4.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	2.000
	0430-982-141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430-982-142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	3.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	10.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	7.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	4.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	2.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	11.000
	0430-984-629	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD	EA	2.000
	0430-984-633	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 30" SD	EA	12.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	20,524.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	1,524.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	22,449.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	10,433.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	765.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	4,454.000
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	40.000
	0521- 72-108	SHOULDER CONCRETE BARRIER, 32" F-SHAPE	LF	34.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	17,463.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	4,894.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	5,040.000
	0524- 1- 49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	128.000
	0527- 2-	DETECTABLE WARNINGS	SF	2,225.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	36.500
	0530- 74-	BEDDING STONE	TN	26.300
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	43.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	102,001.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	15,755.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	44.726
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.209
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	4,375.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	2,434.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	12.459
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	2.712
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	4.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	419.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	19.958
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,755.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.091
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.091
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21783855201)	LS	1.000
Section 0002 Signing				
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	108.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	82.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	4.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	5.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	181.000
	0700- 2-500	MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	7.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	1.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	3.000
	0700- 4-126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	1.000
	0700- 4-612	OVERHEAD STATIC SIGN STRUCTURE, DEEP FOUNDATION REMOVAL, CANTILEVER	EA	3.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	43.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	39.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	6.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	4,503.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	14.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	334.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (21783855201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	9,106.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,003.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	1,690.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	2.429
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	31.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	388.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	51.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,094.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.272
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	3,935.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	73.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	73.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	21.594
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	2.187
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	16.014
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.075
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	10.229
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.030
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.251
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	344.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.215
	0713-103-102	PERMANENT TAPE, WHITE, SOLID, 8" EXIT LANE AT INTERCHANGE ON CONCRETE PAVEMENT	GM	0.685
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.274
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.215
	0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.274

Section 0003 Lighting

0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	3,627.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,886.000
0635- 2- 11	PULL & SPLICING BOX, F&I, 13" x 24" COVER SIZE	EA	54.000
0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	2.000
0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	23,067.000
0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	88.000
0715- 61-311	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 8' ARM LENGTH	EA	37.000
0715- 61-352	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 15' ARM LENGTH	EA	4.000
0715- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	1.000
0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	11.000
0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	129.000

Section 0004 Signalization

0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	2,518.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	5,383.000
0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	6.000
0635- 2- 11	PULL & SPLICING BOX, F&I, 13" x 24" COVER SIZE	EA	179.000
0635- 2- 12	PULL & SPLICING BOX, F&I, 24" X 36" COVER SIZE	EA	1.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	90.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	2.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	36.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	22.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	1.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	3.000
	0649- 21- 8	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 50'-40'	EA	1.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	4.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	5.000
	0649- 21- 24	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 78'-50'	EA	1.000
	0649- 22- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL ON EXISTING FOUNDATION, SINGLE ARM 60'	EA	1.000
	0649- 23- 1	STEEL MAST ARM ASSEMBLY, INSTALL/RELOCATE TO EXISTING FOUNDATION	EA	1.000
	0649- 26- 1	STEEL MAST ARM ASSEMBLY, REMOVE, POLE ONLY- ENTIRE FOUNDATION REMAINS	EA	1.000
	0649- 26- 5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	9.000
	0649- 26- 7	STEEL MAST ARM ASSEMBLY, REMOVE, REMOVE ARM AND ATTACHMENTS; POLE REMAINS	EA	1.000
	0650- 1- 34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	66.000
	0650- 1- 36	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY	AS	5.000
	0650- 1- 38	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION STRAIGHT, 1 WAY	AS	3.000
	0650- 1- 70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	1.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	30.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	6.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	60.000
	0660- 1-111	LOOP DETECTOR INDUCTIVE, F&I, TYPE 11, 4 CH, SS, RM	EA	4.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	94.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	87.000
	0663- 1-122	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR	EA	1.000
	0663- 1-123	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, CABINET ELECTRONICS	EA	1.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	42.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	0670- 5-161	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA W/STANDARD LOCK, 1 PREEMPTION	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0671- 2- 40	TRAFFIC CONTROLLER, MODIFY	EA	2.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0685- 1- 13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	1.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	6.000
	0700- 5- 21	INTERNAL ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	5.000
	0700- 5- 22	INTERNAL ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	10.000
	0700- 5- 50	INTERNAL ILLUMINATED SIGN, RELOCATE	EA	4.000
Section 0005 Utilities				
	0425- 6-	VALVE BOXES, ADJUST	EA	60.000
	0425- 6- 1	METER BOXES, ADJUST	EA	8.000
	1050- 16-003	UTILITY PIPE, REMOVE & DISPOSE, 5-7.9"	LF	600.000
	1050- 16-004	UTILITY PIPE, REMOVE & DISPOSE, 8-19.9"	LF	10,600.000
	1050- 16-005	UTILITY PIPE, REMOVE & DISPOSE, 20-49.9"	LF	920.000
	1050- 18-003	UTILITY PIPE, PLUG & PLACE OUT OF SERVICE, 5- 7.9"	LF	250.000
	1050- 18-004	UTILITY PIPE, PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	1,660.000
	1050- 31-202	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 2"	LF	200.000
	1050- 31-204	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 4"	LF	100.000
	1050- 31-206	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 6"	LF	300.000
	1050- 31-208	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 8"	LF	40.000
	1050- 31-212	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 12"	LF	5,600.000
	1050- 31-216	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 16"	LF	7,900.000
	1050- 31-220	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 20"	LF	1,400.000
	1050- 31-230	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 30"	LF	5,220.000
	1050- 61-130	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 30"	LF	200.000
	1050- 61-136	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 36"	LF	220.000
	1055- 51-108	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 8"	EA	2.000
	1055- 51-112	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 12"	EA	45.000
	1055- 51-116	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 16"	EA	70.000
	1055- 51-120	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 20"	EA	16.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	1055- 51-130	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 30"	EA	30.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	8.000
	1055- 51-216	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 16"	EA	10.000
	1055- 51-230	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 30"	EA	2.000
	1055- 51-308	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 8"	EA	2.000
	1055- 51-312	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 12"	EA	2.000
	1055- 51-316	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 16"	EA	2.000
	1055- 51-508	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 8"	EA	4.000
	1055- 51-512	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 12"	EA	16.000
	1055- 51-516	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 16"	EA	16.000
	1055- 51-520	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 20"	EA	2.000
	1055- 51-530	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL CAP/PLUG, 30"	EA	3.000
	1080- 23-102	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 2"	EA	16.000
	1080- 23-104	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 4"	EA	3.000
	1080- 23-106	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 6"	EA	9.000
	1080- 23-112	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 12"	EA	14.000
	1080- 23-116	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 16"	EA	20.000
	1080- 23-120	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 20"	EA	1.000
	1080- 24-102	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 2"	EA	6.000
	1080- 24-104	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 4"	EA	4.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	12.000
	1080- 24-112	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 12"	EA	20.000
	1080- 24-116	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 16"	EA	24.000
	1080- 24-120	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 20"	EA	3.000
	1080- 24-130	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 30"	EA	9.000
	1080- 26-102	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 2"	EA	11.000
	1080- 26-106	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 6"	EA	3.000
	1080- 29-106	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 6"	EA	10.000
	1080- 29-108	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 8"	EA	2.000
	1080- 29-112	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 12"	EA	40.000

Call Order: 002 Proposal: T3845

ALT	Item	Description	Unit	Quantity
	1080- 29-116	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 16"	EA	45.000
	1080- 29-120	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 20"	EA	30.000
	1644-113- 08	FIRE HYDRANT, F&I, STANDARD, 2 HOSE, 1PUMPER, 6"	EA	8.000
	1644-900-	FIRE HYDRANT, REMOVE	EA	7.000
Section 0006 Intelligent Transportation System				
	0102-112-	EXISTING ITS MAINTENANCE	DA	1,500.000
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	2.700
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	7.000
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	1.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	7,481.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	7,121.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	120.000
	0630- 2- 18	CONDUIT, FURNISH & INSTALL, SPLIT DUCT	LF	56.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	1,759.000
	0633- 1-127	FIBER OPTIC CABLE, F&I, UNDERGROUND, 241 - 288 FIBERS	LF	17,313.000
	0633- 1-420	FIBER OPTIC CABLE, RELOCATE, UNDERGROUND	LF	2,001.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	14,583.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICER	EA	697.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	6.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	37.000
	0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	7.000
	0633- 3- 14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	7.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	7.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	1,500.000
	0633- 8- 6	MULTI-CONDUCTOR COMMUNICATION CABLE, REMOVE	LF	1,558.000
	0633- 8- 11	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, CAT 6	LF	2,341.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	24.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	31.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	6.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	1,051.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	763.000
	0660- 6-600	VEHICLE DETECTION SYSTEM- AVI, REMOVE COMPLETE SYSTEM	EA	2.000
	0682- 1-173	ITS CCTV CAMERA, NON-PRESSURIZED, IP, HIGH DEFINITION	EA	1.000
	0682- 1-400	ITS CCTV CAMERA, RELOCATE	EA	6.000
	0682- 1-600	ITS CCTV CAMERA, REMOVE & DISPOSAL	EA	1.000
	0924-681- 1	CONNECTED VEHICLE ROADSIDE EQUIPMENT, RSU	EA	1.000
	0924-681- 2	CONNECTED VEHICLE ROADSIDE EQUIPMENT, INDUSTRIAL COMPUTER	EA	1.000
	0924-681- 4	CONNECTED VEHICLE ROADSIDE EQUIPMENT, RSU, RELOCATE	EA	8.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	CT260325	Call Order:	003	Proposal:	T5876	District:	05
Counties:	BREVARD						
Road Name:	SR 9 (I-95)						
Limits:	FROM INDIAN RIVER CO LINE TO BABCOCK ST						
Project(s):	45059515201(*)	Federal Aid No:	D525018B				
Total Roadway Length:	12.399 Miles	Contract Days:	500				
Total Bridge Length:	0.144 Miles	Letting Date:	03/25/26				
Total Proposal Length:	12.543 Miles	Contract Execution Days:	10				
		Special Start Date:	N/A				
		Aquis/Flexible Start Time:	30 Days				

Proposal Budget Estimate: \$29,614,867.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling and Resurfacing, Shoulder Treatment, Guardrail, Signing and Pavement/Markings, Lighting, and Intelligent Transportation Systems (ITS) of I-95 from Indian River County line to Babcock St. 12.543 miles in Brevard County, Florida.

Call Order: 003 Proposal: T5876

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
0101- 1-	MOBILIZATION (45059515201)		LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (45059515201)		LS	1.000
0102- 14-	TRAFFIC CONTROL OFFICER		HR	3,340.000
0102- 60-	WORK ZONE SIGN		ED	61,812.000
0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD		ED	82,914.000
0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL		ED	368.000
0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY		ED	1,472.000
0102-112-	EXISTING ITS MAINTENANCE		DA	500.000
0102-115-	TYPE III BARRICADE		ED	108.000
0102-150- 1	PORTABLE REGULATORY, SIGN		ED	972.000
0102-150- 2	RADAR SPEED DISPLAY UNIT		ED	972.000
0104- 10- 3	SEDIMENT BARRIER		LF	62,307.000
0104- 18-	INLET PROTECTION SYSTEM		EA	238.000
0107- 1-	LITTER REMOVAL		AC	6,793.800
0107- 2-	MOWING		AC	3,800.520
0110- 1- 1	CLEARING & GRUBBING (45059515201)		LS	1.000
0120- 1-	REGULAR EXCAVATION		CY	2.700
0120- 6-	EMBANKMENT		CY	128.900
0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH		SY	15,434.000
0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH		SY	288,082.000
0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH		SY	221,904.000
0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH		SY	179,900.000
0327- 70- 15	MILLING EXISTING ASPHALT PAVEMENT, 2 3/4" AVG DEPTH		SY	84,649.000
0327- 70- 17	MILLING EXISTING ASPHALT PAVEMENT, 3 1/4" AVG DEPTH		SY	24,524.000
0327- 70- 20	MILLING EXISTING ASPHALT PAVEMENT, 3 3/4" AVG DEPTH		SY	5,765.000

Call Order: 003 Proposal: T5876

ALT	Item	Description	Unit	Quantity
	0327- 70- 34	MILLING EXISTING ASPHALT PAVEMENT, 8" AVG DEPTH	SY	5,851.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	23,766.800
	0334- 1- 55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	53,491.900
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	22,296.800
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	232.900
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	2,015.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	365.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	258.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	5.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	5.000
	0536- 73-	GUARDRAIL REMOVAL	LF	1,440.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	11.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	10.000
	0536- 85- 27	GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINAL	EA	4.000
	0536- 85- 29	GUARDRAIL END TREATMENT- DOUBLE FACE TRAILING ANCHORAGE	EA	2.000
	0538- 1-	GUARDRAIL RESET	LF	1,771.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	57,436.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	1,145.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	146.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	165.000
	0635- 2- 11	PULL & SPLICING BOX, F&I, 13" x 24" COVER SIZE	EA	3.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	1.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	13.000
	0695- 6- 12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	13.000
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	7,742.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	25.580
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.984
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	903.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	52.175
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	2.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	25.095
	0922-334- 3	SUPERPAVE ASPHALTIC CONCRETE, THICK LIFT, TRAFFIC LEVEL E	TN	1,689.400
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	11.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45059515201)	LS	1.000

Call Order: 003 Proposal: T5876

ALT	Item	Description	Unit	Quantity
Section 0002 Signing				
0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"		GM	47.138
0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF		EA	34.000
0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF		EA	1.000
0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE		EA	28.000
0700- 2-114	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF		EA	4.000
0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF		EA	12.000
0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF		EA	2.000
0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF		EA	4.000
0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF		EA	12.000
0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF		EA	2.000
0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF		EA	4.000
0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'		EA	8.000
0700-141-140	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, HIGHLIGHTED SIGN <12 SF		EA	8.000
0704- 1- 3	TUBULAR MARKER, 36" WHITE POST		EA	58.000
0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B		EA	7,670.000
0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45059515201)		LS	1.000
0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS		LF	903.000
0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW		EA	1.000
0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE		EA	2.000
0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"		GM	25.029
0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"		GM	0.984
0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP		GM	51.467
0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"		GM	25.095
0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES		GM	0.364
0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES		GM	0.365
0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES		GM	0.728
0713-107-	PREFORMED/PERMANENT TAPE, REMOVE		SF	2,250.000
Section 0003 Lighting				
0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH		LF	51,550.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE		LF	6,308.000
0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT		LF	54.000
0635- 2- 11	PULL & SPLICING BOX, F&I, 13" x 24" COVER SIZE		EA	341.000
0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED		EA	4.000
0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY		AS	3.000
0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT		EA	3.000

Call Order: 003 Proposal: T5876

ALT	Item	Description	Unit	Quantity
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (45059515201)	LS	1.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	198,864.000
	0715- 1- 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	4,239.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	3.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	4.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	62.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	12.000
	0715- 61-342	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 12' ARM LENGTH	EA	102.000
	0715- 61-442	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 12' ARM LENGTH	EA	142.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	247.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	4.000
	0715-512-145	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, DOUBLE ARM SHOULDER MOUNT, ALUMINUM, 45'	EA	3.000

Section 0004 Intelligent Transportation System

0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	12.543
0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	3.000
0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	439.000
0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,132.000
0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	201.000
0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	1,927.000
0633- 1-420	FIBER OPTIC CABLE, RELOCATE, UNDERGROUND	LF	230.000
0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICER	EA	6.000
0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	48.000
0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICER TRAY	EA	1.000
0633- 3- 14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	5.000
0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	2.000
0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	2.000
0633- 3- 45	FIBER OPTIC CONNECTION HARDWARE, RELOCATE PATCH PANEL, PRETERMINATED	EA	1.000
0633- 3- 51	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICER ENCLOSURE	EA	1.000
0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	500.000
0633- 8- 11	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, CAT 6	LF	190.000
0633- 8- 12	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE	LF	768.000
0635- 2- 11	PULL & SPLICER BOX, F&I, 13" x 24" COVER SIZE	EA	19.000
0635- 2- 12	PULL & SPLICER BOX, F&I, 24" X 36" COVER SIZE	EA	5.000
0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	1,938.000
0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000

Call Order: 003 Proposal: T5876

ALT	Item	Description	Unit	Quantity
	0639- 6-121	ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 5-10 KVA, SINGLE PHASE, COPPER WINDINGS	EA	2.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0660- 7- 21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	1.000
	0660- 7- 22	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED	EA	1.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	2.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	1.000
	0676- 2-600	ITS CABINET- REMOVE	EA	1.000
	0684- 1- 4	MANAGED FIELD ETHERNET SWITCH, RELOCATE	EA	1.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	1.000
	0684- 2- 4	DEVICE SERVER, RELOCATE	EA	1.000
	0684- 7- 1	MANAGED HUB ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0685- 1- 12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DIDOUBLE CONVERSION	EA	3.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	3.000