

FLORIDA DEPARTMENT OF TRANSPORTATION
 DISTRICT ONE VERTICAL CONTROL SURVEY REPORT
 BENCH MARK COVER SHEET - DATUM N.G.V.D. 1929

ROAD SECTION NO. 07030-000

MP 0.0
 MP 13.3

423441-1

Financial Project ID:

N/A

State Job No. (Old):

S.R. 25

S.R. No.

HENDRY

County:

PROJECT DESCRIPTION (FROM SYSTEM): S.R. 25/US 27 FROM THE PALM BEACH COUNTY LINE TO THE GLADES COUNTY LINE, HENDRY COUNTY

SECTION(S) - 1,12,13 TOWNSHIP - 43 S RANGE - 32 E
7-12 43 S 33 E
7-18 43 S 34 E

LINE NO.	BEGINNING MARK DESCRIPTION	ENDING MARK DESCRIPTION	LINE LENGTH	ALLOWABLE ERROR	ACTUAL ERROR	ADJUSTMENT PER FOOT
1	BM HURRICANE 2 RM4	BM D530	93561'	0.210'	-0.091'	-0.0000009726'

ELEVATIONS ADJUSTED BY PROPORTIONATE RELATIONSHIP OF ERROR TO LENGTH OF RUN

NOTES:

BENCH LINE 1 ORIGINATES AT RECOVERED BM HURRICANE 2 RM4 AND RUNS WEST ADJUSTING INTO RECOVERED BM D530.

LOCATION MAP
SEE ATTACHED

SEAL

MC KIM & CREED LB 6566

FIRM NAME

10970 S. CLEVELAND AVE. SUITE 401
FORT MYERS, FL 3390

STREET ADDRESS, CITY, STATE, ZIP

JASON D. HILL PSM 6008

SURVEYORS NAME & LICENSE No.


Jason D Hill
 SURVEYORS SIGNATURE

6/30/08

DATE

FIELD SURVEY DATE: APRIL 2008

NOT VALID UNLESS SIGNED AND EMBOSSED WITH SURVEYORS SEAL



10970 South Cleveland Ave.

Suite 401

Fort Myers, FL 33907

239.275.8875

Fax 239.275.7029

www.mckimcreed.com

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM HURRICANE 2 RM 4 Elevation feet: 35.87' (NGVD 29)
34.49' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: F.D.O.T. Financial Project ID: PENDING

Established: / / Recovered: 12 / 20 / 2007 Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = N/A E (X): = N/A

Base Line Station and Offset: OUTSIDE PROJECT LIMITS

Description of Monument: FOUND 7"X7" CONCRETE MONUMENT STAMPED
"HURRICANE 2 NO4 1970"

Distance and Direction from Nearest Intersection: 1.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



HENDRY COUNTY COUNTY LINE PALM BEACH COUNTY

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 100 Elevation feet: 14.134' (NGVD 29)
12.759' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 19 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 876074 E (X): = 693383

Base Line Station and Offset: ⊕ STA. 500+24 O/S 80.6' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 100"

Distance and Direction from Nearest Intersection: 1.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 101 Elevation feet: 15.589' (NGVD 29)
14.216' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 876494 E (X): = 692509

Base Line Station and Offset: ⊕ STA. 509+94 0/S 71.2' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 101"

Distance and Direction from Nearest Intersection: 1.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 102 Elevation feet: 13.979' (NGVD 29)
12.607' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 876941 E (X): = 691623

Base Line Station and Offset: ⊕ STA. 519+86 0/S 81.7' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 102"

Distance and Direction from Nearest Intersection: 1.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 10 (RESET) Elevation feet: 15.266' (NGVD 29) 13.893' (NAVD 88)

State Road No.: U.S. 27 / S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 877182 E (X): = 691117

Base Line Station and Offset: ⊕ STA. 525+46 O/S 74.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 10". S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 1.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 9 (RESET) Elevation feet: 15.827' (NGVD 29)
14.455' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 877622 E (X): = 690225

Base Line Station and Offset: ⊕ STA. 535+41 0/S 74.6' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 9". S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 1.0 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



⊕ WEST BOUND U.S. 27

NORTH EDGE OF PAVEMENT

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 8 (RESET) Elevation feet: 14.553' (NGVD 29)
13.175' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 877910 E (X): = 689246


Base Line Station and Offset: B STA. 545+47 O/S 98.4' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 8". S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 0.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 7 (RESET) Elevation feet: 15.603' (NGVD 29)
14.232' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 13 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 878508 E (X): = 688423

Base Line Station and Offset: Ⓟ STA. 555+49 0/S 73.8' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 7". S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 0.6 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 6 (RESET) Elevation feet: 12.825' (NAVD 88) 14.195' (NGVD 29)

State Road No.: U.S. 27 S.R. 25 County: HENDRY

Section: 14 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 878790 E (X): = 687447

Base Line Station and Offset: B STA. 565+49 O/S 103.3' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED NONE. S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 0.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 5 (RESET) Elevation feet: 15.111' (NGVD 29)
13.741' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 14 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 18 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879232 E (X): = 686557

Base Line Station and Offset: ⊕ STA. 575+43 0/S 99.6' LT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED NONE. S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 0.2 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND OLD U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 103 Elevation feet: 16.116' (NGVD 29)
14.747' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 14 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879615 E (X): = 685733

Base Line Station and Offset: ⊕ STA. 584+63 O/S 108.4' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 103"

Distance and Direction from Nearest Intersection: BENCHMARK IS LOCATED
IN THE SOUTHEAST QUADRANT OF THE INTERSECTION OF OLD U.S. 27
AND U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 104 Elevation feet: 18.091' (NGVD 29)
16.723' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 14 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879787 E (X): = 684719

Base Line Station and Offset: ⊕ STA. 595+39 0/S 115.3' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 104"

Distance and Direction from Nearest Intersection: 4.0 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 2 (RESET) Elevation feet: 20.043' (NGVD 29)
18.676' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879941 E (X): = 683806

Base Line Station and Offset: B STA. 604+49 O/S 48.9' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED NONE. S.P. No: 07030-1517

Distance and Direction from Nearest Intersection: 3.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 104A Elevation feet: 23.118' (NGVD 29)
21.752' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879794 E (X): = 682657


Base Line Station and Offset: ⊕ STA. 616+00 O/S 85.5' LT.

Description of Monument: FOUND 3" FLORIDA S.R.D. DISK

@ SOUTH WEST CORNER BRIDGE # 070031 (EAST BOUND U.S. 27)

Distance and Direction from Nearest Intersection: 3.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 19 (RESET) Elevation feet: 17.685' (NGVD 29)
16.319' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879822 E (X): = 681952

Base Line Station and Offset: B STA. 623+04 O/S 51.6' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 19". S.P. No: 07030-350I

Distance and Direction from Nearest Intersection: 3.5 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 18 (RESET) Elevation feet: 15.679' (NAVD 88) 17.044' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879812 E (X): = 681012

Base Line Station and Offset: B STA. 632+45 O/S 53.6' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 18". S.P. No: 07030-3501

Distance and Direction from Nearest Intersection: 3.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 17 (RESET) Elevation feet: 17.280' (NGVD 29)
15.915' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879814 E (X): = 680113

Base Line Station and Offset: B STA. 641+43 0/S 44.1' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 17". S.P. No: 07030-3501

Distance and Direction from Nearest Intersection: 3.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 16 (RESET) Elevation feet: 17.809' (NGVD 29)
16.445' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879800 E (X): = 679226

Base Line Station and Offset: ⊕ STA. 650+31 0/S 50.3' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 16". S.P. No: 07030-3501

Distance and Direction from Nearest Intersection: 3.0 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 15 (RESET) Elevation feet: 17.684' (NGVD 29)
16.321' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 15 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879798 E (X): = 678144

Base Line Station and Offset: ± STA. 661+12 O/S 43.2' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 15". S.P. No: 07030-3501

Distance and Direction from Nearest Intersection: 2.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 105 Elevation feet: 17.605' (NGVD 29)
16.242' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 16 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879780 E (X): = 677071

Base Line Station and Offset: ⊕ STA. 671+86 0/S 50.9' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 105"

Distance and Direction from Nearest Intersection: 2.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 106 Elevation feet: 17.140' (NGVD 29)
15.779' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 16 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 21 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879779 E (X): = 676084

Base Line Station and Offset: ⊕ STA. 681+73 O/S 42.6' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 106"

Distance and Direction from Nearest Intersection: 2.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 107 Elevation feet: 16.812' (NGVD 29)
15.451' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 16 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879736 E (X): = 675252

Base Line Station and Offset: ⊕ STA. 14+13 0/S 109.7' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 107"

Distance and Direction from Nearest Intersection: 2.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 108 Elevation feet: 18.486' (NGVD 29)
17.126' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 16 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879754 E (X): = 674308

Base Line Station and Offset: ⊕ STA. 23+58 0/S 82.1' LT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 108"

Distance and Direction from Nearest Intersection: 2.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 10 (RESET) Elevation feet: 16.638' (NAVD 88) 17.998' (NGVD 29)

State Road No.: U.S. 27 County: HENDRY
S.R. 25

Section: 16 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879744 E (X): = 673596

Base Line Station and Offset: B STA. 30+70 O/S 85.9' LT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "07-95-BM 10". S.P. No: 07030-3501

Distance and Direction from Nearest Intersection: 1.9 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM II (RESET) Elevation feet: 17.504' (NGVD 29)
16.145' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548


State Plane Coordinates:

(Nearest Foot) N (Y): = 879929 E (X): = 672407

Base Line Station and Offset: B STA. 42+57 O/S III.2' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM II". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 12 (RESET) Elevation feet: 17.763' (NGVD 29)
16.405' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879915 E (X): = 671417

Base Line Station and Offset: ⊕ STA. 52+46 O/S 106.7' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 12". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.5 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 13A Elevation feet: 17.439' (NGVD 29) 16.081' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879901 E (X): = 670465

Base Line Station and Offset: ⊕ STA. 61+99 O/S 102.3' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "13A"

Distance and Direction from Nearest Intersection: 1.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 14A Elevation feet: 27.177' (NAVD 88) 28.534' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879867 E (X): = 669434

Base Line Station and Offset: Ⓟ STA. 72+30 O/S 78.6' RT.

Description of Monument: FOUND 3 1/2" BRASS DISK ON CONCRETE
BARRIER WALL OF BRIDGE No. 070070

Distance and Direction from Nearest Intersection: 1.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 15 (RESET) Elevation feet: 17.633' (NGVD 29)
16.276' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879902 E (X): = 668465

Base Line Station and Offset: ⊕ STA. 81+98 O/S 123.5' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 15". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.0 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 16 (RESET) Elevation feet: 17.555' (NGVD 29)
16.199' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879889 E (X): = 667483

Base Line Station and Offset: ⊕ STA. 91+80 O/S 120.5' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 16". S.P.No: 07030-1518

Distance and Direction from Nearest Intersection: 0.8 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 17 (RESET) Elevation feet: 17.834' (NGVD 29)
16.479' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879893 E (X): = 666466

Base Line Station and Offset: B STA. 102+01 0/S 124.9' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 17". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 18 (RESET) Elevation feet: 18.262' (NGVD 29)
16.907' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548


State Plane Coordinates:

(Nearest Foot) N (Y): = 879907 E (X): = 665491

Base Line Station and Offset: ⊕ STA. III+76 O/S 124.6' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 18". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 19 (RESET) Elevation feet: 17.241' (NGVD 29)
15.887' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879946 E (X): = 664516

Base Line Station and Offset: B STA. 121+51 O/S 148.7' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 19". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND C.R. 720

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 20 (RESET) Elevation feet: 17.231' (NGVD 29)
15.877' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 20 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879951 E (X): = 663521


Base Line Station and Offset: B STA. 131+46 O/S 138.4' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 20". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: BENCHMARK IS LOCATED
IN THE NORTHEAST QUADRANT OF THE INTERSECTION OF C.R. 720 AND
U.S. 27

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 21 (RESET) Elevation feet: 17.013' (NGVD 29)
15.660' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548


State Plane Coordinates:

(Nearest Foot) N (Y): = 879958 E (X): = 662575

Base Line Station and Offset: B STA. 140+93 O/S 128.8' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 21". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 6.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 22 (RESET) Elevation feet: 17.579' (NGVD 29)
16.227' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879977 E (X): = 661571

Base Line Station and Offset: B STA. 150+93 O/S 133.8' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 22". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 6.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 23A Elevation feet: 18.157' (NGVD 29)
16.806' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548


State Plane Coordinates:

(Nearest Foot) N (Y): = 879958 E (X): = 660505

Base Line Station and Offset: ⊕ STA. 161+60 0/S 123.2' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 23A"

Distance and Direction from Nearest Intersection: 5.9 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 24 (RESET) Elevation feet: 17.410' (NGVD 29)
16.060' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879963 E (X): = 659751

Base Line Station and Offset: B STA. 169+13 O/S 135.2' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 24". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 5.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 25 (RESET) Elevation feet: 17.099' (NGVD 29)
15.749' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879947 E (X): = 658633

Base Line Station and Offset: ⊕ STA. 180+31 0/S 130.9' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 25". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 5.5 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 26 (RESET) Elevation feet: 16.212' (NAVD 88) 17.561' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 26 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879931 E (X): = 657635


Base Line Station and Offset: Ⓟ STA. 190+29 0/S 129.1' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 26". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 5.3 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 27 (RESET) Elevation feet: 17.786' (NGVD 29)
16.437' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 34 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879923 E (X): = 656684

Base Line Station and Offset: ⊕ STA. 199+81 O/S 129.1' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 27". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 5.1 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 28 (RESET) Elevation feet: 16.775' (NGVD 29)
15.427' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879910 E (X): = 655675

Base Line Station and Offset: B STA. 209+90 O/S 124.8' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 28". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 4.9 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



☉ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 29 (RESET) Elevation feet: 17.527' (NGVD 29)
16.180' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879905 E (X): = 654691

Base Line Station and Offset: B STA. 219+74 0/S 128.5' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 29". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 4.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 30A Elevation feet: 18.733' (NGVD 29)
17.387' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879898 E (X): = 653706

Base Line Station and Offset: B STA. 229+58 O/S 129.4' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 30A".

Distance and Direction from Nearest Intersection: 4.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 31 (RESET) Elevation feet: 17.161' (NGVD 29)
15.816' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879890 E (X): = 652724

Base Line Station and Offset: B STA. 239+41 0/S 130.1' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 31". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 4.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 32 (RESET) Elevation feet: 17.134' (NGVD 29)
15.789' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 11 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879862 E (X): = 651737

Base Line Station and Offset: B STA. 249+28 O/S 110.6' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 32". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 4.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 33 (RESET) Elevation feet: 17.329' (NGVD 29)
15.985' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879855 E (X): = 650755

Base Line Station and Offset: ⊕ STA. 259+10 0/S 110.5' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 33". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 4.0 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 34 (RESET) Elevation feet: 17.232' (NGVD 29)
15.888' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 12 / 27 / 2007 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879850 E (X): = 649766

Base Line Station and Offset: B STA. 268+99 O/S 112.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 34". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 3.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 35A Elevation feet: 17.154' (NGVD 29)
15.812' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879859 E (X): = 648554

Base Line Station and Offset: ± STA. 281+11 0/S 128.4' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 35A"

Distance and Direction from Nearest Intersection: 3.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 36A Elevation feet: 17.424' (NGVD 29)
16.082' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879873 E (X): = 647581

Base Line Station and Offset: ⊕ STA. 290+84 0/S 151.1' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 36A"

Distance and Direction from Nearest Intersection: 3.4 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 37A Elevation feet: 17.144' (NGVD 29) 15.803' (NAVD 88)

State Road No.: U.S. 27 / S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879858 E (X): = 646618

Base Line Station and Offset: ⊕ STA. 300+47 O/S 146.5' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 37A"

Distance and Direction from Nearest Intersection: 3.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 38 (RESET) Elevation feet: 18.326' (NGVD 29)
16.986' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 10 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879817 E (X): = 645830

Base Line Station and Offset: B STA. 308+35 O/S 112.7' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 38". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 3.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 39 (RESET) Elevation feet: 18.762' (NGVD 29)
17.422' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879828 E (X): = 644848


Base Line Station and Offset: ⊕ STA. 318+17 O/S 134.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 39". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 2.9 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 40 (RESET) Elevation feet: 18.141' (NGVD 29)
16.802' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879813 E (X): = 643863

Base Line Station and Offset: ⊕ STA. 328+02 0/S 129.7' RT.


Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 40". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 2.7 MILES EAST ALONG

U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 4IA Elevation feet: 17.997' (NGVD 29)
16.658' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 879805 E (X): = 642889


Base Line Station and Offset: B STA. 337+76 0/S 129.2' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 4IA".

Distance and Direction from Nearest Intersection: 2.5 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch

OPEN FIELD NOTHING PLANTED



☐ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 42A Elevation feet: 18.230' (NGVD 29)
16.892' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879799 E (X): = 641895

Base Line Station and Offset: ⊕ STA. 347+70 O/S 131.5' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 42A"

Distance and Direction from Nearest Intersection: 2.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 43A Elevation feet: 19.272' (NGVD 29)
17.935' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 9 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879794 E (X): = 640911

Base Line Station and Offset: B STA. 357+54 O/S 134.3' RT

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 43A".

Distance and Direction from Nearest Intersection: 2.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



CL WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 44 (RESET) Elevation feet: 18.708' (NGVD 29)
17.371' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879779 E (X): = 639932

Base Line Station and Offset: B STA. 367+33 O/S 126.9' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 44". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 2.0 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



☐ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 45 (RESET) Elevation feet: 19.320' (NGVD 29)
17.984' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879764 E (X): = 638943

Base Line Station and Offset: B STA. 377+23 O/S 120.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 45". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



☉ WEST BOUND U.S. 27

Florida Department of Transportation District One

Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 46A Elevation feet: 20.602' (NGVD 29)
19.266' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879757 E (X): = 637921

Base Line Station and Offset: B STA. 387+45 O/S 120.8' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 46A"

Distance and Direction from Nearest Intersection: 1.6 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Q WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 47 (RESET) Elevation feet: 18.389' (NAVD 88) 19.723' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879743 E (X): = 636674

Base Line Station and Offset: ⊕ STA. 399+92 0/S 116.3' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 47". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 48A Elevation feet: 19.189' (NGVD 29)
17.855' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 8 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879738 E (X): = 635958

Base Line Station and Offset: ⊕ STA. 407+08 0/S 117.2' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 48A".

Distance and Direction from Nearest Intersection: 1.2 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



⊕ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 49 (RESET) Elevation feet: 18.921' (NGVD 29)
17.588' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 07 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879730 E (X): = 635009

Base Line Station and Offset: B STA. 416+57 O/S 116.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 49". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 1.0 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 50A Elevation feet: 19.074' (NGVD 29)
17.741' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879718 E (X): = 634024

Base Line Station and Offset: Ⓟ STA. 426+42 O/S 111.8' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 50A".

Distance and Direction from Nearest Intersection: 0.8 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 51A Elevation feet: 19.849' (NGVD 29)
18.517' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879709 E (X): = 633035

Base Line Station and Offset: B STA. 436+31 0/S 111.2' RT.

Description of Monument: SET STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 51A".

Distance and Direction from Nearest Intersection: 0.7 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM
NGVD 1929 X
NAVD 1988 X

Monument Name or Designation: BM 52 (RESET) Elevation feet: 20.274' (NGVD 29)
18.943' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548


State Plane Coordinates:
(Nearest Foot) N (Y): = 879706 E (X): = 632057

Base Line Station and Offset: ⊕ STA. 446+09 0/S 116.1' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 52". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.5 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM
NGVD 1929 X
NAVD 1988 X

Monument Name or Designation: BM 53 (RESET) Elevation feet: 19.316' (NGVD 29)
17.985' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879698 E (X): = 631071

Base Line Station and Offset: B STA. 455+95 0/S 115.3' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 53". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.3 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 54 (RESET) Elevation feet: 19.668' (NGVD 29)
18.338' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 7 Township: 43 S Range: 33 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 879740 E (X): = 630105

Base Line Station and Offset: ⊕ STA. 465+61 0/S 165.3' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 54". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.1 MILES EAST ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



⊕ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 55 (RESET) Elevation feet: 19.138' (NGVD 29)
17.810' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 880279 E (X): = 629323


Base Line Station and Offset: B STA. 107+55 O/S 322.4' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 55". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.1 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



☐ WEST BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 56 (RESET) Elevation feet: 18.001' (NGVD 29)
16.673' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 881183 E (X): = 629190

Base Line Station and Offset: ⊕ STA. 116+57 0/S 181.0' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 56". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.3 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM
NGVD 1929 X
NAVD 1988 X

Monument Name or Designation: BM D530 Elevation feet: 20.534' (NGVD 29)
19.210' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: FL. D.E.P. Financial Project ID: PENDING

Established: / / Recovered: 01 / 08 / 2008 Field Book No.: 501554

State Plane Coordinates:
(Nearest Foot) N (Y): = 881272 E (X): = 629058


Base Line Station and Offset: ⊕ STA. 117+45 O/S 48.0' RT.

Description of Monument: FLANGE ENCASED STEEL ROD. STAMPED
"D 530 2001 CERP"

Distance and Direction from Nearest Intersection: 0.3 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80



Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 57 (RESET) Elevation feet: 16.415' (NAVD 88) 17.742' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 881970 E (X): = 629191


Base Line Station and Offset: ⊕ STA. 124+45 0/S 174.1' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE

MONUMENT WITH BRASS DISK STAMPED "BM 57". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.4 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



☉ NORTH BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 58 (RESET) Elevation feet: 15.511' (NAVD 88) 16.838' (NGVD 29)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 883153 E (X): = 629205

Base Line Station and Offset: ⊕ STA. 136+27 0/S 176.7' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 58". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.7 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



⊕ NORTH BOUND U.S. 27

Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 59 (RESET) Elevation feet: 16.176' (NGVD 29)
14.851' (NAVD 88)

State Road No.: U.S. 27
S.R. 25 County: HENDRY

Section: 12 Township: 43 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: 01 / 08 / 2008 Recovered: / / Field Book No.: 501548

State Plane Coordinates:


(Nearest Foot) N (Y): = 884630 E (X): = 629235

Base Line Station and Offset: B STA. 151+04 0/S 192.3' RT.

Description of Monument: FOUND STANDARD F.D.O.T. 4"X4" CONCRETE
MONUMENT WITH BRASS DISK STAMPED "BM 59". S.P. No: 07030-1518

Distance and Direction from Nearest Intersection: 0.9 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

Field Location Sketch



Florida Department of Transportation District One
Vertical Control Data Sheet

DATUM

NGVD 1929 X

NAVD 1988 X

Monument Name or Designation: BM 60A Elevation feet: 16.943' (NGVD 29)
15.618' (NAVD 88)

State Road No.: U.S. 27 County: GLADES
S.R. 25

Section: 36 Township: 42 S Range: 32 E Roadway Section I.D.: 07030-000

Establishing Firm: McKIM & CREED Financial Project ID: PENDING

Established: / / Recovered: 01 / 08 / 2008 Field Book No.: 501548

State Plane Coordinates:

(Nearest Foot) N (Y): = 884981 E (X): = 629185

Base Line Station and Offset: OUTSIDE PROJECT LIMITS

Description of Monument: FOUND 3" BRASS DISK "FLORIDA S.R.D."
ON STRAIGHT END WALL (SET IN THE MIDDLE, TOP) @ COUNTY LINE

Distance and Direction from Nearest Intersection: 1.0 MILES NORTH ALONG
U.S. 27 FROM THE INTERSECTION OF U.S. 27 AND S.R. 80

