

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	CT220615	Call Order: 003	Proposal: T7476	District:07
Counties:	PINELLAS			
Road Name:	SR 55 (US 19)			
Limits:	FROM NORTHSIDE DR TO N OF CR 95 AND NEAR WINDING CREEK BLVD AND CURLEW RD			
Project(s):	25677425201	Federal Aid No:	D721023B	
Project(s):	25677425202	Federal Aid No:	N/A	
Project(s):	25677425601	Federal Aid No:	N/A	
Project(s):	25677435201(*)	Federal Aid No:	D721035B	
Project(s):	25677435202	Federal Aid No:	N/A	
Project(s):	25677435203	Federal Aid No:	N/A	
Project(s):	25677435601	Federal Aid No:	N/A	
Total Roadway Length:	2.467 Miles	Contract Days:	1850	
Total Bridge Length:	0.000 Miles	Letting Date:	06/15/22	
Total Proposal Length:	2.467 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	120 Calendar Days	
Proposal Budget Estimate:	\$172,470,006.00			

Please read the full advertisement

Description: A+B Bidding/Incentive-Disincentive, Flexible Start

For projects in excess of \$50 million, in addition to meeting all other qualification requirements of Section 337.14, Florida Statutes, and Rule Chapter 14-22, Florida Administrative Code, any Contractor who is not prequalified and in good standing with the Department as of January 1, 2019, must submit evidence which demonstrates satisfactory completion of at least two projects, each in excess of \$15 million, for the Florida Department of Transportation or for any other state department of transportation. Acceptability of the evidence related to the two projects is at the sole discretion of the Department.

The improvements under this contract consist of reconstructing SR 55 (US 19) to a six-lane controlled access facility with one way frontage roads on both sides of SR 55 (US 19). New overpasses are being constructed near Winding Creek Blvd. and Curlew Rd.

NOTE: This is a cost plus time proposal(A+B). The following sites are cost plus time sites.

Site	Description	Road Cost Per Day	Maximum Days	
00	Contract Time	66667.00	1850	
Call Order: 003 Proposal: T7476				
ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	119.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	3,299.800
	0400- 2- 5	CONCRETE CLASS II, BRIDGE SUBSTRUCTURE	CY	365.600
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	875.800
	0400- 2- 25	CONCRETE CLASS II, MASS, BRIDGE SUBSTRUCTURE	CY	291.400
	0400- 4- 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	2,852.100
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	404.400
	0400- 4- 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	1,278.500
	0400- 7- 1	BRIDGE DECK GROOVING	SY	16,965.000
	0400- 8- 25	CONC CLASS V MASS - SUBSTRUCTURE	CY	583.600
	0400- 9- 1	BRIDGE DECK PLANING	SY	15,487.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0400-147-	COMPOSITE NEOPRENE PADS	CF	16.100
	0400-148-	PLAIN NEOPRENE BEARING PADS	CF	9.700
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	1,646,418.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	650,236.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	172,994.000
	0450- 2- 54	PREST BEAMS: FLORIDA-I BEAM 54"	LF	2,335.000
	0455- 34- 3	PRESTRESSED CONCRETE PILING, 18" SQ	LF	25,649.000
	0455- 35- 6	STEEL PILING, HP 14 X 89	LF	4,065.000
	0455- 88- 6	DRILLED SHAFT, 60" DIA	LF	46.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	947.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	1,025.000
	0455-143- 3	TEST PILES-PRESTRESSED CONCRETE,18" SQ	LF	1,825.000
	0455-144- 6	TEST PILES - STEEL, HP 14 x 89	LF	335.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	764.000
	0458- 1- 12	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL	LF	208.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	3,566.000
	0460- 2- 2	STRUCT STEEL, LOW ALLOY (25677435201)	LS	1.000
	0460- 2- 2	STRUCT STEEL, LOW ALLOY (25677435201)	LS	1.000
	0460- 7-	PREFABRICATED STEEL PEDESTRIAN BRIDGE	SF	2,430.000
	0461-113- 17	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1501-1750 KIPS	EA	2.000
	0461-114- 12	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 251- 500KIPS	EA	4.000
	0461-114- 16	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1251-1500KIPS	EA	4.000
	0461-114- 17	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1501-1750KIP	EA	2.000
	0462- 2- 23	POST TENSIONING TENDONS, SUBSTRUCTURE STRAND FLEXIBLE FILLER	LB	18,604.000
	0506- 2-	BRIDGE DRAINAGE PIPE	LF	123.000
	0506- 3-	BRIDGE DRAINS	EA	2.000
	0515- 2-231	PEDESTRIAN/ BICYCLE RAILING, STEEL ONLY,48" TYPE 1	LF	1,989.000
	0521- 5- 12	CONCRETE TRAFFIC RAILING- BRIDGE, 36" MEDIAN SINGLE SLOPE	LF	410.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	4,065.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT,NON REINFORCED, 4"	SY	205.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (25677425201)	LS	1.000
	0101- 1-	MOBILIZATION (25677435201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (25677425201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (25677435201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (25677425201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (25677435201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (25677425201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (25677435201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	4,949.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (25677425201)	LS	1.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (25677435201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	400.000
	0102- 30-	TEMPORARY HIGHWAY LIGHTING	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	557,100.000
	0102- 61-	BUSINESS SIGN	EA	108.000
	0102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	5,610.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	23,802.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	36,408.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	18,248.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	23,912.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	82,205.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	13,088.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,610,440.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	10,492,065.000
	0102- 75- 1	TEMPORARY SEPARATOR, F&I REMOVE	LF	10,648.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	7,590.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	92.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	14,440.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	3,560.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	3,560.000
	0102-115-	TYPE III BARRICADE	ED	47,110.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.664
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.090
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.324
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	844.000
	0104- 7-	SEDIMENT BASIN / CONTAINMENT SYSTEM	EA	6.000
	0104- 9-	SEDIMENT BASIN / CONTAINMENT SYSTEM- CLEANOUT	EA	6.000
	0104- 10- 3	SEDIMENT BARRIER	LF	22,717.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	156.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	202.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	30.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	371.000
	0104- 19-	CHEMICAL TREATMENT- POWDERED, FOR EROSION CONTROL	SY	3,364.000
	0107- 1-	LITTER REMOVAL	AC	1,775.210
	0107- 2-	MOWING	AC	830.910
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (25677425201)	LS	1.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (25677435201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (25677425201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (25677435201)	LS	1.000
	0108- 3-	MONITOR EXISTING STRUCTURES- GROUNDWATER MONITORING (25677425201)	LS	1.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0108- 3-	MONITOR EXISTING STRUCTURES- GROUNDWATER MONITORING (25677435201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (25677425201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (25677435201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	34,275.000
	0120- 1-	REGULAR EXCAVATION	CY	82,198.000
	0120- 4-	SUBSOIL EXCAVATION	CY	34,063.300
	0120- 5-	CHANNEL EXCAVATION	CY	2,912.800
	0120- 6-	EMBANKMENT	CY	336,976.600
	0121- 70-	FLOWABLE FILL	CY	48.300
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	354.000
	0160- 4-	TYPE B STABILIZATION	SY	234,829.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	158,447.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	6,205.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	1,223.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	2,005.000
	0285-707-	OPTIONAL BASE, BASE GROUP 07	SY	11,107.000
	0285-708-	OPTIONAL BASE, BASE GROUP 08	SY	5,980.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	26,049.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	830.000
	0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	1,363.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	41,789.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	210,995.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	2,011.500
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	25,148.500
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	9,946.400
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	3,562.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	15.700
	0350- 3- 5	PLAIN CEMENT CONCRETE PAVEMENT, 8"	SY	77,338.000
	0350- 3- 8	PLAIN CEMENT CONCRETE PAVEMENT, 9.5"	SY	81,482.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT	LF	297,541.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	141,159.000
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	985.300
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	408.300
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	52,363.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	2.000
	0425- 1-341	INLETS, CURB, TYPE P-4, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	64.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	10.000
	0425- 1-411	INLETS, CURB TYPE J-1, <10'	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	38.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	4.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C, <10'	EA	9.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0425- 1-531	INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, <10'	EA	11.000
	0425- 1-533	INLETS, DITCH BOTTOM TYPE C MODIFIED- BACK OF SIDEWALK, J BOT, <10'	EA	11.000
	0425- 1-534	INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, J BOT, >10'	EA	2.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	6.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	1.000
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	1.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	2.000
	0425- 1-781	INLETS, MEDIAN BARRIER, TYPE 1, <=10'	EA	1.000
	0425- 1-921	INLETS, ADJACENT BARRIER, <=10'	EA	49.000
	0425- 1-923	INLETS, ADJACENT BARRIER, J BOTTOM, < 10'	EA	22.000
	0425- 1-924	INLETS, ADJACENT BARRIER, J BOTTOM, >10'	EA	4.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	28.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	2.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	1.000
	0425- 2- 75	MANHOLES, J-7, >10' CONTROL STRUCTURE	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	31.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	14.000
	0425- 5-	MANHOLE, ADJUST	EA	4.000
	0425-100- 17	SPECIAL INLET TYPE C MODIFIED, J-BOTTOM <=10' WITH CLOSED FLUME, PROJECT 256744-2-52-01 and 256774-3-52-01	EA	22.000
	0425-100- 18	SPECIAL INLET TYPE C MODIFIED, J-BOTTOM >10' WITH CLOSED FLUME, PROJECT 256744-2-52-01 and 256774-3-52-01	EA	61.000
	0430-175-112	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12"S/CD	LF	66.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	16.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	14,423.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	4,971.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	4,440.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	6,638.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	1,829.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	1,338.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	2,440.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	484.000
	0430-175-166	PIPE CULVERT, OPT MATERIAL, ROUND, 66"S/CD	LF	389.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	395.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	235.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	10.000
	0430-175-242	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 42"S/C	LF	207.000
	0430-175-248	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/C	LF	284.000
	0430-185-136	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 36", STORM AND CROSS DRAIN	LF	332.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0430-185-148	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 48", STORM AND CROSS DRAIN	LF	114.000
	0430-185-154	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 54", STORM AND CROSS DRAIN	LF	118.000
	0430-185-166	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 66" , STORM AND CROSS DRAIN	LF	908.000
	0430-530-100	STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 0 DEGREES, ROUND	EA	1.000
	0430-630-954	U-ENDWALL, INDEX 430-012, 54" PIPE	EA	1.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	3.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	1.000
	0430-982-142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0430-982-143	MITERED END SECTION, OPTIONAL ROUND, 60" CD	EA	1.000
	0430-982-144	MITERED END SECTION, OPTIONAL ROUND, 66" CD	EA	4.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	1.000
	0432- 3- 5	CHEMICAL GROUT REPAIR, PIPE, NON-TEST, 30"	EA	8.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	1,235.000
	0440- 1- 20	UNDERDRAIN, TYPE II	LF	699.000
	0440- 1- 30	UNDERDRAIN, TYPE III	LF	1,387.000
	0440- 70-	UNDERDRAIN INSPECTION BOX	EA	4.000
	0440- 73- 2	UNDERDRAIN OUTLET PIPE, 6"	LF	112.000
	0446- 1- 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	41,944.000
	0446- 71- 1	EDGEDRAIN OUTLET PIPE, 4"	LF	1,180.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	259,970.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	2,526.000
	0515- 1- 1	PIPE HANDRAIL - GUIDERAIL, STEEL	LF	2,261.000
	0515- 2-211	PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1	LF	196.000
	0515- 4- 1	BULLET RAIL, SINGLE RAIL	LF	2,218.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	24,897.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	28,769.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	625.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	662.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	933.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	2.000
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	11.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	312.000
	0521- 1- 11	MEDIAN CONCRETE BARRIER, 38" HEIGHT	LF	4,688.000
	0521- 1- 12	MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED	LF	7,854.000
	0521- 1- 13	MEDIAN CONCRETE BARRIER, TALL GRADE-SEPARATED	LF	11,169.000
	0521- 1- 14	MEDIAN CONCRETE BARRIER, VARIABLE SECTION WIDTH FOR SIGN OR PIER SHIELDING	LF	356.000
	0521- 1-107	MEDIAN CONCRETE BARRIER, 32" F-SHAPE, PROJECT 256774-2-52- 01	LF	265.000
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	9,215.000
	0521- 8- 28	CONCRETE BARRIER, WITH SPECIAL JUNCTION SLAB, 32" VERTICAL FACE, PROJECTS 256774-2-52-01 AND 256774-3-52-01	LF	2,218.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0521- 9- 1	OPAQUE VISUAL BARRIER, INDEX 521-010 CONCRETE	LF	9,978.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	217.000
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	255.000
	0521- 72- 60	SHOULDER CONCRETE BARRIER, 38" WALL SHIELDING BARRIER	LF	9,694.000
	0521- 72- 61	SHOULDER CONCRETE BARRIER, VARIABLE WIDTH FOR WALL OR SIGN SHIELDING	LF	2,189.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	875.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	48,085.000
	0522- 4-	BUS SHELTER PAD- CONCRETE	SY	96.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	40.000
	0524- 1- 19	CONCRETE DITCH PAVT, 3", REINFORCED	SY	44.000
	0524- 1- 29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	21.000
	0527- 2-	DETECTABLE WARNINGS	SF	4,596.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	73.300
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	240.200
	0530- 4- 6	ARTICULATING CONCRETE BLOCK REVETMENT SYSTEM, THICKNESS 6"	SY	301.000
	0530- 5- 11	GABION, MATTRESS LESS THAN 1 FOOT THICKNESS	SY	715.000
	0530- 5- 13	GABION, BASKET	CY	2,174.300
	0530- 74-	BEDDING STONE	TN	167.200
	0531- 1-100	IMPERMEABLE POND LINER	SY	9,358.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	437.000
	0536- 8-111	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-2	EA	1.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	1,245.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0536- 85- 26	GUARDRAIL END TREATMENT- TYPE CRT	EA	1.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	19.000
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	188,682.000
	0548- 13-	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	78,766.000
	0548- 14-	RETAINING WALL SYSTEM, PERMANENT-WIDENING, ATTACHED TO EXISTING WALL	SF	8,675.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	266.000
	0550- 60-212	FENCE GATE, TYPE B, SINGLE, 6.1 - 12.0' OPENING	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	57,381.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	685.000
	0571- 1- 13	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 3	SY	4,173.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	30.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	83.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	7.000
	0649- 1- 13	STEEL STRAIN POLE, F&I, TYPE PS- VI	EA	3.000
	0649- 1- 65	STEEL STRAIN POLE, REMOVE, DEEP FOUNDATION REMOVAL, BOLT ON ATTACHMENT	EA	3.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	14.000
	0695- 6- 12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	14.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	2.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	2.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	4.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	8.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	4.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	2.000
	0700- 4-514	OVERHEAD STATIC SIGN STRUCTURE, RELOCATE, CANTILEVER, 41-50 FT	EA	2.000
	0700- 4-610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	2.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	31.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	37,174.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	79.709
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	2.126
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	3.560
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	10,911.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	2,358.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	11,383.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	147.998
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.094
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	7.310
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	64.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	258.000
	0710- 11-180	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE	LF	12.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	56.936
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.031
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	145.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.021
	0710- 11-331	PAINTED PAVEMENT MARKINGS, STANDARD, BLACK, SKIP, 6"	GM	0.542
	0710- 11-333	PAINTED PAVEMENT MARKING, STANDARD, BLACK, 3'-9' DOTTED LANE DROP AND APPROACH TO TOLL PLAZA, 12"	GM	0.154

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25677425201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25677435201)	LS	1.000
	1050- 16-004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	185.000
Section 0003 Signing				
	0649- 26- 5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	2.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	14.000
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	264.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	127.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	12.000
	0700- 1- 14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	5.000
	0700- 1- 22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	12.000
	0700- 1- 32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	1.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	31.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	19.000
	0700- 1- 74	SINGLE POST SIGN, F&I CUSTOM, 31+ SF	AS	4.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	4.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	2.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	7.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	12.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	15.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	25.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	7.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	13.000
	0700- 4-111	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, UP TO 20 FT	EA	1.000
	0700- 4-112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	9.000
	0700- 4-113	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT	EA	8.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	8.000
	0700- 4-125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	1.000
	0700- 4-610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	3.000
	0700- 4-620	OVERHEAD STATIC SIGN STRUCTURE, REMOVE SPAN	EA	1.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	172.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	137.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	58.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	7,537.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	156.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	1,185.000
	0710- 12-101	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, SOLID, 6" MAINTENANCE USE	GM	12.326
	0710- 12-102	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, SOLID, 8" WIDE FOR INTERCHANGE AND URBAN ISLAND-MAINTENANCE USE	GM	2.872
	0710- 12-131	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, 10-30 OR 3-9 SKIP, 6" WIDE- MAINTENANCE USE	GM	21.615
	0710- 12-201	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, SOLID, 6" WIDE, MAINTENANCE USE	GM	11.527
	0710- 12-231	PAINTED PAVEMENT MARKINGS, DURABLE, YELLOW, SKIP, 6"	GM	0.291
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (25677425201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (25677435201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	2.821
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.387
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	12,097.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	5,016.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	1,848.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	2.665
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	13.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	323.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	34.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,169.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.178
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	10,683.000
	0711- 14-141	THERMOPLASTIC, PREFORMED, WHITE, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.227
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	64.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	81.000
	0711- 14-241	THERMOPLASTIC, PREFORMED, YELLOW, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.019
	0711- 14-341	THERMOPLASTIC, PREFORMED, BLACK, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.087
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	27.000
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	125.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.690
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6", 10-30 SKIP OR 3-9 LANE DROP	GM	12.771

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	2.399
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	8.405
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	13.698
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.323
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6", 1C -30 SKIP OR 3-9 LANE DROP	GM	0.638
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.320
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	10.053
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.542
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	9.297
	0713-103-133	PERMANENT TAPE, WHITE, SKIP, 12" WIDE 3'-9' DROP LANE ON CONCRETE SURFACES	GM	1.447
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.542
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	9.510
	0713-103-333	PERMANENT TAPE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE SURFACES	GM	2.228
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	7,961.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,003.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	390.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	280.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	57,554.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	46.000
	0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	42.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	193.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	3.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	150.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
	0715- 1- 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	11,845.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	42,032.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	62,903.000
	0715- 1- 14	LIGHTING CONDUCTORS, F&I, INSULATED, NO 1 TO NO 0	LF	12,825.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	84,592.000
	0715- 4- 12	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT	EA	4.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	13.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	96.000
	0715- 5- 32	LUMINAIRE & BRACKET ARM- GALV STEEL, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	2.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	3.000
	0715- 7- 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	2.000
	0715- 11- 17	LUMINAIRE- UNDERDECK PENDANT, FURNISH & INSTALL, PROJECT 256774-3-52-01	EA	26.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	40.000
	0715- 19- 13	HIGH MAST LIGHT POLE, FURNISH AND INSTALL, 120'	EA	2.000
	0715- 19- 60	HIGH MAST LIGHT POLE, REMOVE POLE AND FOUNDATION	EA	5.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	8.000
	0715-500- 2	POLE CABLE DISTRIBUTION SYSTEM, FURNISH & INSTALL, HIGH MAST	EA	2.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	145.000
	0715-516-120	LIGHT POLE COMPLETE-SPECIAL DESIGN, F&I, POLE TOP MOUNT, ALUMINUM, 20'	EA	8.000
	0715-518-140	LIGHT POLE COMP- SPECIAL DESIGN, F&I, DOUBLE ARM, POLE TOP MOUNT, ALUMINUM, 40'	EA	131.000
Section 0005 Signalization				
	0455-107- 6	DRILLED SHAFT CASING, 60" DIAMETER	LF	34.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	920.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,380.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	75.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	585.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	4.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	47.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	3.000
	0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	4.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	20.000
	0639- 1-121	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER FURNISHED BY POWER COMPANY	AS	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	4.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	770.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	2.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	2.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	22.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	31.000
	0649- 1- 63	STEEL STRAIN POLE, REMOVE, SHALLOW FOUNDATION REMOVAL, BOLT ON ATTACHMENT	EA	4.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	2.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	1.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	2.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	2.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	66.000
	0650- 1- 19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	4.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	24.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	2.000
	0653- 1- 40	PEDESTRIAN SIGNAL, RELOCATE	AS	1.000
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	4.000
	0654- 2- 11	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	6.000
	0654- 3- 10	MIDBLOCK CROSSWALK: PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY	AS	2.000
	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	2.000
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	12.000
	0660- 4- 42	VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	EA	1.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	2.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	8.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	25.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	1.000
	0670- 5-112	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION	AS	1.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	2.000
	0685- 1- 12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION	EA	1.000
	0700- 1- 31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	2.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	12.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
	0700- 5- 60	INTERNALLY ILLUMINATED SIGN, REMOVE	EA	2.000
	0700- 11-321	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, REGULATORY SIGN, UP TO 12 SF	AS	1.000
Section 0006 Utilities				
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	23.000
	0425- 6-	VALVE BOXES, ADJUST	EA	69.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25677425601)	LS	1.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25677435601)	LS	1.000
	1050- 13-005	UTILITY PIPE, INSTALL, 20.0-49.9"	LF	9,674.000
	1050- 16-001	UTILITY PIPE,REMOVE & DISPOSE, 0 - 1.9"	LF	200.000
	1050- 16-002	UTILITY PIPE,REMOVE & DISPOSE, 2-4.9"	LF	12,691.000
	1050- 16-003	UTILITY PIPE,REMOVE & DISPOSE, 5-7.9"	LF	17,792.000
	1050- 16-004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	9,764.000
	1050- 16-005	UTILITY PIPE,REMOVE & DISPOSE, 20-49.9"	LF	9,961.000
	1050- 18-002	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 2- 4.9"	LF	858.000
	1050- 18-003	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 5- 7.9"	LF	628.000
	1050- 18-004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	1,309.000
	1050- 19-525	UTILITY PIPE, TEMPORARY, STEEL PIPE, WATER/SEWER, 20.0-49.9"	LF	295.000
	1050- 42-202	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 2"	LF	987.000
	1050- 42-210	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 10"	LF	270.000
	1050- 42-236	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 36"	LF	285.000
	1050- 51-204	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 4"	LF	49.000
	1050- 51-206	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 6"	LF	1,277.000
	1050- 51-208	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 8"	LF	12,678.000
	1050- 51-212	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 12"	LF	6,366.000
	1055- 51-108	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 8"	EA	113.000
	1055- 51-110	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 10"	EA	2.000
	1055- 51-112	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 12"	EA	19.000
	1055- 51-208	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 8"	EA	53.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	32.000
	1055- 51-308	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 8"	EA	3.000
	1055- 51-312	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 12"	EA	6.000
	1055- 51-508	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 8"	EA	4.000
	1080- 23-108	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 8"	EA	31.000
	1080- 23-112	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 12"	EA	5.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	27.000
	1080- 24-108	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 8"	EA	34.000
	1080- 24-112	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 12"	EA	14.000
	1080- 24-136	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 36"	EA	6.000
	1080- 24-142	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 42"	EA	1.000
	1080- 24-600	UTILITY FIXTURE, VALVE ASSEMBLY, REMOVE	EA	3.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	1080- 27-136	UTILITY FIXTURE- LINE STOP ASSEMBLY, FURNISH AND INSTALL, 36'	EA	2.000
	1080- 26-102	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 2"	EA	12.000
	1080- 27-142	UTILITY FIXTURE- LINE STOP ASSEMBLY, FURNISH AND INSTALL, 42	EA	2.000
	1080- 27-154	UTILITY FIXTURE- LINE STOP ASSEMBLY, FURNISH AND INSTALL, 54	EA	1.000
	1080- 27-500	UTILITY FIXTURE- LINE STOP ASSEMBLY, MODIFY	EA	4.000
	1080- 27-600	UTILITY FIXTURE- LINE STOP ASSEMBLY, REMOVE	EA	5.000
	1644-800-	FIRE HYDRANT, RELOCATE	EA	34.000
Section 0007 Intelligent Transportation System				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	5,579.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	12,146.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	270.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND, 2-12 FIBERS	LF	3,200.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	21,775.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	19,610.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	562.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	12.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	55.000
	0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	40.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	30.000
	0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	6.000
	0633- 4- 6	SIGNALS COMMUNICATION CABLE- TWISTED PAIR CABLE, REMOVE	LF	315.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	1,850.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	25.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	29.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	11.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	3.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	3.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	3,311.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	8.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	3.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	2.000
	0649- 2-155	STEEL CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 55'	EA	1.000
	0649- 2-170	STEEL CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 70'	EA	4.000
	0649- 2-603	STEEL CCTV POLE, REMOVE POLE- SHALLOW FOUNDATION REMOVAL, BOLT ON ATTACHMENT	EA	2.000
	0649- 2-605	STEEL CCTV POLE, REMOVE POLE- COMPLETE/DEEP FOUNDATION REMOVAL, BOLT ON ATTACHMENT	EA	1.000
	0660- 6-600	VEHICLE DETECTION SYSTEM- AVI, REMOVE COMPLETE SYSTEM	EA	1.000

Call Order: 003 Proposal: T7476

ALT	Item	Description	Unit	Quantity
	0676- 2-112	ITS CABINET, FURNISH & INSTALL, POLE MOUNT, 336S, 24" W X 46" H X 22" D	EA	3.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	2.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	2.000
	0676- 2-600	ITS CABINET- REMOVE	EA	3.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	5.000
	0682- 1-600	ITS CCTV CAMERA, REMOVE & DISPOSAL	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	7.000
	0685- 1- 12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION	EA	9.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	7.000
	0700- 8-600	FRONT ACCESS DYNAMIC MESSAGE SIGN, REMOVE	EA	2.000
	0700- 9-137	WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF	EA	2.000
	0700- 10-115	DMS SUPPORT STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	1.000
	0700- 10-600	DMS SUPPORT STRUCTURE, REMOVE	EA	1.000