F. A. PROJECT NO.	SHEET NO.
N/A	

LEGEND

B.O.S. - BEGINNING OF SURVEY	SEC. - SECTION
E.O.S. - END OF SURVEY	STA. - STATION
F.D.O.T. - FLORIDA DEPARTMENT OF TRANSPORTATION	P.I. - POINT OF INTERSECTION
FND. - FOUND	P.C. - POINT OF CURVATURE
C.M. - CONCRETE MONUMENT	P.T. - POINT OF TANGENCY
D.O.T. C.M. - 4"x4"x24" C.M. CAPPED WITH F.D.O.T. BRASS DISK	D - DEGREE OF CURVATURE
B/W - BARBED WIRE	T - TANGENT LENGTH OF CURVE
(F) - FIELD DATA	L - LENGTH OF CURVE
(P) - PLAT DATA	R - RADIUS
(D) - DEED DATA	△ - DELTA
(C) - CALCULATED DATA	P.O.T. - POINT ON TANGENT
I.R. - IRON ROD	P.O.C. - POINT ON CURVE
I.P. - IRON PIPE	T-C - TANGENT TO CURVE
C.P. - CONCRETE PIPE	COR. - CORNER
TWP. - TOWNSHIP	N.T.S. - NOT TO SCALE
RGE. - RANGE	℄ - CENTERLINE
CO. - COUNTY	℄ - BASELINE
C.R. - COUNTY ROAD	AHD. - AHEAD
S.R. - STATE ROAD	BK. - BACK
R/W - RIGHT OF WAY	RT. - RIGHT
MAINT. - MAINTAINED	LT. - LEFT
	P.P. - POWER POLE

General Notes:

Bearings are referenced to the bearing for the Centerline of State Road 62 as shown on Florida Department of Transportation R/W Map Section 13060-2501 Between Sta. 1507+54.85 and Sta. 1516+22.23.

This is to certify that the right of way limits as shown on this map were identified by M.B. Williams, Assistant Maintenance Engineer, as having been maintained continuously for four (4) years without interruption or disturbance.

By: Kenneth E. Clark
Assistant District Maintenance Engineer

THIS IS TO CERTIFY that the within and attached sheets numbered 1 to 21, inclusive, constitute a true copy of the official Maintenance Map showing location and survey by the State of Florida Department of Transportation for a portion of State Road 62, designated as Section 13060-____ in Manatee County, Florida.

THE PROPERTY labeled MAINTR/W LINE on the said sheets has been vested in the State of Florida Department of Transportation pursuant to the provision of Section 95.361, Florida Statutes.

IN WITNESS WHEREOF, we have hereunto set our hands and affixed the seal of the State of Florida Department of Transportation, at Bartow, Florida, this 28 day of June, A.D. 19 90.

District Secretary
Department of Transportation
State of Florida

Betty J. Parrish
Attestor

T 33S ~ R 22E

DUETTE

Bearing Equation
S89°53'11"E ℄ Survey
S89°53'11"E (13060-2501)
S89°56'35"E (13070-2501)

Begin Maintained R/W Job
Station Equation
Sta. 1516+22.23 ℄ Survey
Sta. 1516+22.23 ℄ (13060-2501)
Sta. 9+87.72 ℄ (13070-2501)

P.I. Sta. 1360+00.43
Δ = 00°04'17"Rt.
Found Nail and Cap
(Replaced w/60d Nail)
(No Curve)

This survey was performed for the specific purpose of establishing a survey baseline and locating the limits of maintained right of way as identified by the Maintenance Engineer for the transportation facility shown and depicted hereon.

I hereby certify that to the best of my knowledge and belief the information consisting of sheets 1 thru 21 is a true, accurate and complete depiction of a field survey performed under my supervision and completed in 11-1-87. I further certify that this survey and drawing is in compliance with the Minimum Technical Standards as set forth by the Florida Board of Professional Land Surveyors, pursuant to Section 472.027, Florida Statutes.

[illegible]
Registered Land Surveyor No.: 3684
State of Florida Dept. of Transportation 801 North Broadway Bartow Florida 33830
6-26-90

NOT VALID UNLESS SIGNED AND SEALED

Filed for record in the office of the Clerk of the Circuit Court for the County of Manatee, State of Florida, in State and County Road Map Book 10, page 32, on the 9th day of October, A.D. 19 90.

Clerk of the Circuit Court
Manatee County, Florida

Key Map "A"
R.62 From S.R.37
East to Manatee - Hardee County Line

4-27-88 AD 5765-111-03

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.R.	9/7/88	[illegible]	6-28-90
TRACED	M.D.	9/8/88	DISTRICT SECRETARY	
CHECKED	GKM	5-4-89		

MAPS PREPARED BY First District
FIELD BOOK NO'S. 002954, 034408, 000399
W.P.I. NO.
SCALE 1" = 400'
SECTION 13060
SHEET 1 OF

REVISION	BY	DATE

F. A. PROJECT NO.	SHEET NO.
N/A	

T33S - R 22E

Key Map "B"

S.R. 62 From

S.R. 37 East to Manatee - Hardee County Line

4-21-89 FD 3745-IN-05

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 — Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.R.	8/29/88		
TRACED	M.D.	9/19/88	DISTRICT SECRETARY	6-28-90
CHECKED	G.K.M.	5-4-89		

MAPS PREPARED BY: First District — FIELD BOOK NO'S. 002959, 034408, 000399

W.P.I. NO. — SCALE 1" = 400'

SECTION 13060- — SHEET 2 OF

REVISION	BY	DATE

F. A. PROJECT NO.	SHEET NO.
N/A	

2641.29'(F) Cor. to Cor. S 89°34'13"E

Set 5/8" Rebar w/FDOT Cap N.E. Cor. N.W. ¼ Sec. 24

2641.29'(F) Cor. to Cor. S89°54'14"E

Fnd. 4 C.M. N.W. Sec. Cor.

Manatee Co. / Hardee Co.

13 18 19 24

2647.44'(F) Cor. to Cor. N 00°10'43"E

2647.37'(F) Cor. to Cor. N00°09'13"W

See Insert Sheet #18

See Insert Sheet #19

See Insert Sheet #20

See Insert Sheet #21

Sta. 1693+00.00

Sta. 1705+00.00

Sta. 1717+00.00

Sta. 1729+00.00

Set 5/8" Rebar Center Sec. 24

2655.36'(F) Cor. to Cor. S 89°42'04"E

2656.37'(F) Cor. to Cor. S89°42'04"E

1690 1700 1710 1720 1730

℄ to Cor. 903.37'(F)

N 81°26'12"E N 81°42'01"E ℄ (06020)

℄ Survey S.R. 62 N 81°30'19" E

Bearing Equation: S 89°41'53"E S 89°34'04"E (06020)

Sta. Equation: Survey ℄ (06020-)

End Maintained Sta. Equation: Survey "BK" Sta. 1728+70.01 Ahd Survey ℄ (06020-) Sta. 40+04.14 ℄

③ Curve Data
P.I. Sta. 1728+08.12
Δ = 08°43'55" Right
D = 05°00'00"
T = 87.49'
L = 174.64'
R = 1145.92'
P.C. Sta. 1727+20.64
P.T. Sta. 1728+95.27

Township 335 ~ Range 22E

Township 335 ~ Range 23E

2243.30'(F) Cor. to ℄ N00°10'43"E Sta. 1701+83.71

P.I. Sta. 1713+29.13
Δ = 00°04'03" Lt.
Fnd. Nail and Washer (No Curve)

2652.34'(F) Cor. to Cor. N00°09'13"W

2651.83'(F) Cor. to Cor. N00°08'11"W

Manatee Co. / Hardee Co.

2671.77'(F) Cor. to Cor. S 89°35'38"E

Set I.P.w/FDOT Disc. S.W. Cor. S.E. ¼ Sec. 24

2671.77'(F) Cor. to Cor.

Fd. 4" C.M. S 89°35'38"E

24 19 25 30

County Line

Manatee County / Hardee County

2656.37'(F) Cor. to Cor. N89°42'04"W

Fnd. R.R. Spike N.E. Cor. S.E. ¼ Sec. 24 T 33S ~ R 22E

0.73'(F) ℄ to Cor.

Cur. Rt. D = 05°00'00"

90°00'26"

DETAIL N.T.S. See also Insert Sheet #21

℄ Survey S.R. 62 Bearing Equation: N 81°26'12"E ℄ Survey N 81°42'01"E ℄ (06020-)

Station Equation "BK" ℄ Survey P.C. Sta. 1727+20.64 Ahd "AK" ℄ (06020-) P.C. Sta. 38+54.76

N00°09'13"W 2652.34'(F) Cor. to ℄ 2651.83'(F) Cor. to ℄ Sta. 1728+70.01

Bearing Equation: Survey ℄ (06020-) S 89°34'04"E

Map Copy SR 62 From East to Manatee-Hardee County Line

4-21-88 PD 5765 - IN - 07

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/30/88
TRACED	M.D.	9/12/88
CHECKED	GKM	5-4-89

APPROVED BY _____ DATE 6-28-90 DISTRICT SECRETARY

MAPS PREPARED BY First District

FIELD BOOK NO'S. 002954, 034408, 000399

W.P.I. NO.

SCALE 1" = 400'

SECTION 13060

SHEET 3 OF

REVISION	BY	DATE

F. A. PROJECT NO.	SHEET NO.
N/A	

SEC. 20
T 33S R 22E

SEC. 21
T 33S R 22E

Set 7/8 Rebar DOT Cap
N.W. Cor. S.W. 1/4 Sec. 21

Cor. to E. 221.01'(F) N00°13'54"E

422.21'(F) E to Cor. S00°13'54"W

20 | 21
29 | 28
Fnd. 4" C.M. Sec. Cor.

Maint. R/W Line

S.R. 37 - Parrish - U.S. 301

94°52'59"

1515

192.15' (c)

66.00'

41'

10

47°37'54"

15

Maint. R/W Line

S.R. 37 & Seaboard - Lakeland R/W

Maint. R/W Line

P.O.T. 16-173 A

S.R. 37 & Survey (13070-2501)

Bearing Equation
N43°28'37"E & Survey=
N47°37'47"E & (13070-2501)

1520

1525

& Survey S.R. 62 S84°53'11"E

Bearing Equation:
S84°53'11"E & Survey S.R. 62=
S84°53'11"E & (13060-2501)
S84°46'37"E & (13070-2501)

Maint. R/W Line

16-172 A

16-172

16-171 A

Duette

Begin Maintained R/W Job
Station Equation Sta. 1516+22.23 & Survey S.R. 62
Sta. 9+87.72 & (13070-2501) S.R.37
Sta. 1516+22.23 & (13060-2501) Back

50.25'
50.00'
90°00'28"
50.00'
50.00'

S.R. 37 (13070-2501)

Sta. 35+86.32
Fnd. 60 & Nail and Cap

49.72'
65.15'
90°01'15"
47°37'54"

& Survey S.R. 62
S84°53'11"E

83.00'
50.00'

Sta. 1516+22.23
Set P.K. Nail & Washer Stamped FDOT
Re-Set From Ref. Proj. # 13070-2501
F.B. # 869357

Note:
All reference points are set
3/4" Iron Rods unless otherwise noted

Insert
S.R. 62 From
S.R. 37 East to Manatee-Hardee
County Line

4-21-88 PD 3715-16-04

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R	8/22/88
TRACED	M.D	8/23/88
CHECKED	G.K.M.	5-4-89

APPROVED BY _____ DATE 6-29-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
FIELD BOOK NO'S 002954, 034408, 000399
W.P.I. NO.
SCALE 1"=40'
SECTION 13060
SHEET 4 OF

REVISION	BY	DATE

F. A. PROJECT NO.	SHEET NO.
N/A	

SEC. 21
T33S~R22E

Maint. R/W Line

1525 | 1530 | 1535

℄ Survey S.R. 62 , S84°53'11"E

Maint. R/W Line

Maint. R/W Line

Maint. R/W Line



NOTE;
All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise noted.

Insert

S.R. 62 From
S.R. 37 East to Manatee - Hardee County Line

4-21-88 SD 3763-16-05

REVISION	BY	DATE

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 64 — Manatee COUNTY

	BY	DATE
DRAWN	J. R.	8/23/88
TRACED	M. D.	8/23/88
CHECKED	G.K.M.	5-4-89

APPROVED BY [signature] DATE 6-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
FIELD BOOK NO'S. 002959, 034408, 000399
W.P.I. NO.
SCALE 1"=40'
SECTION 13060
SHEET 5 OF

F. A. PROJECT NO.	SHEET NO.
N/A	

T33S~R22E

Set 5/8" Rebar w/DOT Cap
Center Sec. 21

2405.47'(F) Cor. to
N 00°01'39" E

Maint. R/W Line

+00 33.5

1540

97°00'38"

1545

℄ Survey S.R. 62 S84°53'11"E

Maint. R/W Line

+00 32

+00 31

+00 32

Maint. R/W Line

18-168A

18-168

18-167A

18-167

Sta. 1340+51.44
230.56'(F) Cor.

Section 21
Section 28

Set 5/8 Rebar DOT Cap S.W. Cor. S.E. 1/4 Sec. 21

83.22'

89°57'40"

177.74'

℄ Survey S.R. 62 S84°53'11"E

49.53'

105.92'

Sta. 13[illegible]+50.10
Set [illegible] Washer

NOTE:
All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise

Insert

S.R. 62 From
S.R. 37 East to Manatee -
Hardee County Line Rd.

4-27-88 PD 3765-12-06

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/23/88
TRACED	M.D.	8/24/88
CHECKED	GKM	5-4-89

APPROVED BY [illegible] DATE 4-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District

FIELD BOOK NO'S. 002954, 034408, 000399

W.P.I. NO.

SCALE 1" = 40'

SECTION 13060

SHEET 6 OF

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T 33S ~ R 22E

Maint. R/W Line

1550

℄ Survey S.R. 62 S84° 53' 11" E

1555

1560

S84°48'54"E

Maint. R/W Line

Maint. R/W Line

Maint. R/W Line

Sec. 21

Sec. 28

P.I. Sta. 1560+00.43
Δ = 00°04' 17" Rt.
60d Nail and Washer
(No Curve)

90°00'00"

℄ Survey S.R. 62
S 84° 53' 11" E

NOTE;
All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise noted.

Insert
From S.R. 37
to Manatee-Hardee County Line

4-21-88 PO 3745-12-07

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.R.	8/23/88		4-28-92
TRACED	M.D.	8/24/88	DISTRICT SECRETARY	
CHECKED	GKM	5-4-89		

MAPS PREPARED BY First District
FIELD BOOK NO'S. 002954, 034408, 000399
W.P.I. NO.
SCALE 1" = 40'
SECTION 13060
SHEET 7 OF

REVISION	BY	DATE

F. A. PROJECT NO.	SHEET NO.
N/A	

T33S~R22E

Set 5/8" Rebar w/FDOT Cap
N.W. Cor. S.W. 1/4 Sec. 22

SEC. 22
SEC. 21

Sta. 1564+73.73
2911.87'(F) Cor. to ℄
S 0°01'23"E

Maint. R/W Line

1565

℄ Survey S.R. 62 S84°48'54"E

1570

525.85'(c)

Maint. R/W Line

℄ to Cor.
2161.14'(c)
Sta. 1571+99.58

Maint. R/W Line

04°08'36"
523.11'(c) Cor. to ℄ S 88°51'30"E

21 | 22

Fnd. R.R. Spike Sec. Cor.

2684.91'(F)
Cor.-Cor.

#16-164

2612.35'(F) Cor.-Cor. N89°04'44"W

#16-163

#16-162

#16-161A

28 | 27

Maint. R/W Line

Duette Road

S02°21'10"W 5275.00'(F) Cor. to Cor.

Insert
S.R. 62 From S.R. 37
East to Manatee-Hardee
County Line

4-21-88 NO 3765-16-01

℄ Survey S.R. 62 S84°48'54"E

Sta. 1572+70.0
Set P.K. Nail and Washer

NOTE:
All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise noted

28 | 27

Fnd. R.R. Spike Sec. Cor.

33 | 34

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/25/88
TRACED	M.D.	8/25/88
CHECKED	G.K.M.	5-4-89

APPROVED BY _____ DATE 6-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
FIELD BOOK NO'S 002934, 034408, 000399
W.P.I. NO.
SCALE 1" = 40'
SECTION 13060
SHEET 8 OF

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T33S-R22E

Section 22
Section 27

2161.19'(C) ℄ to Cor.
2649.91'(F) Cor. to Cor.

Maint. R/W Line

1575 1580 1585

℄ Survey S.R. 62 S84° 48' 54"E

Maint. R/W Line

#16-162A #16-161 #16-160

Bearing Equation
S84° 48' 54"E ℄ Survey
S84° 49' 11"E ℄ (13060-2901)

Exist. R/W Line (13060-2901)

Station Equation:
Sta. 1584+00.00 ℄ Survey
Sta. 1784+00.00 Beg. (13060-2901)

Insert
S.R. 62 From S.R. 37
East to Manatee-Hardee
County Line

4-27-88 P03765-12-09

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.R.	8/25/88		6-28-90
TRACED	M.D.	8/25/88		DISTRICT SECRETARY
CHECKED	G.K.M.	5-4-89		

MAPS PREPARED BY First District
FIELD BOOK NO'S. 002954, 034408, 000399
W.P.I. NO.
SCALE 1"=40'
SECTION 13060
SHEET 9 OF

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T33S~R22E

Section 22

Section 27

(1) (13060-2901) Curve Data
P.I. Sta. 1592+06.71
Δ = 23°13'30" Lt
D = 02°30'00"
T = 519.91'
L = 1013.00'
R = 2291.83'
P.C. Sta. 1586+91.80
P.T. Sta. 1597+04.80

Existing R/W Line (13060-2901)

1585

℄ Survey S.R. 62 S 81°48'34"E

Bearing Equation:
S 89°08'34"E ℄ Survey =
S 84°49'11"E (13060-2901)

P.C.

1590

① Curve Lt. D=02°30'00"

Existing R/W (13060-2901)

Station Equation
P.C. Sta. 1586+92.47 "BK" ℄ Survey
P.C. Sta. 1586+91.80 "AH" ℄ (13060-2901)

NOTE:
All reference points are set
⅝" Iron Rod w/FDOT caps
unless noted.

℄ Survey S.R. 62
S 81°48'34"E

200.00'

80.58'

76.80'

82.41'

42.64'

P.C. Sta. 1586+92.47
Set 60d Spike and Washer

83.54'

71.30'

200.00'

N 69°11'46"E
℄ Survey S.R. 62

76.80'

75.00'

P.T. Sta. 1597+05.84
Set Pk. Nail and Washer

Station Equation
P.T. Sta. 1597+04.80 "BK" ℄ (13060-2901)
P.T. Sta. 1597+05.38 "AH" ℄ Survey

Exist. R/W (13060-2901)

S 00°01'22"E 2643.77'(M)

N Cor. N.W. ¼ Sec. 27

207.19'(M) Cen. to ℄ 1595

57.35'(M)

76°32'22" P.C.

N 69°51'46"E

P.T.

18°06'37"

Sta. 1594+84.05
2478.36'(M) S 86°39'19"E
℄ to Cor.

Exist. R/W Line (13060-2901)

Insert
S.R. 62 Pro
Sec 34 to Manatee-Hardee
County Li

4-24-88 PD 3765-12-10

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/26/88
TRACED	M.D.	8/29/88
CHECKED	G.K.M.	5-4-89

APPROVED BY [signature] DISTRICT SECRETARY DATE 6-28-90

MAPS PREPARED BY First District

FIELD BOOK NO'S 002954, 034108, 000399

W.P.I. NO.

SCALE 1"= 40'

SECTION 13060

SHEET 10

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T33S~R22E

Sta. Equation:
Sta. 1600+00.00 Bk. ℄ (13060-2901)
Sta. 1600+00.00 Ahd. ℄ Survey

Maint. R/W Line

1600

1605

Maint. R/W Line

D=02°30'00"
Cur. Lt.

Bearing Equation:
N69° 51' 46"E ℄ Survey =
N69° 51' 19"E ℄ (13060-2901)

℄ Survey S.R. 62 N69° 51' 46"E

Maint. R/W Line

16-156

16-155A

16-153

Maint. R/W Line
16-154A

Sec. 22

Sec. 27

2478.36 ℄ to Cor.
2668.50 Cor. to Cor.
S.88°39'17"E

13060-2901

Curve Data
R = 2291.83'
Δ = 2°30'00" Lt.
D = 02°30'00"
T = 99.97'
L = 199.94'
R = 2291.83'
P.C. Sta. 1796+11.80
P.T. Sta. 1797+05.36

P.T. Sta. 1797+05.36 Bk. ℄ (13060-2901)
P.T. Sta. 1797+05.36 Ahd. ℄ Survey

℄ Survey
N69°51'46"E

S.R. 62

Sta. 1609+21.91
Set P.K. Nail and Washer

P.T. Sta. 1797+05.36
Set P.K. Nail and Washer

NOTE:
All reference points are set with
⅝" Iron Rods w/ FDOT Cap unless otherwise noted.

Insert
S.R. 62 From
S.R. 37 East to Manatee-Hardee
County Line

4-21-88 FD 2765-21-02

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/31/88
TRACED	M.D.	8/31/88
CHECKED	G.K.M.	5-4-89

APPROVED BY: [signature] DATE: 4-28-89 DISTRICT SECRETARY

MAPS PREPARED BY: First District
FIELD BOOK NO'S: 002954, 034408, 000399
W.P.I. NO.
SCALE: 1"= 40'
SECTION 13060
SHEET 11

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC. 22
T33S~R22E

Maint. R/W Line

1610 1615 1620

℄ Survey S.R. 62 N 69° 51' 46" E

Maint. R/W Line

Maint. R/W Line

#16-154A #16-154 #16-153A #16-153 #16-152A

+00 48.5 +00 46.5 +00 43.0

℄ Survey S.R. 62 N 69° 51' 46" E

NOTE: Bearings and coordinates are based on the Florida State Plane Coordinate System, West Zone, NAD 83, 1990 Adjustment.

Tie 1 2 From S.R.37
East to Manatee / Hardee County Line

4-21-88 AD 3765-22-04

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/30/88
TRACED	M.D.	8/30/88
CHECKED		

APPROVED BY [signature] DATE 6-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
FIELD BOOK NO'S 002954, 034408, 000399
W.P.I. NO.
SCALE 1" = 40'
SECTION 13060
SHEET 12

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T33S R22E

Section 22

Section 23

Maint. R/W Line

Maint. R/W Line

Maint. R/W Line

F.A. PROJECT NO. N/A | SHEET NO.

SEC. 23
T33S-R22E

Station Equation
Sta. 1638+50.00 BK ℄ Survey
Sta. 1638+50.00 Ahd ℄ (13060-2901)

Station Equation
Sta. 1639+50.00 BK ℄ (13060-2901) =
Sta. 1639+50.00 Ahd ℄ Survey

Maint. R/W Line

1635 | 1640 | 1645

℄ Survey S.R. 62 N81° 23' 24"E →

Bearing Equation
N81°23' 24"E ℄ Survey
N81°21' 39"E ℄ (13060-2901)

Maint. R/W Line

#16-149A | #16-149 | #16-148 | #16-147A | #16-147

Exist R/W Line (13060-2901)

Sta. 1634+93.53
P.K. Nail and Washer

℄ Survey S.R. 62 N81° 23' 24"E

99.53'
53.48'
46.19'
59.99'
106°40'00"

NOTE: All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise noted

Insert
S.R. 62 From
S.R. 37 East to Manatee-Hardee County Line

4-21-88 PD 3765-3C-03

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 | Manatee COUNTY

	BY	DATE
DRAWN	J.R	8/31/88
TRACED	M.D.	8/31/88
CHECKED	G.K.M	5-4-89

APPROVED BY: [signature] DISTRICT SECRETARY — DATE: 6-28-90

MAPS PREPARED BY: First District
FIELD BOOK NO'S: 034408, 000399, 002959
W.P.I. NO.
SCALE: 1" = 40'
SECTION 13060
SHEET 14

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC. 23
T33S~R22E

Set Iron Pipe Center Sec. 23

1243.68'(P) ℄ to Cor.
N00°18'06"E

Maint. R/W Line

1645 1650 1655

℄ Survey S.R. 62 N81°23'24"E

Maint. R/W Line

#16-146A

#16-147A

1648+99.75

N00°18'06"E
1403.33'(P) Cor. to Sec.

℄ Survey

N81°23'24"E

Sta. 1646+84.40
Nail and Washer

NOTE:
All reference points ... w/FDOT
... unless otherwise noted.

... SE¼ Sec. 23

Inset
SR 62 From
SR 37 East to Manatee
Hardee County Line

4-21-88 PO 3765-24-04

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	9/11/88
TRACED	M.D.	9/11/88
CHECKED	GKM	5-89

APPROVED BY ... DISTRICT SECRETARY DATE 6-28-90

MAPS PREPARED BY First District

FIELD BOOK NO'S 002954, 034408, 000399

W.P.I. NO.

SCALE 1"= 40'

SECTION 13060

SHEET 15

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC. 23
T33S-R22E

Maint. R/W Line

1660

1663

℄ Survey S.R. 62 N81° 23' 24"E

Maint. R/W Line

16-149

16-143B

16-142A

Sta. 1663+84.97
Set P.K. Nail and Washer

℄ Survey S.R. 62 N81° 2

68.84'

131.73'

100.00'

60.73'

NOTE: All reference points are set ⅝ iron ... Caps unless otherwise noted.

S.R. 62 from S.R. 37 East to Manatee - Hardee County L...

4-21-89

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	9/1/88
TRACED	M.D.	9/1/88
CHECKED	G.K.M.	5-4-89

APPROVED BY ... DISTRICT SECRETARY DATE 4-28-90

MAPS PREPARED BY First District

FIELD BOOK NO'S. 002954, 034408, 000399

W.P.I. NO.

SCALE 1" = 40'

SECTION 13060-

SHEET 16

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

T33S-R22E

Found 3" Iron Pipe N.W. Cor., S.W. ¼ Sec. 24

℄ to Cor. 814.87 (F) S00°32'02"W

P.I. Sta. 1674+92.51
Δ = 00°06'51" Rt.
Fnd. R.R. Spike
(No Curve)

Maint. R/W Line

1670 1675 1680

80°58'13"

℄ Survey S.R. 62 N81° 23' 24"E

N81°30'15"E

80°51'22"

16-143 16-142 16-140

P.I. Sta. 1674+92.28
Δ = 00°06'51" Rt.
Fnd. R.R. Spike
(No Curve)

120.50

98.81

℄ Survey S.R. 62
N81° 23' 24"E

N81°30'15"E

00°00'

57°58'

71.87

NOTE:
All reference points are set ⅝" Iron Rods w/FDOT Caps unless otherwise noted.

Section 23

Section 24

23 | 24

26 | 25

Fnd 3" Iron Pipe Sec. Cor

Inset

S.R. 62 From S.R. 37 East to Manatee - Hardee County Line

4-21-88 PD 3748 - 3C - 02

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 — Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.R	8/29/88		
TRACED	M.D	9/2/88	DISTRICT SECRETARY	6-28-90
CHECKED	GKM	5-4-89		

MAPS PREPARED BY: First District
FIELD BOOK NO.S: 002954, 034408, 000399
W.P.I. NO.
SCALE: 1" = 40'
SECTION 13060
SHEET 17

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC. 24
T33S - R22E

Maint. R/W Line

1685

1690

℄ Survey S.R. 62 N81°30'15"E

Maint. R/W Line

#16-140

#16-139

#16-138

#16-137B

Maint. R/W Line

℄ Survey S.R. 62 N81°30'15"E

Sta. 1686+37.83
Set I.R. Nail & Washer

NOTE:
All reference points are set ⅝" Iron Rods
w/FDOT Caps unless otherwise noted.

Insert
S.R. 62 from S.R. 37
East to Manatee - Hardee County Line

4-12-88 FD 3765-32-07

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	9/1/88
TRACED	M.D.	9/2/88
CHECKED	G.K.M.	5-4-89

APPROVED BY _____ DATE 6-28-90
DISTRICT SECRETARY

_____ ENGINEER OF RIGHT OF WAY

MAPS PREPARED BY First District

FIELD BOOK NO'S. 002954, 034408, 000399

W.P.I. NO.

SCALE 1" = 40'

SECTION 13060

SHEET 18 OF

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC. 24
T.33S.~R.22E.

Maint. R/W Line

1695

1700

1705

℄ Survey S.R. 62 N81°30'15"E

Set ⅝" Rebar w/FDOT Cap Center Sec.

S03.37'08"E 2643.90'(M) to Cor.

S00°11'43"W

81°19'32"

Maint. R/W Line

16-137A

16-136

16-137

Maint. R/W Line

℄ Survey S.R. 62 N81°30'45"E

NOTE: All reference points are ½" Iron Rods w/FDOT Caps unless otherwise noted.

Set Iron Pipe w/FDOT Disc. S.W. Cor. S.E. ¼ Sec. 24

N00°10'45"E 2243.90'(M) to Cor.

Insert
S.R. 62 From
S.R. 37 East to Manatee-Hardee County Line

4-21-88 PD 3765-26-08

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	9/2/88
TRACED	M.D.	9/2/88
CHECKED	G.K.M.	5-4-89

APPROVED BY: DATE 6-28-90 DISTRICT SECRETARY

MAPS PREPARED BY: First District

FIELD BOOK NO'S: 002954, 034408, 000399

W.P.I. NO.

SCALE 1"=40'

SECTION 13060

SHEET 19

REVISION	BY	DATE

F.A. PROJECT NO.	SHEET NO.
N/A	

SEC 24
T33S-R22E

P.I. Sta. 1713+29.13
Δ = 00°04'03" Lt.
Fnd. Nail and Washer
(NO CURVE)

Maint. R/W Line

1705 +00 35' +00 27' 1710 +00 30 +00 35' 1715 +00 35'

+00 29.5' +00 30.5' +00 28.5' +00 27.5' +00 27.5' +00 28.5'

N81°30'15"E ⟶ ℄ Survey S.R. 62

Bearing Equation
N 81°26'12"E ℄ Survey =
N 81°42'01"E ℄ (06020-)

Maint. R/W Line

#16-134A

#16-133

Insert
S.R. 62 From S.R. 37
East to Manatee - Hardee County Line

℄ Survey S.R. 62
N81°30'15"E

N81°26'12"E

30.00'

60.00'

60.00'

90°00'00"

P.I. Sta. 1713+29.13
Δ = 00°04'03" Lt.
Fnd. Nail and Washer
(No Curve)

NOTE: All reference points are set 5/8" Iron Rods w/FDOT Caps unless otherwise noted.

4-21-88 FAP 5215-3C-09

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 Manatee COUNTY

	BY	DATE
DRAWN	J.R.	8/3/88
TRACED	M.D.	8/5/88
CHECKED	GKM	5-8-89

APPROVED BY [signature] DATE 6-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
FIELD BOOK NO'S 002954, 034408, 000399
W.P.I. NO.
SCALE 1"=40'
SECTION 13060 SHEET 20

REVISION	BY	DATE

F.A. PROJECT NO.
N/A

Mon. Sec. Cor. 13 | 18

Maint. R/W Line

1720

1725

Bearing Equation:
N81°26'12"E ℄ Survey =
N81°42'01"E ℄ (06020-)

℄ Survey S.R.62 N81°26'12"E

Curve Rt. D=05°00'00"

See Detail

Maint. R/W Line

#16-132

#16-131A

#16-131

N89°42'04"W
2676.37(T) Corn to Cor
Found RR Spike
N.E. Cor.) S.E. ¼, Sec. 24
T33S - R22E

Detail
N.T.S.
See also Key Map

℄ Survey S.R.62

Cur Rt
D=05°00'00"

90°36'26" PC

Sta 1728+70.01

16" Pine
w/ Nail and Cap
in Blaze

℄ Survey S.R.62
Bearing Equation:
N81°26'12"E ℄ Survey =
N81°42'01"E ℄ (06020-)

76°30'00"

30°00'00"

Sta. Equation:
P.C. Sta. 1727+20.64 Bk. ℄ Survey
P.C. Sta. 30+54.78 Ahd. ℄ (06020-)

NOTE:
All reference points are set ⅝" Iron Rod
w/ FDOT Caps unless otherwise noted.

Sec. 24 T33S - R22E
Manatee County

Sec. 19 T33S - R23E
Hardee County

4-21-88

PO 3765-32-70

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY SURVEYING AND MAPPING

MAINTENANCE MAP

STATE ROAD NO. 62 , Manatee COUNTY

	BY	DATE
DRAWN	J.R	9/2/88
TRACED	M.D.	9/5/88
CHECKED		

APPROVED BY _____ DATE 6-28-90
DISTRICT SECRETARY

MAPS PREPARED BY First District
W.P.I. NO.
FIELD BOOK NO'S 002954, 034408, 000399
SCALE 1"= 40'
SECTION 13060
SHEET 21

REVISION	BY	DATE