FED. ROAD DIV. No.	STATE	F A PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		1



"This right of way map when recorded is an instrument of conveyance, transferring in accordance with Florida Statutes 337.29 (1977) all right, title and interest of the Florida Department of Transportation in that part of the road, street, highway, as set forth on map sheets 5, 22, 23, 26 of this right of way map to Manatee County."

Recorded in Public Records of MANATEE County, Florida, this ___ day of _____ A.D. 19___ in Road Plat Book 9, page 161.

_____
Clerk of the Circuit Court

_____ County, Florida

① CURVE DATA

X = 326995.320
Y = 1111777.146

P.I. Sta. 138+34.365
Δ = 20° 54' 04.03" Rt
D = 3° 30'
T = 301.943'
L = 597.175'
R = 1637.022'
P.C. Sta = 135+32.422
P.T. Sta = 141+29.596

BEARING NOTE:
BEARINGS ARE TAKEN FROM FLORIDA PLANE COORDINATE SYSTEM.

UTILITY OWNERS

POWER.... PEACE RIVER ELECT. COOP., INC.
GAS..... FLA. GAS TRANSMISSION CO.
POWER.... FLA. POWER & LIGHT CO.
TELE..... GENERAL TELE. CO.

KEY MAP "A"
US 301
SARASOTA COUNTY LINE TO EXIST 4 LANE

℄ 891889-A

TOPOG F.B. 898490, 898345-A, 898479-A, 891889
L.L., SUBTIES, REF POINTS, ALIG. F.B. 891874, 895925
(C) INDICATES OFFICE CALC.

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683, US 301 Manatee COUNTY

REVISION	BY	DATE
Add Parcel 1080.1, Add 1079.1 & 1078.1	M.T.R.	12-9-82
Add End Const.	CLK-MLD	6-6-80
Remove R.R. Spur	CLK-WRH	9-9-79
Add 4" C.M.	MJH-MWG	1-17-78
Revise Direction	JFD	8-10-76
Insert Sheet Date	D.M.D.	2-14-75

	BY	DATE	APPROVED BY	DATE
DRAWN	R.B.D.	7-13-73		
TRACED	R.B.D.	8-3-73	DISTRICT ENGINEER	8-13-73
CHECKED	R.H.C.	9-18-73	ENGINEER OF RIGHT OF WAY	
COMPARED				
INDEXED			STATE HIGHWAY ENGINEER	

SECTION 13120-2506 SHEET 1 OF

B.I. № 115114

FED. ROAD DIV. No.	STATE	F A PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		2

SHEET 8 | SHEET 9 | SHEET 10 | SHEET 11

TWP. 35 S. - RGE. 18 E.

Scale: 400'

STA. 230+00 | STA. 280+00 | 341+76.02 | 368+37.806

1078 (1)

80' PUBLIC ST.

R/W LINE

25'

R.R. Spk. S.W. Cor. S.E. 1/4 Sec. 19

STA. 234+33.55 — WHITFIELD AVE.

1806.71'

89°40'10"

N0°26'31.22"E.

664.98'

R.R. Spk.

Sec. Cor.

20

30 | 19

29

2°30' CURVE Rt. (2)

250

N 22° 34' 37.48" E.

PT Sta. 269+50.570 ℄ SURVEY JOG 56' Rt.

2°30' CURVE Lt. (3)

R.R. R/W Line

106.66'(C)

56.00'

275

90°05'

4"x4" C.M. S.W. Cor. N.W. 1/4 N.W. 1/4 Sec. 20 50.66' E. ℄ SURVEY

1335.09' ℄ PROJ. STA. 273+43.84 ℄ SURVEY

STA. 278+48.76 ℄ SURVEY

3/4" I.P. S.E. Cor. N.W. 1/4 N.W. 1/4 Sec. 20

4"x4" C.M. S.W. Cor. S.E. 1/4 Sec. 18

2564.20'(C) STA. 288+65.491(C) ℄ Proj.

19 | 18

89°19'24"

N0° 25'10.35"E.

300

℄ Proj.

116.80'(C)

56.00'

4"x4" C.M. Sec. Cor. 60.80' E. ℄ SURVEY

20 | 17

179°29'00"

2660.63' STA. 288+64.83 (℄ SURVEY)

1/2" I.P. S.E. Cor. S.W. 1/4 Sec. 17

4"x4" C.M. Cent. of Sec. 18

STA. 315+08.44 (C) 2571.074' (C) ℄ PROJ.

3311.41'(C)

56.01'(C)

325

4"x4" C.M. S.W. Cor. N.W. 1/4 Sec. 17 55.64'(C) E. ℄ SURVEY

2671.94' STA. 315+07.65(C) ℄ SURVEY

R.R. Spk. Center Sec. 17

R.R. Spk. N.W. Cor. N.E. 1/4 Sec. 18

BEARING EQ.: S 89° 14' E ℄ 1316-101 = S 89° 10' 09.65" E. ℄ SURVEY 1349.15

(217.45' (C) STA. 341+76.422 ℄ Proj. (C))

R.R. Spike S.W. Cor. S.E. 1/4 Sec. 7

18 | 7

89°35'20"

350

107.08'(C)

180°16'30"

Sec. Cor. R.R. Spike 51.08' E. of ℄ SURVEY ℄ P.I. STA. 63+93.25 Δ=0°09'LT. (NO CURVE) (℄ 1316-101)

33'

33'

EQUATION: STA. 341+76.02 ℄ SURVEY = STA. 63+42.17 ℄ 1316-101

S 89° 29' E 2682.00' (℄ SURVEY)

STA 341+76.02

17 | 8

CONS'T EQUATION: ℄ STA. 368+57.806 BK. ℄ PROJ. 13120-3506 STA. 368+57.806 AHD. ℄ SURVEY 13120-3508

90°28'00"

P.O.L. 1 1/2" I.P. ON RR. R/W

3/4" I.P. N.W. Cor. SW. 1/4 Sec. 8

179°55'40"

1 1/2" I.P. ON RR R/W

℄ PROJ. STA. 368+57.806 (C)

3937.93'

4"x4" C.M. N.W. Cor. N.E. 1/4, S.W. 1/4, Sec. 7

℄ SURVEY STA 368+57.35

1336.21'

4"x4" C.M. N.E. Cor. N.W. 1/4 S.W. 1/4 Sec. 8

R.R. Spk., S.E. Cor. S.W. 1/4 Sec. 8

(See Inserts For R.R. R/W)

② CURVE DATA

X=327077.414
Y=1122418.511

P.I. Sta. 244+69.335
Δ= 22°08' 06.26" Rt.
D= 2° 30'
T= 448.291'
L= 885.403'
R= 2291.831'
P.C. Sta.= 240 + 21.044
P.T. Sta.= 249+06.447

③

X=327866.332
Y=1124315.904

P.I. Sta 265+13.026
Δ= 22° 09' 27.13" Lt.
D= 2° 30'
T= 448.767'
L= 886.301'
R= 2291.831'
P.C. Sta. 260+64.268
P.T. Sta 269+50.570
℄ SURVEY JOG 56.00' Rt.

KEY MAP "B"
US 301
SARASOTA COUNTY LINE TO EXIST. 4 LANE

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683, US 301 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	R.B.D.	7-17-73	C.M. Moretz Jr.	
TRACED	R.B.D.	8-3-73	DISTRICT ENGINEER	
CHECKED	R.H.C.	9-18-73	ENGINEER OF RIGHT OF WAY	
COMPARED				
INDEXED			STATE HIGHWAY ENGINEER	

SECTION. 13120-2606 SHEET 2 OF

REVISION	BY	DATE
Add Parcel 1078	M.T.W.	9-13-82
Rev. Dist.	DS-JW	5-2-75
Add Twp. & Rge.	CHK-H.T.R.	2-21-75
Insert Data, Remove Sub	D.M.D.	2-14-75

B.I. Nº 115114

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		3

SEE INSERT SHEET Nº11 | STA. 368+57.806 | SEE INSERT SHEET Nº12 | STA. 400+0 | SEE INSERT SHEET Nº13 | STA. 431+0 | SEE INSERT SHEET Nº14 | STA. 462+50 | SEE INSERT SHEET Nº15 | STA. 494+60 | SEE INSERT SHEET Nº16

SCALE 1" = 400'

56'

℄ PROJ. 360

℄ SURVEY 13120-3508

STA. 368+57.806
3973.83'

4" C.M. S.W. COR. SE 1/4 N.W. 1/4 SEC. 7

CONS'T. EQUATION
STA. 368+57.806 AHD. =
℄ SURVEY 13120-3508
STA. 368+57.806 BK.
℄ PROJ. 13120-3506

179°55'40"

10°15'

89°32'00"

13336.21'

4" C.M. S.E. COR. SEC. 8 S.W. 1/4 N.W. 1/4

3/4" I.P. S.W. COR. N.W. 1/4 SEC. 8

N 0°25'10.35" E

℄ SURVEY 380

P.C.

95°58'51" T.C.

STA. 395+41.40

5276.46' ℄ TO COR.

R.R. SPK. SEC. COR.

12 7 1 9

8 7 6 5

1/2" I.P. SEC. COR.

73.59'

20° CURVE (4) LT.

400

793.14'

55°06'17" T.C.

52°56'10" P.T.

538.55'

60 d NAIL & TAG N.W. COR. S.W. 1/4 SEC. 8

179°57'38"

NAIL COR. N.E. 1/4 S.W. 1/4 SEC. 6

1340.12'

STA. 409+34.12

179°56'05"

784.09

420

570.50'

791.97'

179°57'06"

4" C.M. S.E. COR. S.W. 1/4 N.E. 1/4 SEC. 6

STA. 420+69.34

4" C.M. N.E. COR. S.E. 1/4 SEC. 6

1338.53'

1/2" I.P. CENTER OF SEC. 6 N.-S. LINE

1320.18'

STA. 430+61.21

528.70

376.62'

440

35°05'30"

N 53°11'48.89" W

℄ SURVEY

P.C.

10°30 CURVE (5) LT.

P.T.

32°39'20" T.C.

53°45'40"

STA. 437+16.18

352.73'

1350.62' ℄ TO COR.

R.R. SPK. SEC. COR. N.W. 1/4 SEC. 16

NO MARKER FOUND

1/2" I.P. N.E. COR. S.E. 1/4 S.W. 1/4 SEC. 6

38 ½ AVE. EAST

21 ½ ST. EAST

1346.50' (F)

1/2" I.P. N.E. COR. N.W. 1/4 S.E. 1/4 SEC. 16

1335.38'

34 ½ AVE. EAST

179°55'

90°07'30"

NAIL & DISK N.E. COR. SEC. 1

89°01'00"

15 ½ ST. EAST

STA. 469+39.73

1327.70'

NAIL & DISK N.W. COR. N.W. 1/4 S.W. 1/4 SEC. 1

90°01'00"

1329.15'

STA. 453+80.16

89°56'00"

460

58°47'00"

732.68'

1328.08' & TO COR.

91°05'30"

NAIL & DISK N.W. COR. N.E. 1/4 S.W. 1/4 SEC. 12

1/2" I. ROD N.E. COR. S.E. 1/4 SEC. 1

1326.39'

30 ½ AVE. EAST

STA. 500+46.90

1339.95'

9 ½ ST. EAST

4" I. ROD N.E. COR. N.W. 1/4 SEC. 12

1328.80'

26 ½ AVE. EAST

1065.06'

500

480

NAIL & DISK N.W. COR. N.E. 1/4 SEC. 12

1329.11'

1044.00

58°46'00"

N 58°26'25.94" W

℄

58°57'28" T.C.

NAIL & DISK S.W. COR. N.W. 1/4 SE 1/4 SEC. 36

1322.28'

R.R. SPK. CENTER OF SEC. 6

3/4" I.P. 20' SOUTH OF LINE

NO MARKER FOUND

STA. 484+93.40

6

539.42'

90°10'30"

889.65'

148°57'30"

89°20'15"

89°42'30"

1/2" I.P. SEC. COR.

NE COR. NW 1/4 NW 1/4 SEC. 16

1280.53'

STA. 479+79.95

90°46'45"

31

36

1329.68'

RGE. 17 E

RGE. 18 E

AXLE COR. NE 1/4 SE 1/4 SEC. 36

RGE. LINE

TWP. 35 S

TWP. 34 S

TWP. LINE

R.R. SPK. (NE COR. SEC. 6) N.W. 1/4 1343.22'

CURVE DATA

(4)
P.I. STA. 406+71.516 X = 327970.087
Δ = 53°36'59.24" LT. Y = 1138485.228
D = 2°00'
R = 2864.789'
T = 1447.625'
L = 2680.823'
P.C. STA. 392+23.891
P.T. STA. 419+04.714

(5)
P.I. STA. 453+62.094 X = 324042.653
Δ = 5°14'37.05" LT. Y = 1141423.654
D = 0°30'
R = 11459.156'
T = 524.729'
L = 1048.725
P.C. STA. 448+37.365
P.T. STA. 458+86.091

KEY MAP "C"
US 301
SARASOTA C/L TO EXIST. 4 LANE

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683, US 301 MANATEE County

	BY	DATE	APPROVED BY	DATE
DRAWN	A. J. D.	1-28-75	E.W. Monteith Jr.	2/19/75
TRACED	D. M. D.	2-3-75	DISTRICT ENGINEER	
CHECKED	C.W.	2-13-75	Thomas C. Russ	2-19-75
COMPARED			ENGINEER OF RIGHT OF WAY	
INDEXED			STATE HIGHWAY ENGINEER	

REVISION	BY	DATE
Rev. Curve No. 4	A. L. L.	3-3-75

SECTION 13120-2506 SHEET 3 OF

FED ROAD DIV. No	STATE	PROJECT No	FISCAL YEAR	SHEET No
3	FLA.	13120-2506		14

SCALE 1" = 100'

PINECREST SUBDIVISION
FILED IN 1925 IN PB. 4, PG. 55
(NOTE: NO BLOCK NOS. ON PLAT)

SEC. 6 T35S ~ R18E

EQUATION:
STA. 453+80.140 ℄ SURVEY =
STA. 30+00.00 ℄ 30th STREET E

HILL PARK ANNEX
FILED JAN. 21, 1926 PB. 5 PG. 11

21st ST. EAST (F)

21st ST. COURT EAST (PLAT)

WYATT ST. (P)

LEMA CT. (PLAT)

JOHNSON ST. (PLAT)

STA. 430+61.24 Y

NATALUSA AVE. EAST (PLAT)

22nd ST. COURT EAST (F)

JANE AVE. (P)

ROANE ST. (PLAT)

RESERVED FOR RAILWAY STATION

AUGUSTA AVE. 19th ST. EAST (F)

WHITAKER

WANOLA AVE. (PLAT) 17th ST. EAST (F)

30th AVE. EAST (F)
STA. 453+80.140

N. ¼ DISK
S.W. COR.
N.W. ¼ N.W. ¼

L.A.R/W LINE

HARVY ST. (PLAT)

17th ST. BLVD. (F)

R.R. R/W LINE & PLAT LINE

MANASOTA AVE. (P)

19th ST. BLVD. E. (F)

MANASOTA AVE. EAST (PLAT)

MINIFRED STREET (PLAT)

SHELL ROAD (PLAT)

STA. 453+42.72

STA. 448+27.51

STA. 437+41.00

STA. 433+45.57

STA. 432+37.16

PINECREST SUBDIVISION
(SEE ABOVE)

Note: All of Lots 70, 42, 43, 60, 1, 2, 3 & 4 To Be Acquired

CURVE DATA
P.I. STA. 453+62.09
N = 324042.653
Y = 1141423.654
Δ = 5° 14' 37.05" LT.
D = 0° 30' 00"
R = 11459.159
T = 524.729
L = 1048.725
P.C. STA. 448+37.36
P.T. STA. 458+86.091

COMEL DRIVE (P)

KESLER DRIVE (PLAT) 15th ST. BLVD. EAST (F)

KESLER 29th AVE. EAST (F)

SUNSHINE RIDGE
FILED SEPT. 3, 1925 PB. 4 PG. 2
(NOTE: NO BLOCK NOS. ON PLAT)

G.C. WATT'S ADDITION TO SUNSHINE RIDGE
FILED OCT. 14, 1925 PB. 4 PG. 34
(NOTE: NO BLOCK NOS. ON PLAT)

STA. 453+84.04 (c) ℄ CONST. =
P.T. STA. 458+86.091 ℄ SURVEY

STA. 454+43.04

INSERT
U.S. 301
SARASOTA C/L TO EXIST 4 LANE

REF. POINTS FOR P.I.
STA. 453+62.094
Δ = 05° 14' 37.05" LT.

REF. POINTS FOR P.C. STA. 448+37.365

REF. POINTS FOR P.T. STA. 458+86.091

NOTE: ALL POINTS ARE ⅝" I. RODS

℄ CONST. CURVE DATA
P.I. STA. 448+14.992
Δ = 5° 14' 37.05" LT.
D = 0° 45'
T = 349.819
L = 699.150
R = 7639.437
P.C. STA. 444+65.173
P.T. STA. 451+64.323 BK. =
STA. 451+64.018 AH.

(F) Indicates Field Dimension

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

Revision	By	Date
Port 194.1 Relino	L. Albritton	02-14-2007
Prop Taking Line 217	LNG-CHGB	1-3-79
Add Taking Line Par 204	L.A.-DJC.	12-12-78
Add R Par. 208.1	ASB-CHGB	11-30-78
Del R & T Rem Cnty Rd 681	LG-CHGB	3-26-78
Add R & T Rem Cnty Rd 681	DJS-CHGB	3-12-78
Total Take Par 186.1	A.B.-C.H.A.	8-7-78
Add R Par. 203.1	A.B.-R.A.	8-17-78
Rev Lots in Diagonal Sink	L.A.	8-24-78
Add R Par 203.1	ASB-DJC	8-10-78
Del Par 194	LG-TC	8-3-78
Add R Taking Lines & 201	DJS-DJC	8-4-78
Add R to Par 198.1	ASB-RL	9-30-78
Add R to Par 214.1	RB-CHGB	6-7-79
Add R to Par 218.1	ASB-TC	8-1-78
Add R to Par 184.1 (2pc)	DJS-KRH	2-20-79
Add R to Par. 171	L.A.-KWG	10-14-77
Add R 188.1	TJW-KWG	9-27-77
Add R 210.1	T.J.W.-D.H.B.	9-7-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (US 301) MANATEE COUNTY

	BY	DATE
DRAWN	A.J.D.	2-20-75
TRACED	D.S.	2-24-75
CHECKED	C.M.	4-15-75
COMPARED		
INDEXED		

APPROVED By: John H. Kellinger — DISTRICT ENGINEER
Orig. Signed by Ralph T. Ruffels 7-27-77 — ENGINEER OF RIGHTS OF WAY
STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 14 OF

FED. ROAD DIV. No.	STATE	F A PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		5

Scale = 100'

NOTE:
FOR INTERSECTION R/W OF
COUNTY LINE ROAD SEE SHEET Nº 18

SARASOTA COUNTY
T 36 S ~ R 18 E.
MANATEE COUNTY
T 35 S ~ R 18 E.

TWP LINE & COUNTY LINE

EXIST R/W LINE 17112-0+02.104

4"x4" C.M.

N0°30'34.54"E 53.41'

TELE #861

P.C. STA. 135+32.422
P.T. STA. 141+29.596
L = 597.175'
R = 1637.02'
D = 3°30'
T = 301.943'
Δ = 20°54'04.03" RT.
P.I. STA. 138+24.365
N 326995.320
E 1111777.146

CURVE DATA

BEGIN INTERSECTION R/W E & W
BEGIN R/W JOB
EQUATION:
STA. 127+48.903 ℄ SURVEY "AHD" =
STA. 127+48.903 ℄ 17120-2503 "BK"
STA. 94+91.678 ℄ 17190-2501
COUNTY LINE RD.

STA. 99+43.973 COUNTY LINE ROAD =
STA. 00+00.00 ℄ SURVEY of CONST. ESM'T

End L.A. R/W Line Sta. 98+78.83

S.C.L. R.R.

CONST. ESM'T & R.R. R/W LINE

STA. 99+58.97 COUNTY LINE R/W

CONST. ESM'T R/W LINE 817.00'

N 0°24'09.68"E 800.43'

TAMPA SOUTHERN RAILROAD

R.R. R/W LINE

END CONST. ESM'T Sta. 8+00.00

L.A. R/W LINE

Begin L.A. R/W Transition Lt. STA. 145+00.00

End L.A. R/W Transition Lt. STA. 147+25.00

Begin R/W Transition Rt. STA. 142+50.00

End L.A. R/W Transition Rt. STA. 149+99.84 (C)

End L.A. R/W Transition Rt. STA. 153+00.00

Begin L.A. R/W Transition Rt. STA. 149+80.00

End L.A. R/W Transition Rt. STA. 150+00.00

END CONST. 17120-3505
STA. 158+00.00

OPEN PASTURE
WOODS
THICK WOODS
GRASS
SERVICE ROAD
DIRT ROAD
POND
HOUSE TRAILER & JUNK
FR. SHACK
FR. SHED
1-STY. FR. SHACK
1-STY. B. SHED
1-STY. METAL BLDG.
CLEANED LAND
HOLE FILLED WITH OLD CONC.
PINE & PALMETTO CABBAGE PALMS WOODS
AUTO JUNK YARD
NURSERY
HARBOUR CONSTRUCTION CORP.
ASPHALT PAVEMENT
CONC. PAVEMENT
R.B.A.C.
CONC. PAVM'T
1-STY. C.B.
C.B. BLDG.
PUMP HSE.
SIGN
LAWN
ALABAMA AVE. (PLAT)
BROADWAY (PLAT)

Note: Crosshatched Area Denotes F.D.O.T. R/W To Be Transferred To Manatee Co.

3° 30' CURVE RT.
N 0° 26' 31.22"E ℄ SURVEY
P.T. STA. 141+29.596 1/2" I. ROD
5/8" RODS

P.O.T. STA. 153+00.00
N 0° 26' 31.22"E ℄ SEMI TANG.
N 20° 27' 32.81"W ℄ SEMI TANG.
1/2" ROD
5/8" RODS
P.I. STA. 138+34.365

DRAIN ESM'T R/W CHANGE RT. STA. 5+73
DRAIN ESM'T R/W CHANGE RT. STA. 13+00
END DRAIN ESM'T STA. 14+50
3° 30' CURVE RT.
P.C. STA. 135+32.422
1/2" ROD
N 20° 27' 32.81"W ℄ SURVEY

R/W Change Rt. Sta. 149+80.00
R/W Change Rt. Sta. 151+75.00
5/8" Rod
N 0° 26' 31.22"E.
℄ SURVEY

P.O.T. STA. 153+00.00

PAR 105 NW = 2.35 Ac. OR 10217'
105 NE = 2.44 Ac. OR 10641'
105 OL = 18.292 Ac

End L.A. R/W Line Sta. 157+00.00 Begin R/W Line
End R/W Line Sta. 138+00.00 Begin L.A. R/W Line

MAP OF NORTH SARASOTA
FILED 18 MARCH 1925, P.B. 2, Pg. 152

NOTE: FOR METES & BOUNDS DESCRIPTION OF INTERSECTION R/W OF COUNTY LINE ROAD SEE SHEET Nº 18

4"x4" C.M. S.E. COR. S.W. ¼ SEC. 32

(F) Indicates Field Dimension

REVISION	BY	DATE
Add "R" To 1002	KSW-AHD	2-5-80
Add End Const.	CUK-MLD	6-10-80
Add R. 1004 & 1005 & I.	DJT - R.C.	10-23-19
Add L. A. R/W	CUK - R.C.	4-13-76
Add R. Pts. 1003	R.B.-CWBX	6-24-76
Ad To R/S Key Numbers/ Chg Point From Omit to Omit's	JWD-RPH	3-2 78
Add P.P. Name	RBH-RPH	1-16-77
add R Pt. 808	JWD-CWB	12-20-77
Change Drain. Esm't	JWD	12-14-77
Remove Acreage 104	JWD-KWG	11-1-22
Moved Drain. Esm't	JWD-KWG	10-2-22
Add Par. 808, 809, 810, 811	JWD-KWG	10-29-22
Add R. Pts. 102.1 & 104	CUK-WPH	12 7 76

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD NO. 683 US 301 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	R.B.D.	7-24-73	C. M. Martin de Bruin	4-7-76
TRACED	R.B.D.	8-7-73	DISTRICT ENGINEER	
CHECKED	R.H.C.	9-20-73	L. E. Mabry	12-2-76
COMPARED	CUK	4-13-76	ENGINEER OF RIGHT OF WAY	
INDEXED			STATE HIGHWAY ENGINEER	

SECTION. 13120-2506 SHEET 5 OF

INSERT
U. S. 301
SARASOTA COUNTY LINE TO EXIST 4 LANE

FED. ROAD DIV. No.	STATE	F A PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		6

T 35 S ~ R 18 E.

SCALE = 100'

DETAIL SCALE: 100'

DETAIL SCALE: 100'

DETAIL SCALE: 100'

DETAIL SCALE: 100'

EQUATION:
STA. 181+26.07 ℄ SURVEY =
STA. 30+00.00 ℄ INTERSECTION R/W (TALLEVAST RD.)

End L.A. R/W Line Lt. & Rt.
BEGIN R/W TRANSITION LT. & RT.
STA. 27+00.00

END L.A. R/W LINE RT.
BEGIN R/W TRANSITION RT.
STA 33+00.00

End L.A. R/W Line Lt.
Begin R/W Line Lt.
Sta. 32+52.70

BEGIN R/W TRANSITION LT. @ ℘
STA. 33+12.70 (C)

END R/W TRANSITION RT.
STA. 34+32.70 (C)

END R/W TRANSITION LT. @ ℘
STA. 34+32.70 (C)

P.O.T. STA. 166+47.15

P.O.T. STA. 173+00.00

INSERT
U.S. 301
SARASOTA C/L TO EXIST. 4 LANE

(F) Indicates Field Dimension

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD NO. 683, US 301 Manatee COUNTY

	BY	DATE
DRAWN	R.B.D.	7-25-73
TRACED	R.B.D.	8-7-73
CHECKED	R.H.C.	9-13-73
COMPARED	C.U.K.	4-13-76
INDEXED		

APPROVED BY — DATE
C.M. Martin Jr. — 4-7-76 — DISTRICT ENGINEER
D.E. Marshall — 12-2-76 — ENGINEER OF RIGHT OF WAY
STATE HIGHWAY ENGINEER

REVISION	BY	DATE
Add 'R' to 1005	DJT - RC	10-23-79
Add L.A. R/W	C.U.K. - R.C.	4-13-76
Change Dist. Name	C.U.K. - D.B.	9-4-77

SECTION. 13120 2506 — SHEET 6 OF

FED. ROAD DIV. No.	STATE	F A PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		7

SEC. 30

T 35 S ~ R 18 E.

Scale: 100'









INSERT

U.S. 301

SARASOTA C/L TO EXIST. 4 LANE

(F) Indicates Field Dimension

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 US301 Manatee COUNTY

				By	Date
			Drawn	R.B.D	7-25-73
			Traced	R.B.D	8-8-73
Switch 1007R/1077	CUK-MLH	1-25-80	Checked	R.H.C	9-21-73
Added Parcel 1077	CUK-MLH	12-18-79	Compared	C.U.K.	4-13-76
Add L.A. R/W	CUK-RC	4-13-79	Indexed		
R.R. Spur Added	RM-KWG	1-12-78			
Add'd R Par. 107	LA-KWG	10-13-77			
Revision	By	Date			

Approved By — Date

C.W. Moseley Jr. 4-7-76
DISTRICT ENGINEER

W. E. Wendel 12-2-76
ENGINEER OF RIGHT OF WAY

STATE HIGHWAY ENGINEER

SECTION. 13120-2506 SHEET 7 OF

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
4	FLA.	13120-2506		8

T 35 S ~ R 18 E

SCALE 1" = 100'

DETAIL SCALE 100'

WHITFIELD INDUSTRIAL PARK 1ST ADDITION

FILED OCT. 10, 1973; P.B. 16, PG. 99, 100, & 101

ONECO PARK SUB'D.

FILED DEC 14, 1920; P.B. 1, PG. 217
(NO STREET NAME ON PLAT)

WHITFIELD INDUSTRIAL PARK 2ND ADDITION
Filed May 26, 1977; P.B. 18, PG. 58

R.R. SPK. N.W. COR. N.E. 1/4 SEC. 30

STA. 234+75.66

30°46'22" W

25.00' To ℄ Sta 27+02.83

S89°39'52"E 350.11'(C)

S89°39'38.78"E 346.94'(C)

N89°13'38.78"W 1473'(C)

161.31'(C)

S64°36'43.39"E 22.56'(C)

Gr 40'(C)

N 0°46'21.22" E 130.00'

9°19'50"

98.65'

BEGIN R/W TRANSITION RT. STA. 24+09.62

END R/W TRANSITION RT. STA. 25+00.30

N0°26'31.22"E ℄ SURVEY

End R/W Line Lt & Rt.
Begin L.A. R/W Line Lt. & Rt. Sta. 27+02.83

EQUATION: STA. 234+33.65 ℄ SURVEY = STA. 30+00.00 ℄ INTERSECTION R/W (℄ WHITFIELD AVE.)

#12133-A

#12138-A

R/W Line

L.A. R/W LINE

(C.R. BK. 643, Pg. 804) EXIST. R/W LINE BY DEED EXCEPTION

STA. 234+33.65

1806.71'(F)

1 STY. C.B. EL. 9.66 S2.52

IMPROVED PASTURE

1240.64 (D)

S 0°26'31.22" W

2636.53'(C)

3' BOTTOM DITCH

220

225

230

235

240

245

250

30

℄ STR. B/W

3' BOTTOM DITCH

90°19'50"

OPEN PASTURE

N0°15'16.58"E 660.00'(C)

1297.43 (C)

973.07 (C) N0°26'31.22"E

3 STR. B/W

S89°13'38.78"E 32.05'(C)

N0°26'31.22"E ℄ SURVEY

S0°15'16.58"W 660.00'(C)

92.03'(C)

630.95'(C) N0°26'31.22"E

82.90'(C) N0°26'31.22"E

26.38 (C)

S46°02'31.20"W

End L.A. R/W Line Rt. & Lt. Begin R/W TRAN RT. STA. 33+55.00

NOTE: ALL REF. POINTS ARE 5/8" I. RODS

DETAIL SCALE 100'

N89°13'38.78"E 2002.00'(C)

NOTE: ALL REF. POINTS ARE 5/8" I. RODS

S0°46'21.22"E 65.00

1/2" I. ROD

℄ SURVEY

END R/W TRANSITION RT. STA. 35+08.07

REF. POINTS FOR P.T. STA. 249+06.447

REF. POINTS FOR P.C. STA. 240+21.044

S89°13'38.78"E 2664.93'(F)

N89°13'38.78"W 2664.93'(F)

S89°13'38.78"E 1806.71'(F)

DEED EXCEPTION

EXIST R/W LINE BY DEED EXCEPTION (OR BK. 592, PG. 306)

R.R. SPK. SEC. COR.

29 30 19 20

BEGIN R/W TRANSITION LT. @ LOT LINE STA. 23+78.76 (C)

N89°23'11.32"E 1715.12'

S89°13'38.78"E 1718.78'

N89°13'38.78"W 1718.78'

N0°45'31.22"E 529.35'(C)

N0°45'31.22"E 529.35'(C)

N 25°08'35.03" E 22.61'

S0°45'31.22"W

N0°45'31.22"E

TB 1+26°53'15.79"E

Arc 31.36 R=50.00 Δ=36°C 44.57'

115.00

100.00'

TB N7°24'57.26"E

℄ SURVEY

N0°26'31.22"E

℄ SURVEY

N0°47'12.94"E 1049.00'

L.A. R/W & PLAT LINE

2°30' CURVE RT

N0°47'12.94"E 1299.06'

N0°47'12.94"E 204.79'(C)

TB S14°30'38.13"W

S89°00'38.77"E

Arc 640.85 R=2562.68 Δ=14°09'40.22"

N0°47'12.94"E 209.83'

8' BOTTOM DITCH

PINES & PALMETTO R/W LINE

L.A. R/W LINE

331.28'(D)

N12°32'48"E

S12°32'48"W

509.49'(C)

5417.02'(C) N0°47'12.94"E

S89°00'38.77"E 1166.11' R=2482.83' Δ=27°55'48.78"

L=1138.42' R=1563.39'

AREA

PASTURE

S89°00'38.77"E 1297.32'(C)

S0°26'31.22"W

S89°13'38.78"E 1297.32'(C)

S89°13'38.78"E 1297.32'(C)

S89°13'38.78"E 1297.32'(C)

N89°13'38.78"W 1297.32'(C)

S89°13'38.78"E 1297.32'(C)

S89°13'38.78"E 1297.32'(C)

S89°13'38.78"E

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	13120-2506		9

T 35S ~ R18E

SCALE 1" = 100'

ONECO PARK SUBDIVISION
FILED DEC. 14, 1920 ; P.B. 1, PG. 217
(NO STREET NAME ON PLAT)

WHITFIELD INDUSTRIAL PARK
SECOND ADDITION
Filed May 26, 1977, P.B. 18, Pg. 58-62

℄ SURVEY
½" ROD
99.84' 139.75' 139.49' 99.45'
90°00' 90°00'

NOTE: ALL REF. POINTS ARE 5/8" I. RODS

REF. POINTS FOR P.C. STA. 260 + 64.268

EQUATION:
STA. 275+56.85 ℄ PROJECT =
STA. 29+44.00 ℄ INTERSECTION R/W (SAUNDERS RD.)

EQUATION:
STA. 275+56.44 ℄ SURVEY =
P.I. STA. 30+00.00 ℄ INTERSECTION R/W (SAUNDERS RD.)
Δ = 0°02'36" LT. (NO CURVE)

DETAIL SCALE: 50'

BEGIN R/W TRANSITION LT & RT STA. 23+00.00

VACATED STA. 23+89.85

LOT 8 LOT 2

POND

R.R. R/W LINE

OLD R.R. BED

WOODS LINE

℄ SURVEY

℄ PROJECT

L.A. R/W LINE

RR R/W LINE

LAWN

1 STY. OFFICE METAL BLDG.

1 STY. C.B. BLDG.

METAL BLDG.

SECTION LINE

SECTION 19

SECTION 20

R/W CHANGE RT. P.C. STA. 260+64.268

R/W CHANGE RT. P.T. STA. 269+50.57

PT. STA. 269+50.570 ℄ SURVEY OFF SET 56' RT.

P.I. STA 265 + 13.026

R/W TRANSITION LT & RT STA. 35+00.00

END INTERSECTION R/W END R/W TRANSITION LT & RT STA. 36+00.00

EXIST. R/W LINE OF SR 683 (US 301) STA 275+43.76 ℄ SURVEY

P.O.B. STA. 275+43.81 (S.R.D.O.T.) BOOK 601, PG. 273

P.O.B. BOOK 162, PG. 273

P.O.B. STA. 275+43.81 (P.R.M.) BOOK 601, PG. 273

P.O.B. STA. 275+43.81 (P.R.M.) BOOK 162, PG. 273

P.O.B. STA. 275+43.81 (P.R.M.) BOOK 162, PG. 273

P.O.B. STA. 275+43.81 (P.R.M.) BOOK 601

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		10

ONECO PARK SUBDIVISION

FILED DEC. 14, 1920 ; P.B. 1, PG. 217 (NO STREET NAME ON PLAT)

T35S - R18E

SCALE: 1" = 100'

4"x4" C.M. S.W. COR. S.E. 1/4, SEC. 18

2544.20'(C) STA. 288+45.491(C) (℄ PROJ.)

1016 / 1

110. / 1

118. / 1

1018 / 1

POND 126976 sq' 2.915 Ac.

PINE WOODS 167901 sq' 3.854 Ac.

OPEN PASTURE WITH PINES 167901 sq' 3.854 Ac.

PINE/PD - 3.423 Ac. R/W

L.A. R/W

L.A. R/W Line

R.R. R/W LINE

℄ PROJECT

℄ SURVEY

WOODS LINE

OLD R.R. BED

SECTION LINE

L.A. R/W LINE and R.R. R/W LINE

℄ VACATED 6-2-50 O.B. 264, P4

8' BOTTOM DITCH

3' BOTTOM DITCH

4' BOTTOM DITCH

3 STRAND B/W

4 STRAND B/W

7' STRAND B/W

VACATED 6-2-50 O.B. 265, P4.4

VACATED 4-2-50 O.B. 265, P4.4

STA. 288+64.83 (℄ SURVEY)

4"x4" C.M. SEC. COR. 60.80'(F) EAST ℄ SURVEY

1/2" I. PIPE S.E. COR. S.W. 1/4 SEC. 17

2640.63'(F)

R.R. Parcel 4 30.701 Ac.

(R.R.M.&B.) 7503.86'(C) S0°25'10.35"W

3687.20'(C) (Total)

3694.04'(C) (Total)

N 0°25'10.35"E

S 0°25'10.35"W 1291.67'(C)

N 0°25'10.35"E 1291.62'(C)

N 0°25'10.35"E 976.28'(C)

S 0°25'10.35"W 1148.33'(C)

S 30°25'10.35"W 977.25'(C)

N 0°25'10.35"E 1146.36'(C)

N 0°25'10.35"E (R.R.M.&B.) 9409.19'(C) N0°25'10.35"E

N89°43'43.65"W 730.01'(C)

N89°43'43.65"W 730.01'(C)

N89°43'43.65"W 730.07'(C)

N89°43'43.65"W 730.07'(C)

N89°43'43.65"W 730.01'(C)

N89°43'43.65"W 730.01'(C)

S89°16'22.15"E 730.01'(C)

N89°43'22.15"W ± 101.97

± 77.36

179° 29' 00"

89° 19' 24"

NOTE: ALL POINTS ARE 5/8" I. RODS

99.41' 139.86' 90.0' 99.61' 99.75' 90° 00' 180° 00' 00"

REF. POINTS FOR P.O.T. STA. 284+00.00

99.59 139.46' 90.0' 84.31' 99.57' 90° 00' 180° 00'

REF. POINTS FOR P.O.T. STA. 289+00.00

99.39' 139.73' 90.0' 84.19' 99.48' 90° 00' 180° 00'

REF. POINTS FOR P.O.T. STA. 312+00.00

INSERT

U.S. 301

SARASOTA C/L TO EXIST. 4 LANE

(C) INDICATES OFFICE CALC.
(F) INDICATES FIELD DIMENSION

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD NO. 683 ; U.S. 301 MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	R.B.D.	8-1-73	C.W. Monte DeCosta	4-7-76
TRACED	D.S.	1-14-76	DISTRICT ENGINEER	
CHECKED	R.H.C.	9-27-73	L.C. Ward	12-2-76
COMPARED	C.U.K.	4-13-76	ENGINEER OF RIGHT OF WAY	
INDEXED			STATE HIGHWAY ENGINEER	

SECTION 13120-2506 SHEET 10 OF

REVISION	BY	DATE
Add L.A. R/W	C.U.K. - R.C.	4-13-76
Rev. Dist. Sh 307 !	C.U.K. MRK	11-30-76

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		11

TWP. 35 S. ~ RGE. 18 E.

CONST. EQUATION:
℄ STA. 368+57.806 BK. =
℄ PROJ. 13120-3506 AHD
℄ SURVEY 13120-3608

EQUATION:
STA. 341+76.42 ℄ PROJECT
STA. 62+86.17 ℄ S.R. 70 (1316-101)

EQUATION:
STA. 341+76.02 ℄ SURVEY
STA. 63+42.17 ℄ (1316-101)

P.O.T. STA. 50+68.72
R.R. SPK. 34 SEC. 7
SE ¼

BEARING EQUATION:
S89°14'00"E ℄ 1316-101 ℄ SURVEY
S89°10'09.65"E ℄ PROJECT

P.I. STA. 63+93.25
Δ 0°00'9" LT. (1316-101)
(NO CURVE)
Δ 0°00'12" LT. (13120-2506)
(NO CURVE)

BEGIN INTERSECTION R/W
STA. 45+42.17

DETAIL SCALE 1"=100'

NOTE: ALL POINTS ARE ⅝" I.RODS

R.R.P.O.T. STA. 312+00.00

R.R.P.O.T. STA. 326+00.00

R.R.P.O.T. STA. 355+00.00 ℄ SUR. ℄ P.O.T. STA. 355+00.00 ℄ PROJ.

R.R.P.O.T. STA. 342+11.10 ℄ SUR. ℄ P.O.T. STA. 342+11.10 ℄ PROJ.

R.R.P.O.T. STA. 368+57.65 ℄ SUR. ℄ P.O.T. STA. 368+57.65 ℄ PROJ.

BEGIN L.A. R/W TRANSITION 130.00'+/- RT.

END L.A. R/W TRANSITION 49.25' RT. ℄

BEGIN L.A. R/W TRANSITION 130.00' LT.

END L.A. R/W TRANSITION 175.00' RT.

BEGIN L.A. R/W TRANSITION 180.00' RT.

END L.A. R/W TRANSITION 130.00' RT.

BEGIN R/W TRANSITION 60.25' LT. ℄ STA. 69+84.69

END R/W TRANSITION 60.25' LT. ℄ STA. 69+84.69

BEGIN R/W TRANSITION 60.25' RT. ℄ STA. 73+81.85

END R/W TRANSITION 60.25' RT. ℄ STA. 76+42.17

BEGIN L.A. R/W TRANSITION 60.25' RT. ℄ STA. 73+93.25

END L.A. R/W TRANSITION 60.25' LT. ℄ STA. 76+42.17

BEARING EQUATION:
S89°19'09.65"E ℄ 1316-101
S89°18'21.60"E ℄ 13120-2506

NOTE: R/W NOT ACQUIRED EAST OF PROPERTY LINE SEE SHEET 15 SECTION 13150-2512

ONECO PARK SUBDIVISION
FILED 14 DEC. 1920 PB. 1, P. 22
(NO STREET NAME ON PLAT)

FAIRLAWN SUBDIVISION
FILED 25 SEPT. 1925 PB. 4 P. 4

U.S. 301
SARASOTA COUNTY LINE TO EXIST. 4 LANE

(C) INDICATES OFFICE CALCULATIONS
(F) INDICATES FIELD DIMENSIONS

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 U.S. 301 MANATEE COUNTY

	BY	DATE
DRAWN	MAC	01-05-76
TRACED	MAC	01-08-76
CHECKED	WK	01-09-76
COMPARED	C.U.K.	4-13-76
INDEXED		

APPROVED BY — DATE
C.W. Montabella 4-7-76
DISTRICT ENGINEER
D.G. Medrel 12-2 76
ENGINEER OF RIGHT OF WAY
STATE HIGHWAY ENGINEER

REVISION	BY	DATE
Add Note & ℄ To Par. 133	L. Albritton	10-26-96
Rev. L.A. Hats	Mel Oakley	3-20-91
Add L.A. R/W	C.U.K.	4-13-77
Remove Acquire Par 1201	E.R.V. Dunn	3-20-77
Change Bearing	E.R. Dunn	3-23-77
Whole Take Par. 134	C.U.K.-M.P.H.	1-7-77
Road ℄ Tail	T.J.W. W.E.H.	1-5-77
Rev. Dist. Sta. 370+	C.U.K. M.P.H.	11-30-76
Add R. Par. 1121	T.J.W.E. W.E.H.	11-2-76

SECTION 13120-2506 SHEET 11 OF

FED. ROAD DIV. No.	STATE	PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		12

T. 35 S. ~ R. 18 E.

Scale = 100'

4" C.M. S.W. Cor. S.E. 1/4, N.W. 1/4 Sec. 7

3/4" I.R. N.W. Cor. S.W. 1/4 Sec. 8

4" C.M. S.W. Cor. S.E. 1/4, N.W. 1/4 Sec. 8

R.R. SPIKE Sec. Cor.

L.A. R/W LINE

R.R. R/W LINE

SECTION LINE

℄ SURVEY

CONS'T. EQUATION
STA. 368+57.806 ℄ SURVEY AHD.
13120-3508
= STA. 368+57.806 ℄ PROJ. BK.
13120-3506

CURVE DATA
P.I. Sta. 406+71.516 x = 327970.087 y = 1138485.228
Δ = 53° 36' 59.24" Lt.
D = 2°00'
R = 2864.789'
T = 1447.625'
L = 2680.823'
P.C. STA. 392+23.891
P.T. STA. 419+04.714

2°00 CURVE Lt.
Δ = 1382.27'
Δ = 42° 55' 43.13"
R = 1844.88'

Δ = 1722.41' R.R. R/W LINE
Δ = 53° 36' 59.24"
R = 1844.88'

Δ = 1359.22
Δ = 39° 26' 02.19"
R = 1974.88' R.R R/W LINE

Δ = 1848.04'
Δ = 53° 36' 59.24"
R = 1974.88'

NO MARKER FOUND

INSERT
U.S 301
SARASOTA C/L TO EXIST. 4 LANE

REF. POINTS FOR P.O.T. STA. 368+57.65

REF. POINTS FOR P.C. STA. 392+23.891

NOTE: ALL POINTS ARE 5/8" I. RODS

(F) Indicates Field Dimension

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (U.S. 301) MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	R.B.D.	11-19-75	John A. McWilliams for: DISTRICT ENGINEER	
TRACED	B.E.R.	2-26-76	Cecil L. Ratcliff for: ENGINEER OF RIGHTS OF WAY	7-27-77
CHECKED	C.L.K.	3-11-76		
COMPARED				
INDEXED			STATE HIGHWAY ENGINEER	

REVISION	BY	DATE
Add Arrowhead	B.S.B.-R.R.H.	2-16-78
Add R to 170.1	B.S.B.-R.R.H.	2-10-78
Add A Par 171	L.A. K.W.G.	10-19-77

SECTION 13120-2506 SHEET 12 OF

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

FED ROAD DIV. No	STATE	PROJECT No	FISCAL YEAR	SHEET No
3	FLA.	13120-2506		13

EQUATION:
STA. 409+33.02 ℄ SURVEY =
STA. 30+00.00 ℄ INTERSECTION R/W (38TH AVE)

EQUATION:
STA. 22+06.84 ℄ 38TH AVE. EAST =
STA. 0+00.00 @ 24TH STREET EAST LT.
BEGIN INTERSECTION R/W 24TH ST. LT.

FOR CONTINUATION OF INTERSECTION R/W BACK TO STA. 8+00.00 SEE SHEET Nº 19

FOR CONTINUATION OF INTERSECTION R/W AHEAD TO STA. 50+00.00 SEE SHEET Nº 13

T 35 S ~ R 18 E

HILL PARK ANNEX
FILED JAN. 27, 1926; PB. 5, PG. 11
(NO BLOCK Nº ON PLAT)

LA SELVA PARK
FILED OCT. 6, 1925; PB. 4, PG 20

BONAYR DRIVE (PLAT)

PALM STREET (PLAT)

21ST ST. COURT EAST LIMA ST. (PLAT)

22ND ST EAST

33 1/2 AVE. EAST SUNSET DR. (PLAT)

MAYFAIR ST EAST (PLAT)

INSERT
U.S. 301
SARASOTA COUNTY LINE TO EXIST 4 LANE

(A) Indicates County Atlas
(F) Indicates Field Dimension

NOTE: ALL POINTS ARE 5/8" I. RODS

NOTE: For Drainage Easements at the Intersection of 27TH Street & 34TH Ave. See Sheet Nº 21

P.I. STA. 35+81.67
Δ=0°10'30" LT.
(NO CURVE)
S.W. Cor. N.W.¼, S.W.¼ Sec. 5 By Deed Description

CURVE DATA 38TH STREET REALIGNMENT

P.I. STA. 1+24.191	P.I. STA. 4+86.176
Δ=75°00' LT.	Δ=75°00' RT.
D=76°23'39.7"	D=38°11'49.87"
T=57.550'	T=115.099'
L=98.175'	L=196.350'
R=75.000'	R=150.000'
P.C. STA. 0+66.641	P.C. STA. 3+71.077
P.T. STA. 1+64.816	P.T. STA. 5+67.427

CURVE ④ DATA
P.I. STA. 406+71.516
X=327970.087
Y=1138485.228
Δ=53°36'59.24" LT.
D=2°00
R=2864.789'
T=1447.625
L=2680.823
P.C. STA. 392+23.891
P.T. STA. 419+04.714

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

REVISION	BY	DATE
Add "A" Par. 170.1	BSB-CWB	3-15-79
Add Par. 812 to Item 0	BSB-CWB	3-8-79
Add "A" Par. 209.1, 706.1	BSB-CWB	12-28-78
Add R Par. 706.1, 709	BSB-CWB	10-10-78
Add R & 170.1	R.S.B.-K.W.H.	7-10-78
Add R Par. 171	L.D.-K.W.G.	11-10-77
Add R 700.1	T.J.W.-D.H.R.	9-7-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY MAP
STATE ROAD No. 683 U.S. 301 MANATEE COUNTY

	BY	DATE
DRAWN	A.J.D	2-13-75
TRACED	D.M.D.	2-20-75
CHECKED		4-14-75
COMPARED		
INDEXED		

APPROVED BY: John A. DeWinka for: DISTRICT ENGINEER — DATE
Cecil L. Ratcliff 7-27-77 for: ENGINEER OF RIGHTS OF WAY — STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 13 OF

FED ROAD DIV. No	STATE	PROJECT No	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		14

SCALE 1" = 100'

PINECREST SUBDIVISION
FILED IN 1925 IN PB. 4, PG. 56
(NOTE: NO BLOCK NOS ON PLAT)

SEC. 6 T35S ~ R18E

EQUATION :
STA. 453+80.16 ℄ SURVEY =
STA. 30+00.00 ℄ 30th STREET E

HILL PARK ANNEX
FILED JAN. 27, 1926 (F.B. 5, PG. 11)

WYATT ST. (P)
2nd ST. EAST (F)
1st ST. COURT EAST (F)
LIMA CT. (P)
1st ST. EAST (F)
JOHNSON ST. (PLAT)
JANE AVE. (P)
2nd ST. COURT EAST (F)
WATAUGA AVE. (P)
2nd ST. EAST (F)
AUGUSTA AVE. (P)
1st ST. EAST (F)
ROANE ST. (PLAT)
RESERVED FOR RAILWAY
WHITAKER AVE. (P)
1st ST. EAST (F)
WANOLA AVE. (PLAT)
1st ST. EAST (F)
30th AVE. EAST (F)
HARVY ST. (PLAT)
17th ST. BLVD. (F)
19th AVE. (PLAT)
19th ST. BLVD. E. (F)
MANASOTA AVE. (P)
31st AVE. EAST (F)
WINIFRED STREET (PLAT)
SHELL ROAD (PLAT)
KESLER DRIVE (PLAT)
15th ST. BLVD. EAST (F)
23rd AVE. EAST (F)
EAST AVE. (P)
MAYFAIR ST. (P)
2nd ST. EAST

L.A. R/W LINE
R.R. R/W LINE & PLAT LINE
℄ CONST'T
℄ SURVEY

Note: All of Lots 70, 42, 43, 65, 1, 2, 3, 4 To Be Acquired

TO SUNSHINE RIDGE ADDITION
FILED OCT. 14, 1925 PB. 4, PG. 34
(NOTE: NO BLOCK NOS ON PLAT)

SUNSHINE RIDGE
FILED SEPT. 3, 1925 PB. 4, PG. 2
(NOTE: NO BLOCK NOS ON PLAT)

G.C. WATT'S ADDITION

CURVE DATA
P.I. STA. 453+62.094
X = 324042.653
Y = 1141423.654
Δ = 5° 14' 37.05" LT.
D = 0° 30' 00"
R = 11459.156
T = 524.729
L = 1048.725
P.C. STA. 448+37.365
P.T. STA. 458+86.091

℄ CONST. CURVE DATA
P.I. STA. 448+14.992
Δ = 5° 14' 37.05" LT.
D = 0° 45'
T = 349.819
L = 699.150
R = 7639.437
P.C. STA. 444+65.173
P.T. STA. 451+64.323 B.K. =
STA. 451+64.018 AH.

REF. POINTS FOR P.I.
STA. 453+62.094
Δ = 05° 14' 37.05" LT.

REF. POINTS FOR P.C. STA. 448+37.365

REF. POINTS FOR P.T. STA. 458+86.091

NOTE: ALL POINTS ARE 5/8" I. RODS

INSERT
U.S. 301
SARASOTA C/L TO EXIST 4 LANE

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

REVISION	BY	DATE
Add Taking Line 217	JNO-CNB	1-3-79
Add Taking Line Par 204	L.A.-DJC	12-12-78
Add R Par 208.1	BSB-CNB	11-30-78
Add R to Par 206.1 & Taking Line Adj 206	WS-CNB	9-26-78
Add R to Par 206.1	BSB-CNB	9-12-78
Total Take Par 185.1	BSB-CNB	9-7-78
Add R, Take 183.1	BSB-KAH	8-24-78
Rev. Lots in Pinecrest Sub.	L.A.	8-24-78
Add R Par 203.1	BSB-DJC	8-10-78
Rev. Par 184	WS-TC	8-10-78
Add R, Taking lines 201	WJS-DJC	8-4-78
Add R to Par 196.1	BSB-TC	6-30-78
Line R to Par 214	WS-JS	6-21-78
Add R to Par 212.1	BSB-TC	6-7-78
Add R to Par 184 & 220	BSB-KAH	5-10-78
Add A to Par. 171	L.A.-KWG	10-14-77
Add R 188.1	T.W.-KWG	9-27-77
Add R 210.1	T.W.-D.H.B.	9-7-77

(F) Indicates Field Dimension

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (US 301) MANATEE County

	BY	DATE	APPROVED BY	DATE
DRAWN	A.F.D.	2-20-75	John H. Lekwicke, DISTRICT ENGINEER	
TRACED	D.S.	2-24-75	Bill L. Ratliff, ENGINEER OF RIGHTS OF WAY	7-27-77
CHECKED	C.W.K.	4-15-75		
COMPARED				
INDEXED			STATE HIGHWAY ENGINEER	

SECTION 13120-2506 SHEET 14 OF

FED. ROAD DIV. No.	STATE	PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		15

For Continuation of Intersection R/W See Sheet No 19

GLAZIER-GALLUP-LIST SUBDIVISION
RECORDED JAN. 22, 1924; PB. 2, PG. 109

NOTE: For Additional R/W on 15th Street See Sheet No 19

NAIL & DISK N.W. COR. SEC. 6 N.W. 1/4, SEC. 6

BRADENTON ROAD (R)

CORTEZ ROAD (PLAT)

J.S. McCLURE ADDITION
FILED OCT. 1, 1925; PB. 4, PG. 2
(NOTE: NO BLOCK NO ON PLAT)

30th AVE. (F)

ASHLEY ST. (P)

SARASOTA
S.R. 70

15th STREET (PLAT) EAST (F)

MANASOTA PARK
FILED MAY 30, 1925; P.B. 2, PG. 154

THOMEWOOD AVE. (PLAT)

25th AVE. E. (F)

JONES ST. (P)

PINEALTOS PARK
FILED SEPT. 1925
P.B. 4, PG. 46

KESLER DRIVE (PLAT) 15th ST. BLVD. (F)

SUNSHINE RIDGE
FILED SEPT. 3, 1925; P.B. 4, PG. 2
(NOTE: NO BLOCK NO ON PLAT)

R.R. R/W LINE

L.A. R/W LINE

L.A. R/W CHANGE LT.

SCALE 1" = 100'

T. 35 S.

T. 34 S.

26th AVE.

NASHVILLE PARK
FILED APRIL 27, 1977; P.B. 18, PG. 51

EQUATION:
STA. 469+39.73 ℄ SURVEY
= STA. 30+00.00 ℄ 15th ST. (S.R. 70)

℄ SURVEY
N 58°26'25.94" W

465 470 475 480 485 490 495

INSERT
US 301
SARASOTA C/L TO EXIST. 4 LANES

DETAIL N.W. QUAD 15th ST. & 26th AVE.
SCALE: 20'

(F) INDICATES FIELD DIMENSION

NOTE: ALL POINTS ARE 5/8" I. RODS.

REF. POINTS FOR P.O.T. 479+82.71

For Continuation of Intersection R/W See Sheet No 21

REVISION	BY	DATE
Add Note P. 168 Part	M.D.M.	11-25-97
Add Taking Line Par 271	JWD-CH.B.	1-3-79
Add R/W Dim & Arrows	BS.B.-T.L.	6-1-78
Add 50' Dim & Arrows	BS.B.-R.P.H.	2-16-78
Add R 225.1, 226.1	BS.B.-R.P.H.	2-10-78
Add R 223.1, 228.1	T.J.W.-R.P.H.	1-25-78
Add Nashville Park Subd & Add R 281.1	V.B.S. - R.P.H.	1-24-78
Add R 222.1	T.J.W.-R.P.H.	12-8-77
Add T.E. 721 Thru 725	L.A.-K.W.G.	10-21-77
Add R Par 171	L.A.-K.W.G.	10-14-77
Add R 188.1	T.J.W.-K.W.G.	9-27-77
Add P 281.1 & R 168 Part	L.A.-K.W.G.	9-23-77
Add Taking Lines 168	L.A.	2-25-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (US 301) MANATEE COUNTY

	BY	DATE
DRAWN	A. J. D.	2-20-75
TRACED	D. M. D.	2-24-75
CHECKED	C.W.K.	4-22-75
COMPARED		
INDEXED		

APPROVED BY: C. W. Manto De Ocampo, DISTRICT ENGINEER — DATE
L. G. Nichols, ENGINEER OF RIGHTS OF WAY — 1-11-77
STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 15 OF

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

FED. ROAD DIV. No.	STATE	PROJECT No.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		16

BEGIN INTERSECTION R/W RT. @ ℄ STA. 25+73.71

BEGIN INTERSECTION R/W LT. @ ℄ STA. 25+99.36

PLAT OF S.E.1/4-S.W.1/4 SEC.36 T34S & N.E.1/4-N.E.1/4-N.W.1/4 SEC.1 T35S R17E ALSO KNOWN AS J.W. CURRY PLAT FILED DEC. 11, 1920 ; P.B. 1, PG. 64

L.A.R/W CHANGE LT @ R ℄ EXISTING R/W LINE (PER COUNTY ATLAS)

T34S-R17E SEC. 36

ORANGE RIDGE SUB

FILED OCT. 26, 1926 P.B. 4 PG. 28 NOTE: NO BLOCK NOS. ON PLAT AND NO STREET NAMES

EQUATION: STA. 500+00.00 ℄ SURVEY = STA. 25+41.63 ℄ 9TH STREET EAST

EQUATION: STA. 500+46.90 ℄ SURVEY = STA. 30+00.00 ℄ 9TH STREET EAST

EQUATION: P.T. STA. 515+70.176 ℄ SURVEY "AHD." = STA. 515+72.980 ℄ CONST. "BK."

L.A.R/W LINE

R.R. R/W LINE

℄ SURVEY

℄ CONST

EASEMENT FOR ROAD R/W

9TH STREET EAST (F)

3RD ST. EAST (F)

4TH ST. EAST

5TH ST. EAST (F)

6TH AVE. EAST (UNIMPROVED)

LOT 15

LOT 16

LOT 17

LOT 18

PLAT OF PROPERTY OF A.P. & J.R. CURRY RECORDED IN D.B. 87 PG. 405

END INTERSECTION R/W LT & RT STA. 33+70.81

PROP. LINE BY R.R. PLAT

NAIL & DISK S.E. COR. NE 1/4 S.W. 1/4, SEC. 36

NAIL & DISK S.W. COR. LOT 90

NOTE: ALL POINTS ARE 5/8" I. RODS

REF. POINTS FOR P.C. STA. 500+38.192

REF. POINTS FOR P.I. STA. 508+22.976 Δ = 30°38' 22.84 LT

REF. POINTS FOR P.T. STA. 515+70.176

SEE SHEET 17 FOR MEETS & BOUNDS OF THIS AREA

INSERT U.S. 301 SARASOTA C-L TO EXIST. 4 LANE

(F) Indicates Field Dimension

℄ CONST CURVE DATA
P.I. STA. 509+05.097
Δ = 30°38'22.84" LT.
D = 4°00'
T = 392.392'
L = 765.992'
R = 1432.394'
P.C. STA. 505+12.705
P.T. STA. 512+78.697

CURVE DATA
P.I. STA. 508+22.976
X: 719388.825
Y: 1144282.171
Δ = 30°38' 22.84" LT
D: 2°00'
T: 784.784'
L: 1531.984'
R: 2864.789'
P.C. STA. 500+38.192
P.T. STA. 515+70.176

Revision	By	Date
Add 'R' to Par. 235.1	BSB-TL	6-24-75
Rev. to R/W 39 St	BSB-RPH	1-14-76
Add "A" Par. 237.1	BSB-CHBK	3-13-76
Add 'F' to Par. 136.1	BSB-RPH	2-14-78
Rev. Equation	BSB-RPH	2-9-78
Rev. Equation	LRT-RPH	2-9-78
Add A Par 171	LA-KWG	10-14-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (U.S. 301) MANATEE COUNTY

	By	Date
DRAWN	A.J.D.	2-25-75
TRACED	D.S.	2-27-75
CHECKED	C.W.K.	4-24-75
COMPARED		
INDEXED		

APPROVED BY — DATE

DISTRICT ENGINEER

for: ENGINEER OF RIGHTS OF WAY

STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 16 OF

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

FED. ROAD DIV. No	STATE	PROJECT No	FISCAL YEAR	SHEET No
3	FLA.	13120-2506		17

1313-102
CURVE DATA & CONS'T.
P.I. STA. 105+54.87
Δ=04°47'19" RT.
D=01°00'
T=239.57'
L=478.61' (478.86' calc.)
R=5729.58'
P.C. STA. 103+15.30 (12' LT. & SURVEY STA. 103+15.30)
P.R.C. STA. 107+93.91
P.I. STA. 110+33.48
Δ=04°47'19" LT.
D=01°00'
T=239.57'
L=478.61
R=5729.58
P.R.C. = STA 107+93.91 P.T. STA. 112+72.52 (28' RT. & SURVEY STA. 112+71.91)

HIGH POINT MANOR
FILED NOV. 5, 1953 ; P.B. 8, PG. 68-A

CITY OF BRADENTON

SCALE 1"=100'

T 34 S - R 17 E

EQUATION
STA. 527+78.910 & SURVEY
= STA. 111+43.59 & 1313-102 (SURVEY)
X = 3179515.564
Y = 1144214.172

EQUATION:
P.C. STA. 103+15.30 & CONS'T.
= STA. 103+15.30 (12' LT.) & SURVEY

EQUATION
STA. 112+72.52 & CONS'T.
= STA. 112+71.91 (28' RT.) & SURVEY

EQUATION
STA. 527+52.35 & SURVEY
= STA. 111+44.47 & CONS'T.

BEARING EQUATION:
N 0°25'41.22" E & SURVEY
= N 0°10'26" E (1313-102)

PLAT OF PROPERTY OF A.R. & J.R. CURRY
RECORDED IN D.B. "F" PG. 405
DETAIL: NO SCALE

REF. POINTS FOR E.O.S.
STA. 527+78.910

INSERT
U.S. 301
SARASOTA C/L TO
EXIST. 4 LANES

ORANGE RIDGE
FILED ON OCT. 28, 1925; PB. 4, PG. 52
NOTE: NO BLOCK NO. ON PLAT, NO STREET NAMES.

NO NAME ON PLAT

23 AVE. W. (P)
22 AVE. W. (P)
21 ST. AVE. W. (P)
FIRST STREET (U.S. 301)
EAST CITY LIMITS LINE
EXIST. R/W LINE (1313-102)
EXIST. R/W LINE
R/W LINE
5' CONST. EASMT.
6' CONST. EASMT.
8' CONST. EASMT.
ACQUIRE THIS AREA
5.101 Ac. L.A. R/W
SEE INSERT @ RT.
R.R. CROSSING INDEX No. 627712
R.R. SPK. SEC. COR.
R.R. SPK. S.W. COR. N.E. 1/4 S.E. 1/4 SEC. 35
R.R. SPK. N.W. COR. S.W. 1/4 S.W. 1/4 SEC. 36
R.R. SPK. S.W. COR. N.W. 1/4 SEC. 36
P.K. NAIL S.W. COR. N.E. 1/4 SEC. 35
1/2" I.P. S.W. COR. S.E. 1/4 N.E. 1/4 SEC. 35
P.C. STA. 103+15.30
P.T. STA. 108+74.20
P.R.C. STA. 107+93.91
P.I. STA. 110+44.32
P.T. STA. 112+72.52
P.I. STA. 115+46.25
P.I. STA. 120+32.15
P.I. STA. 123+39.72
P.I. STA. 131+33.22
P.C. STA. 131+38.19
P.I. STA. 127+85.00
P.I. STA. 119+00.00
P.I. STA. 118+10.00
P.I. STA. 115+50.00
P.I. STA. 120+55.00
END CONST. EASMT. RT. STA. 120+55.00
BEGIN CONST. EASMT. RT. STA. 119+00.00
END CONST. EASMT. RT. STA. 118+10.00
BEGIN CONST. EASMT. RT. STA. 115+50.00
END CONST. EASMT. RT. STA. 127+85.00
BEGIN CONST. EASMT. RT. STA. 131+04.66
END CONSTRUCTION OF SIDEWALK AT STA. 131+38.19
SEE CONTINUATION OF SIDEWALK CONSTRUCTION SHEET NO. 18
LOT 10
LOT 11
LOT 18
LOT 57
LOT 1
LOT 2
LOT 3
LOT 30
LOT 31
LOT 32
BLK. 1
BLK. 2
BLK. 3
BLK. 4
BLK. 5
BLK. 6
BLK. 7
BLK. 8
BLK. 9
BLK. 10
BLK. 11
BLK. 12
BLK. 13
BLK. 14
BLK. 15
BLK. 16
BLK. 17
BLK. 18
BLK. 19
BLK. 20
BLK. 21
BLK. 22
BLK. 23
BLK. 24
BLK. 25
BLK. 26
BLK. 27
BLK. 28
BLK. 29
BLK. 30
BLK. 31
BLK. 32
BLK. 33
BLK. 34
BLK. 35
BLK. 36
BLK. 37
BLK. 38
BLK. 39
BLK. 40
BLK. 41
BLK. 42
BLK. 43
BLK. 44
BLK. 45
BLK. 46
BLK. 47
BLK. 48
BLK. 49
BLK. 50
BLK. 51
BLK. 52
BLK. 53
BLK. 54
BLK. 55
BLK. 56
BLK. 57
BLK. 58
BLK. 59
BLK. 60
BLK. 61
BLK. 62
BLK. 63
BLK. 64
BLK. 65
BLK. 66
BLK. 67
BLK. 68
BLK. 69
BLK. 70
BLK. 71
BLK. 72
BLK. 73
BLK. 74
BLK. 75
BLK. 76
BLK. 77
BLK. 78
BLK. 79
BLK. 80
BLK. 81
BLK. 82
BLK. 83
BLK. 84
BLK. 85
BLK. 86
BLK. 87
BLK. 88
BLK. 89
BLK. 90
BLK. 91
BLK. 92
BLK. 93
BLK. 94
BLK. 95
BLK. 96
BLK. 97
BLK. 98
BLK. 99
BLK. 100
BLK. 101
BLK. 102
BLK. 103
BLK. 104
BLK. 105
BLK. 106
BLK. 107
BLK. 108
BLK. 109
BLK. 110
BLK. 111
BLK. 112
BLK. 113
BLK. 114
BLK. 115
BLK. 116
BLK. 117
BLK. 118
BLK. 119
BLK. 120
BLK. 121
BLK. 122
BLK. 123
BLK. 124
BLK. 125
BLK. 126
BLK. 127
BLK. 128
BLK. 129
BLK. 130
BLK. 131
BLK. 132
BLK. 133
BLK. 134
BLK. 135
BLK. 136
BLK. 137
BLK. 138
BLK. 139
BLK. 140
BLK. 141
BLK. 142
BLK. 143
BLK. 144
BLK. 145
BLK. 146
BLK. 147
BLK. 148
BLK. 149
BLK. 150
BLK. 151
BLK. 152
BLK. 153
BLK. 154
BLK. 155
BLK. 156
BLK. 157
BLK. 158
BLK. 159
BLK. 160
BLK. 161
BLK. 162
BLK. 163
BLK. 164
BLK. 165
BLK. 166
BLK. 167
BLK. 168
BLK. 169
BLK. 170
BLK. 171
BLK. 172
BLK. 173
BLK. 174
BLK. 175
BLK. 176
BLK. 177
BLK. 178
BLK. 179
BLK. 180
BLK. 181
BLK. 182
BLK. 183
BLK. 184
BLK. 185
BLK. 186
BLK. 187
BLK. 188
BLK. 189
BLK. 190
BLK. 191
BLK. 192
BLK. 193
BLK. 194
BLK. 195
BLK. 196
BLK. 197
BLK. 198
BLK. 199
BLK. 200
BLK. 201
BLK. 202
BLK. 203
BLK. 204
BLK. 205
BLK. 206
BLK. 207
BLK. 208
BLK. 209
BLK. 210
BLK. 211
BLK. 212
BLK. 213
BLK. 214
BLK. 215
BLK. 216
BLK. 217
BLK. 218
BLK. 219
BLK. 220
BLK. 221
BLK. 222
BLK. 223
BLK. 224
BLK. 225
BLK. 226
BLK. 227
BLK. 228
BLK. 229
BLK. 230
BLK. 231
BLK. 232
BLK. 233
BLK. 234
BLK. 235
BLK. 236
BLK. 237
BLK. 238
BLK. 239
BLK. 240
BLK. 241
BLK. 242
BLK. 243
BLK. 244
BLK. 245
BLK. 246
BLK. 247
BLK. 248
BLK. 249
BLK. 250
BLK. 251
BLK. 252
BLK. 253
BLK. 254
BLK. 255
BLK. 256
BLK. 257
BLK. 258
BLK. 259
BLK. 260
BLK. 261
BLK. 262
BLK. 263
BLK. 264
BLK. 265
BLK. 266
BLK. 267
BLK. 268
BLK. 269
BLK. 270
BLK. 271
BLK. 272
BLK. 273
BLK. 274
BLK. 275
BLK. 276
BLK. 277
BLK. 278
BLK. 279
BLK. 280
BLK. 281
BLK. 282
BLK. 283
BLK. 284
BLK. 285
BLK. 286
BLK. 287
BLK. 288
BLK. 289
BLK. 290
BLK. 291
BLK. 292
BLK. 293
BLK. 294
BLK. 295
BLK. 296
BLK. 297
BLK. 298
BLK. 299
BLK. 300
BLK. 301
BLK. 302
BLK. 303
BLK. 304
BLK. 305
BLK. 306
BLK. 307
BLK. 308
BLK. 309
BLK. 310
BLK. 311
BLK. 312
BLK. 313
BLK. 314
BLK. 315
BLK. 316
BLK. 317
BLK. 318
BLK. 319
BLK. 320
BLK. 321
BLK. 322
BLK. 323
BLK. 324
BLK. 325
BLK. 326
BLK. 327
BLK. 328
BLK. 329
BLK. 330
BLK. 331
BLK. 332
BLK. 333
BLK. 334
BLK. 335
BLK. 336
BLK. 337
BLK. 338
BLK. 339
BLK. 340
BLK. 341
BLK. 342
BLK. 343
BLK. 344
BLK. 345
BLK. 346
BLK. 347
BLK. 348
BLK. 349
BLK. 350
BLK. 351
BLK. 352
BLK. 353
BLK. 354
BLK. 355
BLK. 356
BLK. 357
BLK. 358
BLK. 359
BLK. 360
BLK. 361
BLK. 362
BLK. 363
BLK. 364
BLK. 365
BLK. 366
BLK. 367
BLK. 368
BLK. 369
BLK. 370
BLK. 371
BLK. 372
BLK. 373
BLK. 374
BLK. 375
BLK. 376
BLK. 377
BLK. 378
BLK. 379
BLK. 380
BLK. 381
BLK. 382
BLK. 383
BLK. 384
BLK. 385
BLK. 386
BLK. 387
BLK. 388
BLK. 389
BLK. 390
BLK. 391
BLK. 392
BLK. 393
BLK. 394
BLK. 395
BLK. 396
BLK. 397
BLK. 398
BLK. 399
BLK. 400
BLK. 401
BLK. 402
BLK. 403
BLK. 404
BLK. 405
BLK. 406
BLK. 407
BLK. 408
BLK. 409
BLK. 410
BLK. 411
BLK. 412
BLK. 413
BLK. 414
BLK. 415
BLK. 416
BLK. 417
BLK. 418
BLK. 419
BLK. 420
BLK. 421
BLK. 422
BLK. 423
BLK. 424
BLK. 425
BLK. 426
BLK. 427
BLK. 428
BLK. 429
BLK. 430
BLK. 431
BLK. 432
BLK. 433
BLK. 434
BLK. 435
BLK. 436
BLK. 437
BLK. 438
BLK. 439
BLK. 440
BLK. 441
BLK. 442
BLK. 443
BLK. 444
BLK. 445
BLK. 446
BLK. 447
BLK. 448
BLK. 449
BLK. 450
BLK. 451
BLK. 452
BLK. 453
BLK. 454
BLK. 455
BLK. 456
BLK. 457
BLK. 458
BLK. 459
BLK. 460
BLK. 461
BLK. 462
BLK. 463
BLK. 464
BLK. 465
BLK. 466
BLK. 467
BLK. 468
BLK. 469
BLK. 470
BLK. 471
BLK. 472
BLK. 473
BLK. 474
BLK. 475
BLK. 476
BLK. 477
BLK. 478
BLK. 479
BLK. 480
BLK. 481
BLK. 482
BLK. 483
BLK. 484
BLK. 485
BLK. 486
BLK. 487
BLK. 488
BLK. 489
BLK. 490
BLK. 491
BLK. 492
BLK. 493
BLK. 494
BLK. 495
BLK. 496
BLK. 497
BLK. 498
BLK. 499
BLK. 500
BLK. 501
BLK. 502
BLK. 503
BLK. 504
BLK. 505
BLK. 506
BLK. 507
BLK. 508
BLK. 509
BLK. 510
BLK. 511
BLK. 512
BLK. 513
BLK. 514
BLK. 515
BLK. 516
BLK. 517
BLK. 518
BLK. 519
BLK. 520
BLK. 521
BLK. 522
BLK. 523
BLK. 524
BLK. 525
BLK. 526
BLK. 527
BLK. 528
BLK. 529
BLK. 530
BLK. 531
BLK. 532
BLK. 533
BLK. 534
BLK. 535
BLK. 536
BLK. 537
BLK. 538
BLK. 539
BLK. 540
BLK. 541
BLK. 542
BLK. 543
BLK. 544
BLK. 545
BLK. 546
BLK. 547
BLK. 548
BLK. 549
BLK. 550
BLK. 551
BLK. 552
BLK. 553
BLK. 554
BLK. 555
BLK. 556
BLK. 557
BLK. 558
BLK. 559
BLK. 560
BLK. 561
BLK. 562
BLK. 563
BLK. 564
BLK. 565
BLK. 566
BLK. 567
BLK. 568
BLK. 569
BLK. 570
BLK. 571
BLK. 572
BLK. 573
BLK. 574
BLK. 575
BLK. 576
BLK. 577
BLK. 578
BLK. 579
BLK. 580
BLK. 581
BLK. 582
BLK. 583
BLK. 584
BLK. 585
BLK. 586
BLK. 587
BLK. 588
BLK. 589
BLK. 590
BLK. 591
BLK. 592
BLK. 593
BLK. 594
BLK. 595
BLK. 596
BLK. 597
BLK. 598
BLK. 599
BLK. 600
BLK. 601
BLK. 602
BLK. 603
BLK. 604
BLK. 605
BLK. 606
BLK. 607
BLK. 608
BLK. 609
BLK. 610
BLK. 611
BLK. 612
BLK. 613
BLK. 614
BLK. 615
BLK. 616
BLK. 617
BLK. 618
BLK. 619
BLK. 620
BLK. 621
BLK. 622
BLK. 623
BLK. 624
BLK. 625
BLK. 626
BLK. 627
BLK. 628
BLK. 629
BLK. 630
BLK. 631
BLK. 632
BLK. 633
BLK. 634
BLK. 635
BLK. 636
BLK. 637
BLK. 638
BLK. 639
BLK. 640
BLK. 641
BLK. 642
BLK. 643
BLK. 644
BLK. 645
BLK. 646
BLK. 647
BLK. 648
BLK. 649
BLK. 650
BLK. 651
BLK. 652
BLK. 653
BLK. 654
BLK. 655
BLK. 656
BLK. 657
BLK. 658
BLK. 659
BLK. 660
BLK. 661
BLK. 662
BLK. 663
BLK. 664
BLK. 665
BLK. 666
BLK. 667
BLK. 668
BLK. 669
BLK. 670
BLK. 671
BLK. 672
BLK. 673
BLK. 674
BLK. 675
BLK. 676
BLK. 677
BLK. 678
BLK. 679
BLK. 680
BLK. 681
BLK. 682
BLK. 683
BLK. 684
BLK. 685
BLK. 686
BLK. 687
BLK. 688
BLK. 689
BLK. 690
BLK. 691
BLK. 692
BLK. 693
BLK. 694
BLK. 695
BLK. 696
BLK. 697
BLK. 698
BLK. 699
BLK. 700
BLK. 701
BLK. 702
BLK. 703
BLK. 704
BLK. 705
BLK. 706
BLK. 707
BLK. 708
BLK. 709
BLK. 710
BLK. 711
BLK. 712
BLK. 713
BLK. 714
BLK. 715
BLK. 716
BLK. 717
BLK. 718
BLK. 719
BLK. 720
BLK. 721
BLK. 722
BLK. 723
BLK. 724
BLK. 725
BLK. 726
BLK. 727
BLK. 728
BLK. 729
BLK. 730
BLK. 731
BLK. 732
BLK. 733
BLK. 734
BLK. 735
BLK. 736
BLK. 737
BLK. 738
BLK. 739
BLK. 740
BLK. 741
BLK. 742
BLK. 743
BLK. 744
BLK. 745
BLK. 746
BLK. 747
BLK. 748
BLK. 749
BLK. 750
BLK. 751
BLK. 752
BLK. 753
BLK. 754
BLK. 755
BLK. 756
BLK. 757
BLK. 758
BLK. 759
BLK. 760
BLK. 761
BLK. 762
BLK. 763
BLK. 764
BLK. 765
BLK. 766
BLK. 767
BLK. 768
BLK. 769
BLK. 770
BLK. 771
BLK. 772
BLK. 773
BLK. 774
BLK. 775
BLK. 776
BLK. 777
BLK. 778
BLK. 779
BLK. 780
BLK. 781
BLK. 782
BLK. 783
BLK. 784
BLK. 785
BLK. 786
BLK. 787
BLK. 788
BLK. 789
BLK. 790
BLK. 791
BLK. 792
BLK. 793
BLK. 794
BLK. 795
BLK. 796
BLK. 797
BLK. 798
BLK. 799
BLK. 800
BLK. 801
BLK. 802
BLK. 803
BLK. 804
BLK. 805
BLK. 806
BLK. 807
BLK. 808
BLK. 809
BLK. 810
BLK. 811
BLK. 812
BLK. 813
BLK. 814
BLK. 815
BLK. 816
BLK. 817
BLK. 818
BLK. 819
BLK. 820
BLK. 821
BLK. 822
BLK. 823
BLK. 824
BLK. 825
BLK. 826
BLK. 827
BLK. 828
BLK. 829
BLK. 830
BLK. 831
BLK. 832
BLK. 833
BLK. 834
BLK. 835
BLK. 836
BLK. 837
BLK. 838
BLK. 839
BLK. 840
BLK. 841
BLK. 842
BLK. 843
BLK. 844
BLK. 845
BLK. 846
BLK. 847
BLK. 848
BLK. 849
BLK. 850
BLK. 851
BLK. 852
BLK. 853
BLK. 854
BLK. 855
BLK. 856
BLK. 857
BLK. 858
BLK. 859
BLK. 860
BLK. 861
BLK. 862
BLK. 863
BLK. 864
BLK. 865
BLK. 866
BLK. 867
BLK. 868
BLK. 869
BLK. 870
BLK. 871
BLK. 872
BLK. 873
BLK. 874
BLK. 875
BLK. 876
BLK. 877
BLK. 878
BLK. 879
BLK. 880
BLK. 881
BLK. 882
BLK. 883
BLK. 884
BLK. 885
BLK. 886
BLK. 887
BLK. 888
BLK. 889
BLK. 890
BLK. 891
BLK. 892
BLK. 893
BLK. 894
BLK. 895
BLK. 896
BLK. 897
BLK. 898
BLK. 899
BLK. 900
BLK. 901
BLK. 902
BLK. 903
BLK. 904
BLK. 905
BLK. 906
BLK. 907
BLK. 908
BLK. 909
BLK. 910
BLK. 911
BLK. 912
BLK. 913
BLK. 914
BLK. 915
BLK. 916
BLK. 917
BLK. 918
BLK. 919
BLK. 920
BLK. 921
BLK. 922
BLK. 923
BLK. 924
BLK. 925
BLK. 926
BLK. 927
BLK. 928
BLK. 929
BLK. 930
BLK. 931
BLK. 932
BLK. 933
BLK. 934
BLK. 935
BLK. 936
BLK. 937
BLK. 938
BLK. 939
BLK. 940
BLK. 941
BLK. 942
BLK. 943
BLK. 944
BLK. 945
BLK. 946
BLK. 947
BLK. 948
BLK. 949
BLK. 950
BLK. 951
BLK. 952
BLK. 953
BLK. 954
BLK. 955
BLK. 956
BLK. 957
BLK. 958
BLK. 959
BLK. 960
BLK. 961
BLK. 962
BLK. 963
BLK. 964
BLK. 965
BLK. 966
BLK. 967
BLK. 968
BLK. 969
BLK. 970
BLK. 971
BLK. 972
BLK. 973
BLK. 974
BLK. 975
BLK. 976
BLK. 977
BLK. 978
BLK. 979
BLK. 980
BLK. 981
BLK. 982
BLK. 983
BLK. 984
BLK. 985
BLK. 986
BLK. 987
BLK. 988
BLK. 989
BLK. 990
BLK. 991
BLK. 992
BLK. 993
BLK. 994
BLK. 995
BLK. 996
BLK. 997
BLK. 998
BLK. 999
BLK. 1000

(F) Indicates Field Dimension

PHOTO FLIGHT DATE: 10-6-73

BOSWORTH AERIAL SURVEYS, INC.
Photogrammetry for the Profession

REVISION	BY	DATE
Add Ref. Pnt. 714.1	B.B.-C.W.B.	12-3-76
Add R Pnt 248.1	B.B.-GK	11-6-76
Add R" Pnt. 714.1	B.B.-C.W.B.	5-23-77
Void Pnt. 229, 711	B.B.-C.W.B.	7-12-77
Rev. Pnts. 229, 712, 711	B.B.-C.W.B.	7-12-77
Corr. Bearings	B.B.-C.W.B.	7-19-77
Add N 1091	B.B.-C.W.B.	7-19-77
Add R 711.1	T.J.W.-D.H.B.	9-7-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD No. 683 (US 301) MANATEE COUNTY

	BY	DATE
DRAWN	A.J.D.	3-3-75
TRACED	D.M.D.	3-6-75
CHECKED	C.M.	5-3-75
COMPARED		
INDEXED		

APPROVED BY: by email DATE 11/9/77
Paul W. Monte De Sea For: DISTRICT ENGINEER
Cecil L. Ratcliff 7-27-77 For: ENGINEER OF RIGHTS OF WAY
STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 17 OF

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	13120-2506		18

END INTERSECTION R/W W.
STA. 212+00.33

EQUATION: (REVISED CURVE)
P.T. STA. 207+68.032 ℄ 1712 (102) 2104 =
STA. 86+23.967 ℄ SURVEY (17190-2501)

BEGIN R/W JOB
EQUATION:
STA. 127+48.903 ℄ 17120-2503 "BK" ℄ 13120-2506 "AHD"
= STA. 94+91.672 ℄ SURVEY (17190-2501)

For Metes & Bounds of L.A. R/W See Sheet No 5

BEGIN INTERSECTION R/W

TOTAL TAKE
43,478 ± S.F.
N. 56 Ac. ±

EXIST. R/W LINE 1712 (102) 2104 ℄

℄ 1712-(102) 2104

EXIST. R/W LINE 1712 (102) 2104 ℄

SCALE = 100'

CURVE DATA
1712 (102) 2104
P.I. STA. 203+24.96
Δ = 47°00' LT.
D = 5°00'
T = 498.24'
L = 940.00'
R = 1145.92'
P.C. STA. 198+26.70
P.T. STA. 207+66.70

REVISED CURVE DATA
1712 (102) 2104
P.I. STA. 203+26.435
Δ = 46° 58' 56.01" LT.
D = 5°00'
T = 498.047'
L = 939.744'
R = 1145.916'
P.C. STA. 198+28.388
P.T. STA. 207+68.032

5° CURVE LT.

SARASOTA CO. T. 36 S. — R. 18 E.

MANATEE CO. T. 35 S. — R. 18 E.

L.A. R/W LINE
N 02°24'09.63"E
2,514.16'

EXIST. SOUTH LINE FLETCHER TRACT

EXIST. R/W LINE (FEB. 1922 DED.)

℄ SURVEY INTERSECTION R/W ℄ COUNTY LINE ON TWP LINE

S 89°15' 50.32" E.

EQUATION:
STA. 99+99.913 "BK" =
STA. 100+00.00 "AHD"
= 30°59'50.00" LT.
(No Curve)

EQUATION:
STA. 115+04.55 ℄ 17120-2503
= P.C. STA. 189+04.55 ℄ 1712-(102) 2104

STA. 39+43.973 ℄ 17130-2505
= STA. 0+00.00 ℄ DRAIN. EASEM'T
NOTE: For D.E. See Sheet No 5

MAP OF NORTH SARASOTA
FILED 26 MARCH 1925, P.B. 2 P. 52

MARSHALL AVE. (PLAT)

SUNSET BLVD (PLAT)

KENTUCKY AVE (PLAT)

LOUISIANA AVE (PLAT)

CAROLINA AVE (PLAT)

ADAMS AVE. (Plat)

105 110 115 120 125 130

℄ SURVEY INTERSECTION R/W ℄ COUNTY LINE ON TWP LINE S 89° 25' 39.93" E.

S 89° 34' 08.54" E.

Not Included In Plat

1930 Sarasota Co. Conc. Mon.
R/W INTERSECTION R/W
U.S. 301 AT COUNTY LINE RD.
I.P. In Conc.
Cutter
Sec. 5

SARASOTA CO. T. 36 S. — R. 18 E.

DESOTO ACRES
Filed March 16 1945, P.B. 4, Pg. 41 ℄ 42

S 86° 33' 02.14" E

L = 180.52'
634.0' 018 Ac.
R = 5615.58'
N 89° 25' 39.93" W 180.40'
Δ = 1° 50' 30.47"
S 88° 23' 32.61" E T.B.
STA. 102+28.71
(0.32' S 0° 17' 13.76" W)

N 0° 31' 04.81" E
2.08'
40.00' ℄
STA. 100+48.15

40.00' ℄

(F) Indicates Field Dimension

Flight Date-

Change Tangent Bearing	T.S.W.-C.W.B.	9-12-77
Add R. To Parcels	CWK-WPH	12-7-76
Add Tan. Bearing	CWK-WPH	12-6-76
Add EQUATION	CWK-WPH	11-30-76
REVISION	BY	DATE

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD NO. 683 (U.S. 301) MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	R. B. D.	1-23-74	C. W. Monteith Rebecca Watt	4-7-76 DISTRICT ENGINEER
TRACED	B.E.A.	1-30-74		
CHECKED				
COMPARED	C.W.K.	4-13-76		ENGINEER OF RIGHTS OF WAY
INDEXED				STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 18 OF

AERIAL SURVEYS INC
Photogrammetry for Engineers

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		19

SEC. 6
T35S-R18E

SCALE: 100'

½" I. P.O.72' W. OF N.-S. LINE CENTER SEC.

(PER COUNTY ATLAS) EXIST. R/W LINE

NYATT AVE. (P&M)

1366.50 (F)

21ST STREET (F)

½" I. P. S.E. COR. N.E. ¼, S.W. ¼, SEC. 6

10

15

(PER. COUNTY ATLAS) EXIST. R/W LINE

℄ 38TH AVENUE INTERSECTION R/W

S88° 49' 27.01" E (ON ℄)

NOT ON LAND LINE

R/W LINE

BEGIN INTERSECTION R/W
BEGIN R/W TRANSITION RT.
STA 8+00.00

STA 8+46.72

END R/W TRANSITION RT.
STA. 11+00.00

CONTINUATION OF 38TH AVENUE EAST INTERSECTION R/W FROM THE WEST

170.1 R — #12183-A, 17216-A = 24, 16929-A = 46

SEC. 5
T35S-R18E

SCALE: 100'

726.1 R

727.1

End Constr. Easem't RT. ℄ 17
STA. 45+20.00

STA. 48+90.46 ℄
EXIST. R/W LINE (PER COUNTY ATLAS)

40

5 Constr. Easem't

(PER. COUNTY ATLAS) EXIST. R/W LINE

45

R.R. SPIKE S.E. COR. N.W. ¼, S.W. ¼, SEC. 5

50

℄ 38TH AVENUE INTERSECTION R/W

Not on Land Line

S88° 59' 57.01" E 89° 55' 48.80" Tot.

(ON ℄)

N88°55'18.20"W 276.98'

261.45' N80°50'44"E

5 Constr. Easem't

R/W LINE

+34.96 75' TO ℄

S 88°59'57.01" E 20.00'

-5.00' STA 48+57.46

N 43°51'51.11" W 28.27'

20.00' S 1°04'14.79" W

EXIST. R/W LINE (PER COUNTY ATLAS)

30TH STREET EAST (F) 70.00'

S 1°04'14.79" W

STA 49+23.65 ℄ & R/W LINE

STA 49+25.66

259.1

700.1 R

CONTINUATION OF 38TH AVENUE EAST INTERSECTION R/W TO THE EAST

170.1 R — 17216-A = 24, 16929-A = 46, 12183-A = 1

GLAZIER GALLUP-LIST SUBDIVISION

RECORDED JAN. 22, 1924; PB. 2; PG. 109

STA 21+62.35
30 TO ℄ SURVEY
STA 16+02.37
50.0 TO ℄ SUR.

SEC. 1 T. 35 S. ; R. 18 E.

SCALE: 100'

4" C.M. S.W. COR. LOT 1, BLK. "K"

54" C.M.

KANAWHEE WAY (PLAT) 32ND AVENUE EAST (F)

DIRT PARKING AREA

15

10 8 6

150' 50' 100'

178.5' (F) STA 15+68.69

1377.70' (F)

NAIL & DISK S.W. COR. N.W. ¼ SEC. 6

N 0°28'34.06" E

S.R. 70

R/W LINE

12' C.B.

DIRT

ASPHALT PARKING AREA

1 STY. BLK. BLDG.

1 STY. GAS STATION

1 STY. WESTERN AUTO

1 STY. FRAME HOUSE

1 STY. BLK. BLDG.

CONC. FOUNDATION

CLEARED LAND

WOODS

BUSHES

PINES

72 71 70 69 68 67 66 65 64 63 62 61 60 59 58 57 56

THYSA STREET (PLAT) 33RD AVENUE EAST (F)

ROANE STREET (PLAT) 33RD AVENUE EAST (F)

ROBERT STREET (PLAT) 31ST AVENUE EAST (F)

STA 12+08.30

STA 13+21.10

BEGIN INTERSECTION R/W
STA 15+00.00 ℄ S.R. 70

½" I. ROD S.E. COR. LOT 52

SEC. 6 T35S-R18E

J. S McCLURE ADDITION

FILED OCT. 1, 1925, PB. 4, PG. 56 (NO BLOCK NRS ON PLAT)

S 0°23'34.06" W 150.00'

R/W CHANGE RT. LOT LINE S 88°34'25.94" E 15.00'

N 44°05'25.94" W 21.20'

½" I. ROD S.W. COR. N.E. ¼, N.E. ¼ SEC. 1

Lots 3 Thru 25 Blk 'B' & Lots 7 Thru 12 Block 'C' Vacated Per D.B. 312 PG. 263

MANASOTA PARK

FILED MAY 30, 1925; PB. 2, PG. 154

STA 25+51.71

100' (F)

30 TO ℄ & SUR

N 45°00'00" E 466.25'

N 89°25'54" W 1329.8' (M)

S 89°25'54" E 1329.8' (M)

N 89°25'54" W 1329.8' (M)

S 89°25'54" E 1329.8' (M)

N 45°00'00" E 466.25'

S 89°25'54" E 1329.8' (M)

N 89°25'54" W 1329.8' (M)

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEARS	SHEET No.
3	FLA.	13120-2506		20

CITY OF BRADENTON

T34S — R17E

SCALE 1" = 100'

SINGLETARY SUB'D — FILED JULY 6, 1923 RECORED AUGUST 27, 1923 P.B. 2, PG. 70 MANATEE COUNTY RECORDS

LINCOLN PLACE — FILED FEB 2, 1951 PB 7 PG 93 MANATEE CO. RECORDS

SINGLETARY SUB'D — FILED JULY 6, 1923 RECORED AUGUST 27, 1923 PB 2, PG. 70, MANATEE CO. RECORDS

BLACK BEAR PARK — FILED AUG 9, 1913 PB 1 PG 283 MANATEE CO. RECORDS

ROESCH'S SUB'D — FILED JUNE 7, 1902. RECORED OCT 2, 1902. P.B. 1 PG. 142 MANATEE CO. RECORDS

CONNECTICUT COURT — FILED MAR. 24, 1926 PB 6 PG 5 MANATEE CO. RECORDS

6"x6" C.M. W 1¼" I. P ON TOP S.W. COR. N.E. ¼, S.E. ¼ SEC. 26

N 89°59'18.78" W 1302.46'

S 89°09'48.79" W 1320.58'

S 89°09'48.79" W 1320.58'

S 0°25'41.22" W (24' CONC CURB & GUTTER) 566.26'

544.95' SEE DETAIL

N 0°31'38.19" W R/W LINE & CONST. EASMT.

BEGIN INTERSECTION R/W RT. STA. 136+71.49 ℄ CONST. = STA. 0+00.00 ℄ INTERSECTION R/W STA. 136+71.69 ℄ SURVEY

N 0°50'11.21" E

BEGIN INTERSECTION R/W LT. STA. 136+85.48 ℄ CONST. = STA. 0+00.00 ℄ INTERSECTION R/W STA. 136+85.36 ℄ SURVEY

N 02°20'13.53" E (S) CONST. EASMT. AZ 7.32'

2305.58' S 0°25'41.22" W

℄ EXIST. R/W LINE (213-108)

N 0°25'41.22" E

89°35'30"

℄ SURVEY

90°14'30"

S 0°25'41.22" W (24' CONC CURB & GUTTER) 566.26'

℄ CONST. EASMT.

℄ SURVEY

STA. 136+69.48 13TH AVE W. (ILLINOIS AVE)

STA. 137+05.48

STA. 139+92.25 12TH AVE W. (KENTUCKY AVE)

STA. 140+32.25

STA. 142+20.13 11TH AVE W. (JEFFERSON ST.)

STA. 143+00.13

STA. 144+05.09

STA. 145+10.09 TENTH AVE DRIVE W.

STA. 145+40.09

STA. 147+39.98 10TH AVE W. (ORYMAN ST.)

STA. 147+69.98

STA. 149+29.21 9TH AVE W. (CENTRAL AVE)

BORDEN ST (ONLY 24.41')

STA. 150+19.91

SEC. COR. ℄ SURVEY P.I. STA. 150+00.00 Δ = 0°25' LT. AXLE IN RD.

STA. 151+78.93 9TH AVE DR W (LEE ST)

STA. 152+17.93

STA. 153+68.95 SOUTH SIDE

STA. 153+94.05 8TH AVE W.

STA. 157+95.60 (C) 6TH AVE W (OLD MANATEE RD.) (WASHINGTON ST.)

STA. 158+37.90 (C)

10' UTILITY EASEMENT

59.90 | 60.00 | 51.00 | 20 | 50.00 | 50.00

11 | 10 | 9 | 8 | 7

160

PRC

℄ S.R. 64 (MANATEE AVE.)

S 74°16'23.39" E

90°

EQUATION:
STA 162+70.68 "AHD" ℄ SURVEY (1313-201)
= STA 162+71.44 "BK" ℄ CONST. (1313-201)
= P.I STA 38+95.40 MANATEE AVE (℄ SURVEY)
Δ = 0°23'40" RT. (NO CURVE)

BEGIN R/W TRANSITION STA. 136+44.74

END R/W TRANSITION STA. 134+95.00

FOR DESCRIPTION ONLY

STA. 135+90.00

STA. 135+29.00

STA. 134+90.00

STA. 134+40.00

STA. 133+90.00

STA. 133+40.00

STA. 132+90.00

STA. 132+40.00

STA. 131+90.00

STA. 131+40.00

STA. 130+90.00

STA. 130+40.00

STA. 129+90.00

STA. 129+40.00

STA. 128+90.00

STA. 128+40.00

STA. 127+90.00

STA. 127+40.00

STA. 126+90.00

STA. 126+40.00

STA. 125+90.00

STA. 125+40.00

STA. 124+90.00

STA. 124+40.00

STA. 123+90.00

STA. 123+40.00

STA. 122+90.00

STA. 122+40.00

STA. 121+90.00

STA. 121+40.00

STA. 120+90.00

STA. 120+40.00

STA. 119+90.00

STA. 119+40.00

STA. 118+90.00

STA. 118+40.00

STA. 117+90.00

STA. 117+40.00

STA. 116+90.00

STA. 116+40.00

STA. 115+90.00

STA. 115+40.00

STA. 114+90.00

STA. 114+40.00

STA. 113+90.00

STA. 113+40.00

STA. 112+90.00

STA. 112+40.00

STA. 111+90.00

STA. 111+40.00

STA. 110+90.00

STA. 110+40.00

STA. 109+90.00

STA. 109+40.00

STA. 108+90.00

STA. 108+40.00

STA. 107+90.00

STA. 107+40.00

STA. 106+90.00

STA. 106+40.00

STA. 105+90.00

STA. 105+40.00

STA. 104+90.00

STA. 104+40.00

STA. 103+90.00

STA. 103+40.00

STA. 102+90.00

STA. 102+40.00

STA. 101+90.00

STA. 101+40.00

STA. 100+90.00

STA. 100+40.00

STA. 99+90.00

STA. 99+40.00

STA. 98+90.00

STA. 98+40.00

STA. 97+90.00

STA. 97+40.00

STA. 96+90.00

STA. 96+40.00

STA. 95+90.00

STA. 95+40.00

STA. 94+90.00

STA. 94+40.00

STA. 93+90.00

STA. 93+40.00

STA. 92+90.00

STA. 92+40.00

STA. 91+90.00

STA. 91+40.00

STA. 90+90.00

STA. 90+40.00

STA. 89+90.00

STA. 89+40.00

STA. 88+90.00

STA. 88+40.00

STA. 87+90.00

STA. 87+40.00

STA. 86+90.00

STA. 86+40.00

STA. 85+90.00

STA. 85+40.00

STA. 84+90.00

STA. 84+40.00

STA. 83+90.00

STA. 83+40.00

STA. 82+90.00

STA. 82+40.00

STA. 81+90.00

STA. 81+40.00

STA. 80+90.00

STA. 80+40.00

STA. 79+90.00

STA. 79+40.00

STA. 78+90.00

STA. 78+40.00

STA. 77+90.00

STA. 77+40.00

STA. 76+90.00

STA. 76+40.00

STA. 75+90.00

STA. 75+40.00

STA. 74+90.00

STA. 74+40.00

STA. 73+90.00

STA. 73+40.00

STA. 72+90.00

STA. 72+40.00

STA. 71+90.00

STA. 71+40.00

STA. 70+90.00

STA. 70+40.00

STA. 69+90.00

STA. 69+40.00

STA. 68+90.00

STA. 68+40.00

STA. 67+90.00

STA. 67+40.00

STA. 66+90.00

STA. 66+40.00

STA. 65+90.00

STA. 65+40.00

STA. 64+90.00

STA. 64+40.00

STA. 63+90.00

STA. 63+40.00

STA. 62+90.00

STA. 62+40.00

STA. 61+90.00

STA. 61+40.00

STA. 60+90.00

STA. 60+40.00

STA. 59+90.00

STA. 59+40.00

STA. 58+90.00

STA. 58+40.00

STA. 57+90.00

STA. 57+40.00

STA. 56+90.00

STA. 56+40.00

STA. 55+90.00

STA. 55+40.00

STA. 54+90.00

STA. 54+40.00

STA. 53+90.00

STA. 53+40.00

STA. 52+90.00

STA. 52+40.00

STA. 51+90.00

STA. 51+40.00

STA. 50+90.00

STA. 50+40.00

STA. 49+90.00

STA. 49+40.00

STA. 48+90.00

STA. 48+40.00

STA. 47+90.00

STA. 47+40.00

STA. 46+90.00

STA. 46+40.00

STA. 45+90.00

STA. 45+40.00

STA. 44+90.00

STA. 44+40.00

STA. 43+90.00

STA. 43+40.00

STA. 42+90.00

STA. 42+40.00

STA. 41+90.00

STA. 41+40.00

STA. 40+90.00

STA. 40+40.00

STA. 39+90.00

STA. 39+40.00

STA. 38+90.00

STA. 38+40.00

STA. 37+90.00

STA. 37+40.00

STA. 36+90.00

STA. 36+40.00

STA. 35+90.00

STA. 35+40.00

STA. 34+90.00

STA. 34+40.00

STA. 33+90.00

STA. 33+40.00

STA. 32+90.00

STA. 32+40.00

STA. 31+90.00

STA. 31+40.00

STA. 30+90.00

STA. 30+40.00

STA. 29+90.00

STA. 29+40.00

STA. 28+90.00

STA. 28+40.00

STA. 27+90.00

STA. 27+40.00

STA. 26+90.00

STA. 26+40.00

STA. 25+90.00

STA. 25+40.00

STA. 24+90.00

STA. 24+40.00

STA. 23+90.00

STA. 23+40.00

STA. 22+90.00

STA. 22+40.00

STA. 21+90.00

STA. 21+40.00

STA. 20+90.00

STA. 20+40.00

STA. 19+90.00

STA. 19+40.00

STA. 18+90.00

STA. 18+40.00

STA. 17+90.00

STA. 17+40.00

STA. 16+90.00

STA. 16+40.00

STA. 15+90.00

STA. 15+40.00

STA. 14+90.00

STA. 14+40.00

STA. 13+90.00

STA. 13+40.00

STA. 12+90.00

STA. 12+40.00

STA. 11+90.00

STA. 11+40.00

STA. 10+90.00

STA. 10+40.00

STA. 9+90.00

STA. 9+40.00

STA. 8+90.00

STA. 8+40.00

STA. 7+90.00

STA. 7+40.00

STA. 6+90.00

STA. 6+40.00

STA. 5+90.00

STA. 5+40.00

STA. 4+90.00

STA. 4+40.00

STA. 3+90.00

STA. 3+40.00

STA. 2+90.00

STA. 2+40.00

STA. 1+90.00

STA. 1+40.00

STA. 0+90.00

STA. 0+40.00

STA. 136+69.48 13TH AVE W. (ILLINOIS AVE)

STA. 137+05.48

N 89°09'48.78" W

END INTERSECTION R/W STA. 2+00.00

30' | 30' | 20' | 16' | 13 | 136.2' | 12

150'

40' | 120' | 120.1' | 40.1

105' | 105' | 105'

50' | 50' | 50' | 50' | 100' | 100' | 100'

30'

86' | 86'

2 | 182'

ALLEY

22 | 23 | 24

3 | 2 | 1

26

155

35

150

145

140

135

16 | 17

3 | 2 | 1

6 | 5 | 4 | 3 | 2 | 1

4 | 3 | 18 | 17

4 | 3 | 2 | 1

16 | 15 | 2

10 | 9 | 1

11 | 10 | 9 | 8 | 7

(C) (D) (G) (H) (B)

DETAIL SCALE: 20'

PLAT OF PROPERTY OF A.R. & J.R. CURRY RECORDED IN D.B. "F", PG. 405

SHARP'S ADDITION TO CITY OF MANATEE FILED MAY 25, 1927 PB 6, PG 68 MANATEE CO. RECORDS

SOUTHERN INVESTMENT COMPANY'S SUBDIVISION FILED MAY 4, 1903 RECORDED MAY 22, 1903 PB 1, PG 155 MANATEE CO. RECORDS

HIGH SCHOOL ADDITION RECORDED APRIL 13, 1920, P.B., PG. 41 MANATEE CO. RECORDS

PROPOSED R/W LINE (ADDITIONAL R/W TO BE ACQUIRED BY THE CITY OF BRADENTON)

N 89°32'03.78" W 24.56' (C)

S 89°32'03.78" E 24.56' (C)

N 89°32'26.78" W

N 0°00'41" E 161.50'

Take Area = 3,068 ft²

DETAIL: NO SCALE

161.50'

S 0°00'41" W. R/W LINE

N 0°00'41" E 161.59'

N 0°50'11.21" E 161.59'

S 89°09'48.79" W 20.58'

S 89°22'21.81" W 18.00'

DRAINAGE EASEMENT 22.57'

S 0°31'38.19" E

N 0°31'38.19" W 73.00'

R/W LINE

BEGIN DRAINAGE EASEM'T RT. STA. 136+18.69

DETAIL SCALE: 1"=20'

N 0°25'41.22" E 15.00'

S 0°25'41.22" W 10.00'

S 89°32'03.78" E 90.00'

S 89°32'03.78" E 80.00'

N 89°32'03.78" W 80.00'

N 0°25'41.22" E 15.00'

S 0°25'41.22" W 10.00'

R/W LINE

STA. 143+05.00

STA. 143+20.00

STA. 143+70.00

STA. 144+00.00

STA. 144+30.00

STA. 144+60.00

STA. 144+90.00

STA. 145+30.00

STA. 145+60.00

N 0°25'41.22" E 98' TO E SUR.

S 0°25'41.22" W 98' TO E SUR.

N 89°32'03.78" W 101' TO E SUR.

S 89°32'03.78" E 101' TO E SUR.

N 89°32'03.78" W 98' TO E SUR.

S 89°32'03.78" E 98' TO E SUR.

S 0°25'41.22" W 101' TO E SUR.

N 0°25'41.22" E 98' TO E SUR.

DETAIL SCALE: 1"=20'

DETAIL SCALE: 1"=20'

DETAIL SCALE: 1"=20'

DETAIL SCALE: 1"=20'

℄ CONST CURVE DATA

P.I. STA. 156+75.70
Δ = 07°01'09"
D = 2°00'
T = 175.70
L = 350.96
R = 2864.79
P.C. STA. 153+50.96
P.I. STA. 160+27.23
Δ = 27°02'39" RT
D = 2°00'
T = 176.33
L = 352.21
R = 2864.79
P.R.C. STA. 158+30.96
P.I. STA. 162+03.17

P.C. STA. 155+00.00 (28' RT. ℄ SURVEY STA. 155+00.00)

T.B.N 4°02'59.46" W

℄ SEC. COR. SW 1/4, SEC. 25 N.G.C. IN PVMT

A = 39.63'
Δ = 0°46'41.42"
R = 2911.79'

A = 74.90'
R = 45.00'
Δ = 95°22'10.15"

S 88°43'48.71" E 39.85'

STA. 157+85.15

STA. 162+70.68 "AHD"

STA. 162+71.44 "BK"

INTERSECTION R/W

REVISION	BY	DATE
Add Parcel 4001	M.R.K.-M.B.	6-13-77
Add Entry R/W @ 7th Ave.	R.J.D.-T.L.B.	5-5-80
Add R Par. 8751	B.S.R.-D.J.C.	8-10-78
Add 2951/7170, Rev. Par 8751	B.S.R.-D.J.C.	7-12-78
ADD PAR. 283-11-C	J.J.S.	5-18-78
MISC REV 283, 739	J.J.S.	5-18-78
REV. TITTF RES. PAR 739	J.J.S.	5-18-78
Add R, To Par 2631, 7281	B.S.R.-C.W.B.II	5-2-78
Add R Par. 2951, 730	B.S.R.-C.W.B.II	9-20-78
Add Par. 283, 284, add R Par. 868	B.S.R.-C.W.B.II	3-9-78
Add R Par. 1190, 1935	L.A.-C.W.B.II	3-2-78
Add R 734, 22, 278, 1315, 736	R.S.R.-R.R.N.	2-10-77
Add E 2359.1	J.D.K.-R.R.N.	1-23-77
Void Par. 748	J.S.-C.W.B.II	1-4-78
Add R 911.1	T.J.W.-D.M.B.	9-7-77

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

RIGHT OF WAY MAP

STATE ROAD NO. 683 (U.S. 301) MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	L.A.	5-10-77	John H. McWhirter for: DISTRICT ENGINEER	
TRACED	C.M.	5-16-77		
CHECKED	C.U.K.	6-10-77	Cecil Retliff 7-21-77 for: ENGINEER OF RIGHT OF WAY	
COMPARED				
INDEXED			STATE HIGHWAY ENGINEER	

SECTION 13120-2506 SHEET 20 OF

FED. ROAD DIV. No.	STATE	F A PROJECT NO.	FISCAL YEAR	SHEET No.
3	FLA.	13120-2506		21

T35S—R18E

Scale: 1" = 100'

(4) CURVE DATA
P.I. STA. 406+71.516
X = 327970.087
Y = 1138485.228
Δ = 53°36'59.24" LT.
D = 2°00'
T = 1447.625'
L = 2680.823'
R = 2864.789'
P.C. STA. 392+23.891
P.T. STA. 419+04.714

EQUATION:
STA. 414+04.71 ℄ SURVEY =
STA. 30+00.00 ℄ DRAINAGE EASEM'T.

NAIL S.W. COR. NE 1/4, SE 1/4 SEC. 6

415

83°00'03" 300' = 20

℄ DRAINAGE EASEM'T

301.21'

S39°48'14.31"W D.E. RIW LINE

352.34'

276.89'

D.E. RIW LINE N39°48'14.31"E

L.A. RIW LINE S 42°30'46.05"E

35

P.I. STA. 34+42.00
Δ = 51°35' RT.

P.I. STA. 35+87.25
Δ = 39°47'38" LT.
(NO CURVE)

END DRAINAGE EASEM'T. STA. 39+10.00

(800) 12,183-A #27 2,044-A

D.E. RIW LINE

50°00'26.31"W 344.95'

963.05

N0°00'26.31"E

℄ DRAINAGE EASEMENT

S88°36'45.29"E

40

N0°00'31.99"E 27TH STREET EAST

EXIST. RIW LINE (ADC COUNTY ATLAS)

704.64'(F)

BEGIN DRAINAGE EASEM'T RIW STA. 44+05.00

P.I. STA. 39+90.32
Δ = 91°22'35.72 LT.
(NO CURVE)

END DRAINAGE EASEM'T RIW STA. 47+50.00

N89°59'25.45"E 100'

40 N10°00'26.31"E 184.71'

184.36 S50°00'26.31"W

455.24' S89°13'25.45"W 34TH AVE. EAST

P.I. STA. 46+24.96
Δ = 90°23'18" RT.
(NO CURVE)
4X4 C.M.
S.E. COR.
NE 1/4 SEC. 6

SEC. 6
SEC. 5

(800) 2.9 2,101-A

(802) Void 2.9 2,044-A

Void (2) (803) 1,044-A 2.8

D.E. RIW LINE

45

30' 20' 20' 30'

(801) #24 2,044-A

Void D.E. RIW LINE

60'

15

S89°36'28.49"E

S.E. COR. LOT 15 STA. 53+03.10

FAIR OAKS
FILED P.B. 1, PG. 171

719.16'(F) STA. 409+34.12

538.55'

410

2°00' CURVE (4) LT.

P.C.

N10°25'10.35"E

S88°30'10.6" 40d NAIL SE COR NE 1/4, SE 1/4 SEC. 6

1.52'(F)

N 0°14'30.17"E STA. 35+27.52 ℄ 8th AVE.

S 0°35'45.21"E NO SCALE

(AY DEED BEARING) S 1°21'W SEC. 6 NE 1/4 SEC. 6

P.I. STA. 35+81.67 ℄ 8th AVE. EAST

60d NAIL SE COR NE 1/4, SE 1/4 SEC. 6

2" R.R. SPIKE SE COR. SEC. 6 N 1/2 SEC. 6 S. 1/2 SEC. 31

END DRAINAGE EASEMENT R/W STA. 37+06.31

804

35

D.E. LINE R/W CHANGE R" STA 43+52.94

S88°21'45.94"E ℄ DRAINAGE EASEMENT

D.E. LINE

(806) #2 16929-A

(806) #3 16929-A VOID

(805) #2 16929-A

SCALE: 1" = 100'

LINCOLN TERRACE
FILED DEC. 10, 1925, PB. 4, Pg. 104

PINEALTOS PARK
FILED SEPT. 1, 1925, PB. 4, Pg. 46

SEC. 36, T34S, R18E

SEC. 31, T34S, R18E

125' 33' 33' N0°19'34.06"E EXIST R/W LINE

45 (1ST) 864.00 252

UNDER CONSTRUCTION 26 25 24 23 22 21 20 19 18 17

15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P. 15'C.M.P.

1/2" I. ROD (F) SEE 20'

STA. 43+35.60 (25' DIRT RD.) 157.78'(F)

PITTSBURG AVENUE (PLAT) 23RD AVENUE EAST (F) 16.5'R/W

125' 6' CHAIN LINK FENCE

1/2" PIPE STA. 41+11.40

180.00'(F) I. ROD

1/2" I.P. STA. 40+81.18

CASE STREET (PLAT) 24TH AVENUE EAST (F) 281.00'(M)

125' 14' DIRT RD. 30'

N89°19'55.94"W 15.00' ±51.18

S42°35'35.16"W 15.00' N0°19'34.06"E

(231) (232)

A B

40 2 PINES 18 R/W LINE 2

125' 33' 58.2' 58.2' 58.2' 58.2' 58.2' 58.2' 58.2' 58.2' 58.2' 58.2'

5' SIDE WALK 5' SIDE WALK

℄ 15TH STREET EAST (INTERSECTION R/W (S.R. 70) 80'R/W)

WOODS WOODS

R/W LINE

100' 100'

BEG. IN DRAINAGE EASEM'T RT. EQUATION:
STA. 30+00.00 ℄ DRAINAGE EASEMENT RT. =
STA. 43+27.93 ℄ SURVEY 15TH ST E.

(231) #2 16929-A

(232) 16929-A

(F) Indicates Field Dimension

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY MAP

STATE ROAD NO. 683 (U.S. 301) MANATEE COUNTY

	BY	DATE
DRAWN	D. S.	5-12-75
TRACED	D. S.	6-5-75
CHECKED	C.W.	6-9-75
COMPARED		
INDEXED		

APPROVED BY: John H. De Winkles — DATE — DIST. DISTRICT ENGINEER
Bill L. Roliff 7-27-77 — FOR: ENGINEER OF RIGHT OF WAY
STATE HIGHWAY ENGINEER

SECTION 13120-2506 SHEET 21 OF

REVISION	BY	DATE
VOID 806	C.W.R-W.P.W	9-22-75
Void 801, 802, 803 and 804 R/W CHGS	J.B.	3-8-77
Add Bearing & Delete 'R'	J.B.-R.C.W.	2-16-78

INTERSECTION R/W
DRAINAGE EASEMENTS

AF 9782

F.A. PROJECT NO.	SHEET NO.

℄ CONST CURVE DATA

P.I. STA. 43+90.92	P.I. STA. 45+19.82
Δ = 29° 32' 28" RT	Δ = 29° 32' 28" LT.
D = 22° 55' 05"	D = 22° 55' 05"
T = 65.92'	T = 65.92'
L = 128.90'	L = 128.90'
R = 250.00'	R = 250.00'
P.C. STA. 43+25.00	P.R.C. STA. 44+53.90
P.R.C. STA. 44+53.90	P.T. STA. 45+82.80"BK" = STA. 45+71.53 "AHD"℄ SURVEY 50' EAST

SEC. 30
T. 35 S. – R. 18 E.
SCALE 1"=50'

EQUATION:
STA. 13+00 ℄ TALLEVAST ROAD
STA. 30+00 ℄ SURVEY ACCESS ROAD

EQUATION:
STA. 43+25.00 ℄ SURVEY "BK" =
STA. 43+25.00 ℄ CONST. "AHD" 15.00' WEST

EQUATION:
STA. 45+82.80 ℄ CONST. "BK" 50.00' EAST =
STA. 45+71.53 ℄ SURVEY "AHD"

Notes; Crosshatched Area Denotes F.D.O.T. R/W To Be Transferred To Manatee Co.

Scattered Trees & Myrtles

Seaboard Coast Line Railroad

P.P. Spike Section Corner

Scattered Pines & Palms

Scattered Trees

Thick Myrtles

Pond

Low Area

Asphalt Parking

Pasture

4" Hog Wire

Fence

Ditch

Concrete Pipe

Asphalt

B.B. R/W Line

℄ R/W Line

℄ Survey U.S. 301 Realignment N 0° 26' 31.22" E

℄ Survey Tallevast Road on Sec. Line

Eastern R/W Line by County Deed

Western R/W Line by County Deed

Bearings Based on ℄ Survey U.S. 301 Realignment N 0° 26' 31.22" E

℄ Survey

B.O.T. Bolt Bridge Spike STA. 30+00

P.O.T. STA. 43+00

All Ref. Points are Bolt Bridge Spike Stamped R.P.

All Ref. Points are 3/8" Iron Rods

UTILITY OWNERS

POWER.....FLORIDA POWER
TELEPHONE.....GENERAL TELEPHONE
WATER.....MANATEE COUNTY

ACCESS ROAD

TALLEVAST ROAD NORTH 2700' PARALLEL RAILROAD

(F) Indicates Field Dimensions

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

RIGHT OF WAY MAP

STATE ROAD NO. 683, U.S. 301 MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	JWD	1-28-80	A.W. Mendez De Oca	DISTRICT ENGINEER
TRACED	JLR	3-3-80		
CHECKED	CWK	3-4-80	W.A. Bayman	9.9.80 ENGINEER OF RIGHT OF WAY

MAPS PREPARED BY 1st DISTRICT
FIELD BOOK NO'S. 025166
W.P.I. NO. 1151114
SCALE 1" = 50'
SECTION 13120-2506
SHEET 22

REVISION	BY	DATE
Modified to FDOT Comb. w/ Cross Front	JWD - MCH	12-11-80

POLYTRACE 033

AF 9782

F.A. PROJECT NO.	SHEET NO.





ACCESS ROAD

TALLEVAST ROAD NORTH 2700'
PARALLEL RAILROAD

(f) Indicates Field Dimensions

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

RIGHT OF WAY MAP

STATE ROAD NO. 683, U.S. 301 MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	JWD	2-28-80	C.W. Martin Dr. DIST. ENGINEER	
TRACED	JLB	3-3-80	W.A. Rawlings ENGINEER OF RIGHT OF WAY	9-9-80
CHECKED	CWM	3-4-80		

MAPS PREPARED BY 1st DISTRICT
FIELD BOOK NO'S. 025166
W.P.I. NO. 115114
SCALE 1" = 50'
SECTION 13120-2506
SHEET 23

REVISION	BY	DATE
Void SR 683 Comb w/ Tant 1001	JWD - MLH	12-11-80

POLYTRACE 033

AF 9782

F.A. PROJECT NO.	SHEET NO.

STA. 234+33.65 ℄ SURVEY U.S. 301 REALIGNMENT =
STA. 30+00.00 ℄ SURVEY WHITFIELD AVENUE

235

℄ U.S. 301 REALIGNMENT
N 0°26' 31.22" E

T 35 S - R 18 E

STA. 31+88.14 — L.A. R/W Line

1 Sty. CB & Stucco

STA. 27+55.03

L.A. R/W Line

Paved 30.00' | Parking 30.00'

27+87.91 N 0°47' 12.94" E

VOID 289.1

℄ SURVEY WHITFIELD AVE. ON SEC. LINE

S 89°13' 38.78" E

8" PVC

15" CP

100 Par. Tels.

300 Par. Tels.

Hedge

Conc. S/W

R/W LINE

18.01'

N 89°13' 38.78" W

2.9'

℄ SURVEY ⌀ B

S 89°13' 38.78" E

162.02'

R/W LINE

S 0°41' 48.09" W

30.00' 30.00'

STA. 30+95.00 ℄ SURVEY B

STA. 30+65.00 ℄ SURVEY A

+60.92

4"x4" C.M.

Ditch

℄ R/W LINE

VOID 290.1 375.62'

STA. 34+61.14(C) N 0°47' 48.09" E

Ditch 101.64'

Pump House

Asphalt

1 Sty. Fr. Bldg.

Open Bldg. Tin Roof

Asphalt

Asphalt

145.01' N 0°41' 48.09" E

6' Chain Link 3 Str. B/W

Thick Brush

℄ R/W LINE

247.58'

S 89° 10' 56.77" E

STA. 43+18.56(C)

Pines

STA. 34+91.22
℄ WHITFIELD AVE.
STA. 30+00 ℄ B.A.

30.05' 30.05'

20.98'

℄ SURVEY ACCESS ROAD N 0°47' 43.22" E

50 Par. Tels.

383.73'

145.01' Asphalt

Conc. S/W

247.58'

R/W LINE

4"x4" C.M.

376.62' S 0°41' 48.09" W

334.19'

356.53' N 0°47' 43.22" E

3.11

101.53'

N 0°47' 43.22" E

VOID 293.1

VOID 295.1

Paved

R/W LINE

N 89°27' 27.19" W

5' Palms

5' Palms

VOID 291.1

6' Chain Link Fence

1 Sty. C.B. Bus.

Asphalt Parking

Asphalt

Parking

S 89°13' 31.91" E
STA. 34+40.62

Hedge

6' Chain Link Fence

VOID 292.1

1 Sty. Metal Bus.

S 89° 10' 55.91" E
STA. 35+42.24

6' Chain Link 3 Str. B/W

N 89° 10' 55.91" W
STA. 39+25.97

1 Sty. Metal Bus.

VOID 294.1

S 89° 10' 55.91" E
STA. 40+70.96

6' Chain Link 3 Str. B/W

3' Conc. S/W

1 Sty. Metal Bldg.

6' Chain Link 3 Str. B/W

Ditch

Pines

(By Deed Exception)
East R/W Line

G&A 9.8
361.90

25' 26.3'

East R/W Line
(By Deed Exception)

30 | 19
29 | 20

RR Spk.
Sec. Cor.

STA. 34+91.22 AHD =
STA. 30+00.00 NORTH

℄ SURVEY WHITFIELD AVE.

℄ SURVEY ACCESS RD.

50.00' 50.00' 150.00'

90°09'22"

126°00'

54°00'

80.00'

5/8" I.R.

150.00'

50.00'

All points are 60# N&C unless otherwise indicated

℄ SURVEY ACCESS RD.

E.O.S
STA. 44+00.00

90°00'

90°00'

30.08'

30.05'

30.08'

30.08'

30.08'

All points are 5/8" I.R.

ACCESS ROAD
WHITFIELD AVENUE NORTH 1400'

ENTIRE SHEET VOID

UTILITY OWNERS

POWER	FLORIDA POWER
WATER	SARASOTA COUNTY
TELEPHONE	GENERAL TELEPHONE

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

RIGHT OF WAY MAP

STATE ROAD NO. 683, U.S. 301 MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	J.W.D	3-3-80		
TRACED	K.R.W.	3-5-80	C.W. Meeks Jr.	DISTRICT ENGINEER
CHECKED	C.U.K.	3-10-80	W.A. Saussy	9-9-80 ENGINEER OF RIGHT OF WAY

MAPS PREPARED BY: FIRST DISTRICT
FIELD BOOK NO'S. 025543
W.P.I. NO. 115114
SCALE 1" = 50'
SECTION 13120-2506
SHEET 24

REVISION	BY	DATE
Void Por. 289-295	JWD MCH II	17-80

POLYTRACE 033

AF 9782

F.A. PROJECT NO.	SHEET NO.



T. 35 S. - R. 18 E.
SCALE 1" = 50'



UTILITY OWNERS

POWER.....FLORIDA POWER
TELEPHONE.....GENERAL TELEPHONE
WATER.....MANATEE COUNTY
FORCE MAIN....MANATEE COUNTY

(F) Indicates Field Dimensions

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

RIGHT OF WAY MAP

STATE ROAD NO. 683 U.S. 301 MANATEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	KW	3-5-80	C.W. Mayo De Dea	DISTRICT ENGINEER
TRACED	KW	3-6-80		
CHECKED	CWK	3-11-80	W.A. Sanborn 9-3-80	ENGINEER OF RIGHT OF WAY

MAPS PREPARED BY: 1st DISTRICT
FIELD BOOK NO'S.: 025536
W.P.I. NO. 115114
SCALE 1" = 50'
SECTION 13120-2506
SHEET 25

REVISION	BY	DATE
Void Par. 236	JWD-MLH	11-11-80

POLYTRACE 033

AF 9782

F.A. PROJECT NO.	SHEET NO.

T35S-R18E

Hopa Industrial Park
Not Recorded

IRIS ST

Begin Access Road
Sta. 71+22.52
S 89° 18' 34" E

P.I. Sta. 73+36.86
Δ=00° 01' 20" Right
(No Curve)

Begin Survey
Sta. 71+00.00

Note; Crosshatched Area Denotes F.D.O.T. R/W To Be Transferred To Manatee Co.

EQUATION:
Sta. 100+00.00 & Access Rd. =
Sta. 11+68.29 & WHITFIELD Rd.

P.I. Sta. 11+93.29
Δ=00° 07' 30" Left
P.R. Spike (No Curve)
S.W. Cor., S.E. 1/4
Sec. 19

EQUATION:
Sta. 234+33.65 ℄ Survey (U.S. 301)
Sta. 30+00.00 ℄ WHITFIELD ROAD

P.O.B. Sta. 71+00.00

P.I. Sta. 73+36.86
Δ=00° 01' 20" Right
(No Curve)

P.O.T. Sta. 86+41.85

Equation Sta. 100+00.00
Sta. 11+68.29 Whitfield Rd.

All Reference Points 5/8" Iron Rods Unless Otherwise Stated.

80d Bridge Spike & Cap

Access Road

FLORIDA DEPARTMENT OF TRANSPORTATION
RIGHT OF WAY ENGINEERING SECTION

RIGHT OF WAY MAP

STATE ROAD NO. 683 U.S. 301 Manatee COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	JR	11-7-82	C. W. Monts Jr.	DISTRICT ENGINEER
TRACED	JR	11-9-82	W. A. Sullivan	12-13-83 ENGINEER OF RIGHT OF WAY
CHECKED	JWD	11-15-82		

MAPS PREPARED BY First District
W.P.I. NO. 115114
FIELD BOOK NO'S. 028283
SCALE 1"=100'
SECTION 13120-2506
SHEET 26

REVISION	BY	DATE

POLYTRACE 033